Printing date 08/20/2024

*

Reviewed on 08/20/2024

Identification	
Product identifier	
Trade name: Lanthanum Solution APHA 3111 B	
Article number: PR012	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225 DEER PARK, TX 77536 USA	SOLUTIONS
800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS08 Health hazard	2 H373 May cause damage to organs through prolonged or repeated exposure
GHS08 Health hazard	2 H373 May cause damage to organs through prolonged or repeated exposure.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure	
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion	repeated exposure.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A	repeated exposure. H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	repeated exposure. H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and late	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and late	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure Image 1 Image 2 Image 3 Image 3 <	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS105 Corrosion GHS05 Corrosion	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H335 May cause respiratory irritation.

Printing date 08/20/2024

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

	Contd. of page 1)
· Hazard statements	10 /
Causes severe skin burns and eye damage.	
May cause respiratory irritation.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	d easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 U Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 $H_{adlth} = *3$	
FIRE 0 $Fire = 0$	
REACTIVITY \bigcirc Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
Description: Mixture of the substances listed below with nonnazaraous additions. Dangerous components:	
CAS: 7647-01-0 Hydrochloric Acid	26.446%
CAS: 1312-81-8 Lanthanum Oxide, Reagent Grade	5.395%
CAS. 1512-01-0 Laninanum Oxiae, Reageni Graae	5.595%0

(Contd. on page 3)

68.16%

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
-	
• PAC-1:	
CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm
CAS: 1312-81-8 Lanthanum Oxide, Reagent Grade	$4 mg/m^3$
· PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid	22 ppm
CAS: 1312-81-8 Lanthanum Oxide, Reagent Grade	44 mg/m ³
	ontd. on page 4)

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

(Contd. of page 3)

· PAC-3:		
CAS: 7647-01-	0 Hydrochloric Acid	100 ppm
CAS: 1312-81-	8 Lanthanum Oxide, Reagent Grade	270 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7647-01-0 Hydrochloric Acid	
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm
	A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

⁻ US

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

		(Contd. of page 5
Density at 20 °C (68 °F):	1.0871 g/cm³ (9.07185 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	68.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	5.4 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

(Contd. of page 6)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agent:* Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Hydrochloric Acid)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Hydrochloric Acid)

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name:	Lanthanum	Solution
	APHA 3111	В

	(Contd. of page
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
	-
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
(- z)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORI
	ACID), 8, II

15 Regulatory information

*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Hydrochloric Acid	ACTIV
Lanthanum Oxide, Reagent Grade	ACTIV
Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: Hydrochloric Acid Lanthanum Oxide, Reagent Grade
Hazard statements Causes severe skin burns and eye damage. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements

Do not breathe dusts or mists.

(Contd. on page 10)

⁻ US

Printing date 08/20/2024

Reviewed on 08/20/2024

Trade name: Lanthanum Solution APHA 3111 B

(Contd. of page 9)

Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 08-20-2024: Reviewed SDS for accuracy. STN/GW Revision 0.0, 02-12-2016: Creation date for SDS. STN 08/20/2024 / 1.1

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 * * Data compared to the previous version altered.

US