Printing date 06/02/2021 Reviewed on 06/02/2021

1 Identification

· Product identifier

· Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

· Article number: CHV006

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

 (Contd. on page 2)

on page 2)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 1)

· Hazard pictograms











GHS02

GHS03

GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Acetic Acid

Perchloric acid 68 - 70% w/w

· Hazard statements

Flammable liquid and vapor.

May intensify fire; oxidizer.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

(Contd. on page 3)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.
- _____

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7	Acetic Acid	95.574%
CAS: 108-24-7	Acetic Anhydride	3.066%
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	1.36%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

US

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 64-19-7	Acetic Acid	5 ppm	
CAS: 108-24-7	Acetic Anhydride	0.5 ppm	
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	0.61 ppm	
· PAC-2:			
CAS: 64-19-7	Acetic Acid	35 ppm	
CAS: 108-24-7	Acetic Anhydride	15 ppm	
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	6.7 ppm	
· PAC-3:			
CAS: 64-19-7	Acetic Acid	250 ppm	
CAS: 108-24-7	Acetic Anhydride	100 ppm	
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	40 ppm	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot *Specific end use*(s) *No further relevant information available.*

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 4)

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	: 64-19-7 Acetic Acid
PEL	Long-term value: 25 mg/m³, 10 ppm
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
TLV	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
CAS	: 108-24-7 Acetic Anhydride
PEL	Long-term value: 20 mg/m³, 5 ppm
REL	Ceiling limit value: 20 mg/m³, 5 ppm
TLV	Long-term value: 4 mg/m³, 1 ppm Ceiling limit value: 3 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	7 1 7 0		
Information on basic physical and chemical properties			
General Information Appearance:			
Form:	Liquid		
Color:	Clear		
· Odor:	Vinegar		
Odor threshold:	Not determined.		
pH-value at 20 °C (68 °F):	2.5		
Change in condition			
Melting point/Melting range:	16.6 °C (61.9 °F)		
Boiling point/Boiling range:	118 °C (244.4 °F)		
Flash point:	40 °C (104 °F)		
Flammability (solid, gaseous):	Not applicable.		
Ignition temperature:	485 °C (905 °F)		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.		
Explosion limits:			
Lower:	4 Vol %		
Upper:	17 Vol %		
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)		
Density at 20 °C (68 °F):	1.05798 g/cm³ (8.82884 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/wate	er): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		

(Contd. on page 7)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

 (Contd. of page 6)

 Solvent content:
 98.6 %

 VOC content:
 98.64 %

 1,043.6 g/l / 8.71 lb/gal

 Solids content:
 0.0 %

 Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

ATE (Acute Toxicity Estimate)

Oral	LD50	33,800 mg/kg (rat)
Dermal	LD50	1,109 mg/kg (rabbit)
Inhalative	LC50/4h	32,620 mg/l (rat)

CAS: 64-19-7 Acetic Acid

Dermal LD50 1,100 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 7)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· IMDG, IATA

· DOT, IMDG, IATA

UN2920

- · UN proper shipping name
- $\cdot DOT$

Corposive liquids, flammable, n.o.s. (Acetic acid, glacial)

CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC ACID, GLACIAL)

- · Transport hazard class(es)
- $\cdot DOT$





· Class 8 Corrosive substances

(Contd. on page 9)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 8) · Label *8, 3* \cdot *IMDG* · Class 8 Corrosive substances · Label 8/3 \cdot IATA · Class 8 Corrosive substances · Label 8(3)· Packing group · DOT, IMDG, IATA II· Environmental hazards: · Marine pollutant: No Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): 8 F-E,S-C· EMS Number: · Stowage Category SW1 Protected from sources of heat. · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC · UN "Model Regulation": ACID, GLACIAL), 8 (3), II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355 (extremely hazardo)	us substances):
-----------------------------------	-----------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act	٠,	TSCA (CA (Toxic	Substances	Control A	Act):
--------------------------------------	----	--------	-----------	------------	-----------	-------

Acetic Acid	ACTIVE
Acetic Anhydride	ACTIVE
Perchloric acid 68 - 70% w/w	ACTIVE

(Contd. on page 10)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 9)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms











GHS03

GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Acetic Acid

Perchloric acid 68 - 70% w/w

· Hazard statements

Flammable liquid and vapor.

May intensify fire; oxidizer.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

(Contd. on page 11)

Printing date 06/02/2021 Reviewed on 06/02/2021

Trade name: Perchloric Acid 0.100N in

Acetic, NIST Traceable (ASTM D2896-15)

(Contd. of page 10)

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Creation date for SDS 08-21-2014. STN

Revision 1.0 05-07-2021: updated hazard information. STN

06/02/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids - Category 3

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2