Printing date 07/22/2024

Reviewed on 07/22/2024

#### **1** Identification

- · Product identifier
- Trade name: <u>Ammonia Buffer</u>
- Article number: DC825
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Skin Irritation 2 Eye Irritation 2A H315 Causes skin irritation. H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

Hazard-determining components of labeling: Ethylenedinitrilotetraacetic acid, disodium salt
Hazard statements Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.

(Contd. on page 2)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

| (Co  | ntd. of page 1) |
|--|-----------------|
| Wear protective gloves / eye protection / face protection.   |                 |
| If on skin: Wash with plenty of water.   |                 |
| Specific treatment (see on this label).  |                 |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and                   | easy to do.     |
| Continue rinsing.  |                 |
| Get medical advice/attention if you feel unwell.   |                 |
| Take off contaminated clothing and wash it before reuse.<br>If skin irritation occurs: Get medical advice/attention. |                 |
| If eye irritation occurs. Get medical advice/attention.<br>If eye irritation persists: Get medical advice/attention. |                 |
| Dispose of contents/container in accordance with local/regional/national/international regulations.                  |                 |
| · Classification system:   |                 |
| · NFPA ratings (scale 0 - 4)   |                 |
|  |                 |
| Health = 2   |                 |
| Fire = 1   |                 |
| 2 $0$ Reactivity = 0   |                 |
| HMIS-ratings (scale 0 - 4)   |                 |
| HEALTH 2 Health = 2  |                 |
| FIRE 1 $Fire = l$  |                 |
| <b>REACTIVITY</b> Reactivity = 0   |                 |
|  |                 |
| · Other hazards  |                 |
| • Results of PBT and vPvB assessment<br>• PBT: Not applicable.   |                 |
| • <b><i>vPvB</i></b> : Not applicable.   |                 |
|  |                 |
|  |                 |
| 3 Composition/information on ingredients   |                 |
| · Chemical characterization: Mixtures  |                 |
| • <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.                            |                 |
| · Dangerous components:  |                 |
| CAS: 6381-92-6 Ethylenedinitrilotetraacetic acid, disodium salt  | 5.105%          |
| CAS: 1310-73-2 Sodium Hydroxide  | 0.562%          |
| Table of Nonhazardous Ingredients  |                 |

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

94.333%

US

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.* • *Environmental precautions:* 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

| • PAC-1:       |  |                        |
|----------------|--|------------------------|
| CAS: 6381-92-6 | Ethylenedinitrilotetraacetic acid, disodium salt | $30 \text{ mg/m}^3$    |
| CAS: 1310-73-2 | Sodium Hydroxide                                 | $0.5 mg/m^3$           |
| · PAC-2:       |  |                        |
|                | Ethylenedinitrilotetraacetic acid, disodium salt | 330 mg/m <sup>3</sup>  |
| CAS: 1310-73-2 | Sodium Hydroxide                                 | $5 mg/m^3$             |
| · PAC-3:       |  |                        |
|                | Ethylenedinitrilotetraacetic acid, disodium salt | $2,000 \text{ mg/m}^3$ |
| CAS: 1310-73-2 | Sodium Hydroxide                                 | $50 mg/m^3$            |

# 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

(Contd. of page 2)

US

(Contd. of page 3)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 1310-73-2 Sodium Hydroxide

PEL Long-term value: 2 mg/m<sup>3</sup>

*REL Ceiling limit value: 2 mg/m<sup>3</sup>* 

TLV Ceiling limit value: 2 mg/m<sup>3</sup>

• Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

Printing date 07/22/2024

Reviewed on 07/22/2024

(Contd. of page 4)

Trade name: Ammonia Buffer

· Body protection: Protective work clothing

| Physical and chemical proper          | ties   |  |
|---------------------------------------|--|--|
| Information on basic physical and c   | hemical properties   |  |
| General Information                   |  |  |
| Appearance:                           |  |  |
| Form:                                 | Liquid   |  |
| Color:                                | Clear  |  |
| Odor:                                 | Odorless No. 1 No. |  |
| Odor threshold:                       | Not determined.  |  |
| pH-value:                             | Not determined.  |  |
| Change in condition                   |  |  |
| Melting point/Melting range:          | Undetermined.  |  |
| Boiling point/Boiling range:          | 100 °C (212 °F)  |  |
| Flash point:                          | 101 °C (213.8 °F)  |  |
| Flammability (solid, gaseous):        | Not applicable.  |  |
| Decomposition temperature:            | Not determined.  |  |
| Ignition temperature:                 | Product is not selfigniting.   |  |
| Danger of explosion:                  | Product does not present an explosion hazard.  |  |
| Explosion limits:                     |  |  |
| Lower:                                | Not determined.  |  |
| Upper:                                | Not determined.  |  |
| Vapor pressure at 20 °C (68 °F):      | 23 hPa (17.3 mm Hg)  |  |
| Density at 20 °C (68 °F):             | 0.97939 g/cm³ (8.17301 lbs/gal)  |  |
| Relative density                      | Not determined.  |  |
| · Vapor density                       | Not determined.  |  |
| Evaporation rate                      | Not determined.  |  |
| Solubility in / Miscibility with      |  |  |
| Water:                                | Fully miscible.  |  |
| Partition coefficient (n-octanol/wate | pr): Not determined.   |  |
| Viscosity:                            |  |  |
| Dynamic:                              | Not determined.  |  |
| Kinematic:                            | Not determined.  |  |
| Solvent content:                      |  |  |
| Water:                                | 94.3 %   |  |
| VOC content:                          |  |  |
|                                       | 0.0 g/l / 0.00 lb/gal  |  |
| Solids content:                       | 2.2 %  |  |
| Other information                     | No further relevant information available.   |  |

(Contd. on page 6)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

(Contd. of page 5)

#### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 29.4 mg/l

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 7)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

• *Other adverse effects No further relevant information available.* 

### **13 Disposal considerations**

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number<br>DOT, ADN, IMDG, IATA               | Not regulated   |  |
|---|-----------------|--|
| UN proper shipping name<br>DOT, ADN, IMDG, IATA | Not regulated   |  |
| Transport hazard class(es)                      |                 |  |
| DOT, ADN, IMDG, IATA                            |                 |  |
| Class   | Not regulated   |  |
| Packing group                                   |                 |  |
| DOT, IMDG, IATA                                 | Not regulated   |  |
| Environmental hazards:                          | Not applicable. |  |
| Special precautions for user                    | Not applicable. |  |
| Transport in bulk according to Annex            | II of           |  |
| MARPOL73/78 and the IBC Code                    | Not applicable. |  |
| UN "Model Regulation":                          | Not regulated   |  |

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| • Section 355 (extremely hazardous substances):   |               |
|---|---------------|
| None of the ingredients is listed.                |               |
| · Section 313 (Specific toxic chemical listings): |               |
| None of the ingredients is listed.                |               |
| • TSCA (Toxic Substances Control Act):            |               |
| Water 2   | <i>ACTIVE</i> |
| Sodium Hydroxide                                  | <i>ACTIVE</i> |
| · Hazardous Air Pollutants                        |               |
| None of the ingredients is listed.                |               |
| (Contd.   | on page 8)    |

(Contd. of page 6)

Printing date 07/22/2024

· Proposition 65

Reviewed on 07/22/2024

Trade name: Ammonia Buffer

(Contd. of page 7)

• *Chemicals known to cause cancer:* None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

· Hazard-determining components of labeling: Ethylenedinitrilotetraacetic acid, disodium salt · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 07/22/2024

\*

Reviewed on 07/22/2024

## Trade name: Ammonia Buffer

(Contd. of page 8)

| This information is based on our present knowledge. However, this shall not constitute a guard                                 | antee for any |
|--|---------------|
| specific product features and shall not establish a legally valid contractual relationship.                                    |               |
| Department issuing SDS: Environment protection department.   |               |
| · Contact:   |               |
| Date of Preparation / Last Revision:   |               |
| • Date of preparation / last revision  |               |
| Revision 1.2, 07-22-2024: Reviewed SDS for accuracy. STN/GW  |               |
| 07/22/2024 / 1.0   |               |
| · Abbreviations and acronyms:  |               |
| IMDG: International Maritime Code for Dangerous Goods  |               |
| DOT: US Department of Transportation   |               |
| LATA: International Air Transport Association  |               |
| EINECS: European Inventory of Existing Commercial Chemical Substances  |               |
| ELINCS: European List of Notified Chemical Substances  |               |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)  |               |
| NFPA: National Fire Protection Association (USA)   |               |
| HMIS: Hazardous Materials Identification System (USA)  |               |
| VOC: Volatile Organic Compounds (USA, EU)  |               |
| LC50: Lethal concentration, 50 percent   |               |
| LD50: Lethal dose, 50 percent  |               |
| PBT: Persistent, Bioaccumulative and Toxic   |               |
| vPvB: very Persistent and very Bioaccumulative   |               |
| NIOSH: National Institute for Occupational Safety  |               |
| OSHA: Occupational Safety & Health<br>TLV: Threshold Limit Value   |               |
|  |               |
| PEL: Permissible Exposure Limit  |               |
| REL: Recommended Exposure Limit<br>Skin Irritation 2: Skin corrosion/irritation – Category 2                                   |               |
| Eve Irritation 2. Skin corrosion/irritation – Category 2<br>Eve Irritation 2A: Serious eve damage/eve irritation – Category 2A |               |
| Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2          |               |
| • * Data compared to the previous version altered.   |               |