
Printing date 12/22/2017

Reviewed on 12/22/2017

1 Identification

- · Product identifier
- · Trade name: <u>DPD Reagent</u>
- · Article number: PPG071
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc.
- 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification





GHS08 Health hazard

Carc. 1A H350 May cause cancer.



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: Sulfuric Acid 96 - 98%
 Hazard statements Causes severe skin burns and eye damage. May cause cancer.
 Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists.
- Wash thoroughly after handling.

(Contd. on page 2)

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

(Contd. of page	1)
Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to d	о.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention. Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{0} Reactivity = 0$	
· HMIS-ratings (scale 0 - 4)	
HEALTH ¹³ Health = $*3$	
FIRE 0 $Fire = 0$	
REACTIVITY O Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Description. Mixture of the substances listed below with honnazarabus datations.	-
CAS: 7664-93-9 Sulfuric Acid 96 - 98% 2.187%	10
	- -

• Table of Nonhazardous Ingredients

CAS: 536-47-0N,N-Diethyl-p-phenylene Diamine Sulfate, Reagent GradeCAS: 7732-18-5Water

4 First-aid measures

 \cdot Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

0.218%

97.596%

US

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. • **Reference to other sections**
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

·	PA	С-	1:
---	----	----	----

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· PAC-2:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• PAC-3:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

 $0.20 \ mg/m^3$

 $8.7 mg/m^{3}$

 $160 \, mg/m^3$

(Contd. of page 2)

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

(Contd. of page 3)

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- PEL Long-term value: 1 mg/m³
- REL Long-term value: 1 mg/m³
- TLV Long-term value: 0.2* mg/m³
 - *as thoracic fraction
- *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

(Contd. of page 4)

Information on basic physical and c	hemical properties
General Information	I I I
Appearance:	
Form:	Liquid
Color:	Clear to pale grey
Odor:	Odorless No. 1 No.
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.0098 g/cm³ (8.42678 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	pr): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	97.6 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gl
Solids content:	0.2 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

⁽Contd. on page 6)

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

27,077 mg/kg (mouse) Oral LD50 Dermal LD50 137,678 mg/kg Inhalative LC50/4 h 1,377 mg/l

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 7)

1

Κ

(Contd. of page 5)

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

(Contd. of page 6)

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. • Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB**: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADN, IMDG, IATA	Not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
Class	Not regulated
Packing group	
DOT, IMDG, IATA	Not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II	of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98%

eris. 7007 25 2 Sulfarie Heid 20 2070

• TSCA (Toxic Substances Control Act):

Sulfuric Acid 96 - 98%

(Contd. on page 8)

⁻ US

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

N,N-Diethyl-p-phenylene Diamine Sulfate, Reagent Grade	(Contd. of page
Water	
TSCA new (21st Century Act) (Substances not listed)	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Hazard pictograms	Globally Harmonized System (GHS).
· · · ·	Globally Harmonized System (GHS)
Hazard pictograms GHS05 GHS08	Globally Harmonized System (GHS)
Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling:	Globally Harmonized System (GHS)
Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98%	Globally Harmonized System (GHS)
Hazard pictograms	Globally Harmonized System (GHS)
Hazard pictograms	Globally Harmonized System (GHS)
Hazard pictograms	Globally Harmonized System (GHS)
Hazard pictograms	Globally Harmonized System (GHS)
Hazard pictograms Very Very Very Very Very Very Very Very	Globally Harmonized System (GHS)
Hazard pictograms Very Very Very Very Very Very Very Very	Globally Harmonized System (GHS)
Hazard pictograms Volume 1 Volume	Globally Harmonized System (GHS)
Hazard pictograms Volume 1 Volume	Globally Harmonized System (GHS)
Hazard pictograms Volume 1 A Statements Causes severe skin burns and eye damage. May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.	
 Hazard pictograms With the picture of the pictur	in with water/shower.
 Hazard pictograms With the picture of the pictur	in with water/shower. '8.
 Hazard pictograms With the picture of the pictur	in with water/shower. '8.
Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse sk IF INHALED: Remove person to fresh air and keep comfortable for breathin If in eyes: Rinse cautiously with water for several minutes. Remove conta Continue rinsing.	in with water/shower. '8.
 Hazard pictograms A pictog	in with water/shower. '8.
 Hazard pictograms A pictog	in with water/shower. '8.
Hazard pictograms Very Very Statements GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. May cause cancer. Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse sk IF INHALED: Remove person to fresh air and keep comfortable for breathin If in eyes: Rinse cautiously with water for several minutes. Remove conta Continue rinsing. IF exposed or concerned: Get medical advice/attention.	in with water/shower. '8.

Printing date 12/22/2017

Reviewed on 12/22/2017

Trade name: DPD Reagent

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

- Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

• Date of preparation / last revision 12-22-2017: review SDS for accuracy. STN Revision 0.0, 08-29-2016: Creation date for SDS.

Revision 0.0, 08-29-2016: Creation date for SDS. STN 12/22/2017 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Bo

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 1A: Carcinogenicity - Category 1A

(Contd. of page 8)