Printing date 08/16/2024 Reviewed on 08/16/2024

1 Identification

· Product identifier

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

· Article number: HON086

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

Reviewed on 08/16/2024 Printing date 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 1)

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:				
CAS: 7697-37-2	Nitric Acid	2.035%		
· Table of Nonhazardous Ingredients				
CAS: 7732-18-5	Water	97.96%		
CAS: 7783-20-2	Ammonium Sulfate	0.004%		
CAS: 7439-89-6	Iron Metal	0.001%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 2)

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 7697-37-2 Nitric Acid	0.16 ppm
CAS: 7783-20-2 Ammonium Sulfate	13 mg/m³
CAS: 7439-89-6 Iron Metal	3.2 mg/m^3
· PAC-2:	
CAS: 7697-37-2 Nitric Acid	24 ppm
CAS: 7783-20-2 Ammonium Sulfate	99 mg/m3
CAS: 7439-89-6 Iron Metal	35 mg/m^3
· PAC-3:	
CAS: 7697-37-2 Nitric Acid	92 ppm
CAS: 7783-20-2 Ammonium Sulfate	590 mg/m3
CAS: 7439-89-6	150 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm

NIC-A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

· Body protection: Protective work clothing

(Contd. of page 4)

Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Product Not determine the determine	rmined. °F)
Appearance: Form: Color: Odor: Odor threshold: Not deter PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (32 Boiling point/Boiling range: Not apple Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not deter Ignition temperature: Product Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Vapor density Vapor density Vapor density Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	°F)
Form: Color: Odor: Odor threshold: Not determined by the properties of the propertie	°F)
Color: Odor: Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: I 00 °C (32 Boiling point/Boiling range: I 00 °C (42 Boiling point/Boiling range: I 00 °C (43 Boiling point/Boiling range: I 00 °C (48 Boiling poin	°F)
Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not determined by the product of the product	°F)
Odor threshold: PH-value at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not determined by the product of the product of the period of the peri	°F)
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not determined by the product of	°F)
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not deter Ignition temperature: Product Danger of explosion: Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): Pensity at 20 °C (68 °F): Relative density Vapor density Not deter Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	
Melting point/Melting range: Boiling point/Boiling range: Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not deter Ignition temperature: Product Danger of explosion: Product Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): Pelative density Vapor density Not deter Vapor density Not deter Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	
Boiling point/Boiling range: 100 °C (A) Flash point: Not apple Flammability (solid, gaseous): Not apple Decomposition temperature: Not deter Ignition temperature: Product Danger of explosion: Product Explosion limits: Lower: Not deter Upper: Not deter Vapor pressure at 20 °C (68 °F): 23 hPa (Density at 20 °C (68 °F): 1.0103 g Relative density Not deter Vapor density Not deter Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	
Flash point: Flammability (solid, gaseous): Not apple Decomposition temperature: Not deter Ignition temperature: Product Danger of explosion: Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): Pensity at 20 °C (68 °F): Pensity at 20 °C (68 °F): Pensity at 20 °C (68 °F): Potential in the perature: Not deter Not deter Not deter Not deter Not deter Not deter Product Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	21.2 °F1
Flammability (solid, gaseous): Decomposition temperature: Ignition temperature: Product of the product of th	
Decomposition temperature: Ignition temperature: Product Danger of explosion: Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not determined	icable.
Ignition temperature: Product of Danger of explosion: Product of Explosion limits: Lower: Not determine Not deter	icable.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Vapor density Vapor density Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined to the composity Viscosity: Dynamic: Not determined to the composition of the c	mined.
Explosion limits: Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): 23 hPa (Density at 20 °C (68 °F): 1.0103 g Relative density Not deter Vapor density Not deter Evaporation rate Not deter Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	is not selfigniting.
Lower: Upper: Not deter Vapor pressure at 20 °C (68 °F): 23 hPa (Density at 20 °C (68 °F): 1.0103 g Relative density Not deter Vapor density Not deter Evaporation rate Not deter Solubility in / Miscibility with Water: Fully miscipation coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not determined	does not present an explosion hazard.
Upper: Not determine the Vapor pressure at 20 °C (68 °F): 23 hPa (19 Pensity at 20 °C (68 °F): 1.0103 g Relative density Not determine to the Vapor density in / Miscibility with Water: Fully miscibility with Water: Not determine to the Viscosity: Viscosity: Not determine the Vapor density Not determine the N	
Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined to the composition of the coefficient (n-octanol/water): Not determined to the coefficie	mined.
Density at 20 °C (68 °F): Relative density Vapor density Not determined Evaporation rate Not determined Solubility in / Miscibility with Water: Fully misciparition coefficient (n-octanol/water): Viscosity: Dynamic: Not determined	mined.
Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter	17.3 mm Hg)
Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter	/cm³ (8.43095 lbs/gal)
Vapor density Evaporation rate Not determined to the Not determin	
Evaporation rate Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	mined.
Solubility in / Miscibility with Water: Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	mined.
Water: Fully mis Partition coefficient (n-octanol/water): Not deter Viscosity: Dynamic: Not deter	
Partition coefficient (n-octanol/water): Not determined by Viscosity: Dynamic: Not determined by Not	reible
Viscosity: Dynamic: Not deter	
Dynamic: Not deter	mined.
•	
Kinematic: Not deter	mined.
1101 4101	
Solvent content:	mined.
Water: 98.0 %	mined.
VOC content: 0.00 %	mined.
,	mined.
Solids content: 0.0 %	omined. 0.00 lb/gal
Other information No further	

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 147 mg/l

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 7)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 6)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

(Contd. on page 8)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 7)

Section 313 (Specific toxic chemical listings):				
CAS: 7697-37-2 Nitric Acid				
CAS: 7783-20-2 Ammonium Sulfate				
· TSCA (Toxic Substances Control Act):				
Water	ACTIVE			
Nitric Acid	ACTIVE			
Ammonium Sulfate	ACTIVE			
Iron Metal	ACTIVE			

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 9)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Iron and Sulfur 10.0 ppm ea in 2% v/v HNO₃ NIST Traceable

(Contd. of page 8)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 08-16-2024: Reviewed SDS for accuracy. STN/GW 08/16/2024 / 1.1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1

* * Data compared to the previous version altered.

US