Printing date 06/10/2024

Reviewed on 06/10/2024

1 Identification

- · Product identifier
- Trade name: Gardner Color Std. #14, ASTM D1544-58T
- Article number: 3924
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number:
- Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1

breathing difficulties if inhaled. H341 Suspected of causing genetic defects. Germ Cell Mutagenicity 2 Carcinogenicity 1B H350 May cause cancer. Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure.

H334 May cause allergy or asthma symptoms or



| ion 1A | H314 Causes severe skin burns and eye damage. |
|--------|---|
| e 1 | H318 Causes serious eye damage. |

Eye Damage · Label elements

Skin Corrosi

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Ferric Chloride Hexahydrate

(Contd. on page 2)

US

Printing date 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T Reviewed on 06/10/2024

(Contd. of page 1) Hydrochloric Acid Cobalt Chloride Hexahydrate · Hazard statements Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = 2FIRE Fire = 00 **REACTIVITY** O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · *PBT*: Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T

| | | (Contd. of page 2) | |
|------------------|-------------------------------------|--------------------|--|
| · Dangerous comp | · Dangerous components: | | |
| CAS: 10025-77-1 | Ferric Chloride Hexahydrate | 10.336% | |
| CAS: 7647-01-0 | Hydrochloric Acid | 5.694% | |
| CAS: 7791-13-1 | Cobalt Chloride Hexahydrate | 3.096% | |
| • | · Table of Nonhazardous Ingredients | | |
| CAS: 7732-18-5 | Water | 80.875% | |

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available. · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures ...

| | precautions, protective equipment and emergency procedures |
|-------------|---|
| Mount res | spiratory protective device. |
| Wear prot | tective equipment. Keep unprotected persons away. |
| · Environm | iental precautions: |
| Do not all | low product to reach sewage system or any water course. |
| Inform rea | spective authorities in case of seepage into water course or sewage system. |
| Dilute wit | th plenty of water. |
| Do not all | low to enter sewers/ surface or ground water. |
| · Methods a | and material for containment and cleaning up: |
| Absorb w | ith liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust) |
| Use neutr | alizing agent. |
| Dispose c | ontaminated material as waste according to section 13. |
| Ensure ad | lequate ventilation. |
| · Reference | e to other sections |
| See Sectio | on 7 for information on safe handling. |

(Contd. on page 4)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T

| See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals | (Contd. of page 3) |
|--|------------------------|
| · PAC-1: | |
| CAS: 10025-77-1 Ferric Chloride Hexahydrate | 15 mg/m ³ |
| CAS: 7647-01-0 Hydrochloric Acid | 1.8 ppm |
| CAS: 7791-13-1 Cobalt Chloride Hexahydrate | 0.24 mg/m ³ |
| · PAC-2: | |
| CAS: 10025-77-1 Ferric Chloride Hexahydrate | 39 mg/m ³ |
| CAS: 7647-01-0 Hydrochloric Acid | 22 ppm |
| CAS: 7791-13-1 Cobalt Chloride Hexahydrate | 25 mg/m ³ |
| · PAC-3: | |
| CAS: 10025-77-1 Ferric Chloride Hexahydrate | 240 mg/m ³ |
| CAS: 7647-01-0 Hydrochloric Acid | 100 ppm |
| CAS: 7791-13-1 Cobalt Chloride Hexahydrate | 150 mg/m ³ |

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
- At this time, the other constituents have no known exposure limits.

| CAS: 7647-01-0 Hydrochloric Acid | | |
|----------------------------------|--|--|
| NIOSH RECOMENDED EXP LIMI | Ceiling limit value: 7.0 mg/m3 mg/m ³ | |
| PEL | Ceiling limit value: 7 mg/m ³ , 5 ppm | |
| REL | Ceiling limit value: 7 mg/m³, 5 ppm Ceiling limit value: 7 mg/m³, 5 ppm | |
| TLV | Ceiling limit value: 2 ppm | |
| | A4 | |
| | (Contd. on page 5) | |

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T

| The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 | | |
|--|---|--|
| Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: WWP Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Due to missing tests no recommendation to the glove material, but also on further marks of quality avriers form annufacturer to manufacturer. As the product is a preparation of substance, the application. Protection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality avriers form annufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Prevention time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to a observed. Eye protection: Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor in Odosise physical and chemical properties General Information Appearance: Form: Form: Liquid Color: Yellow-orange Odor in condition Metting point/Melting range: Undetermined. | | |
| Immediately remove all 'soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breaching equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: Work: Protective gloves: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves material on consideration of the penetration times. rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to to observed. Experotection: Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odor threshold: Not determined. Pi-value at 20° C (68°F): 2 | | |
| Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes. Avoid contact with the eyes. Reaching equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: Winthing State Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies form manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetation time of glove material The suce break through time has to be found out by the manufacturer of the protective gloves and has to b observed. Experimention on basic physical and chemical properties General Information on basic physical and chemical properties General Information on basic physical and chemical properties General Information Appearance: | | |
| Store protective clothing separately. Avoid contact with the eyes. Around contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: | | |
| Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: | | |
| Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: | | |
| Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: Image: Construction of the product | | |
| In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th chemical mixture. Selection of the gloves anterial on consideration of the penetration times, rates of diffusion and the degradation Material of glove The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substance, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The esact break through time has to be found out by the manufacturer of the protective gloves and has to to observed. Eye protection: Protective work clothing Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. | | |
| respiratory protective device that is independent of circulating air. Protection of hands: The protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the subtable gloves does not only depend on the material, but also on further marks of quality awaries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to to observed. Eye protection: Protective work clothing Physical and chemical properties Form: Ciguid Color: Ciguid | | |
| Protection of hands: <i>With protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture.</i> Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation <i>Material of gloves</i> The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can be be found out by the manufacturer of the protective gloves and has to be observed. <i>Penetration time of glove material The selection: With the solution on be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection: Display breaded goggles Body protection: Physical and chemical properties General Information Appearance: Form: Color: Odor Hesslold: Not determined.</i> | | |
| Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to family the chemical misture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to to observed. Eye protection: Forget restores They sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor inceshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | 1 1 | independent of circulating air. |
| The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The avant be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The vact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Physical and chemical properties General Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Melting point/Melting range: | Protection of hands: | |
| The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The avant be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The vact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Physical and chemical properties General Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 | MD Protective closes | |
| Due to missing tests no recommendation to the glove material can be given for the product? the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality av varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to i observed. Eye protection: Ciperation: Ciperat | Prolective gloves | |
| Due to missing tests no recommendation to the glove material can be given for the product? the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality av varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to i observed. Eye protection: Ciperation: Ciperat | The glove material has to be impern | neable and resistant to the product/ the substance/ the preparation |
| chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Liquid Color: Odorless Odor threshold: pH-value at 20 °C (68 °F): < 2 Change in condition Metting point/Melting range: Undetermined. | | |
| Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality ar varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to i observed. Eye protection: Correction: Corr | 0 | |
| Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality an varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The seact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | | nsideration of the penetration times, rates of diffusion and the degradation |
| The selection of the suitable gloves does not only depend on the material, but also on further marks of quality arvaries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): | | |
| varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Form: Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Melting point/Melting range: Undetermined. | | does not only depend on the material, but also on further marks of auality a |
| the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): | | |
| Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: Fightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor!ess Odor!ess Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | | ciller. Its the product is a preparation of several substances, the resistance |
| The exact break through time has to be found out by the manufacturer of the protective gloves and has to a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Melting point/Melting range: Undetermined. | | ated in advance and has therefore to be checked prior to the application |
| observed. Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor less Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 | the glove material can not be calcula | ated in advance and has therefore to be checked prior to the application. |
| Eye protection: Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcule Penetration time of glove material | |
| Tightly sealed goggles Body protection: Protective work clothing Physical and chemical properties General Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has | |
| Body protection: Protective work clothing Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. | |
| Body protection: Protective work clothing Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has | |
| Body protection: Protective work clothing Body protection: Protective work clothing Physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. | |
| Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: | |
| Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: | |
| Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. Melting point/Melting range: Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: | |
| Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Yellow-orange Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. Melting point/Melting range: Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles | to be found out by the manufacturer of the protective gloves and has to |
| General InformationLiquidAppearance:LiquidForm:LiquidColor:Yellow-orangeOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2 | the glove material can not be calcula Penetration time of glove material The exact break through time has a | to be found out by the manufacturer of the protective gloves and has to |
| Appearance:Form:LiquidColor:Yellow-orangeOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2Change in condition Melting point/Melting range:Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work cla | to be found out by the manufacturer of the protective gloves and has to a |
| Form:LiquidColor:Yellow-orangeOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2 | the glove material can not be calcule Penetration time of glove material The exact break through time has a | to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the protective gloves and has to be gloves and has to be found out by the protective gloves and has t |
| Color:Yellow-orangeOdor:OdorlessOdor threshold:Not determined.pH-value at 20 °C (68 °F):<2 | the glove material can not be calcule Penetration time of glove material The exact break through time has a | to be found out by the manufacturer of the protective gloves and has to a othing |
| Odor: Odorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Undetermined. Melting point/Melting range: Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clean Physical and chemical proper Information on basic physical and chemical proper | to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be obtained by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the manufacturer of the protective gloves and has to be found out by the |
| Odor threshold: Not determined. pH-value at 20 °C (68 °F): <2 Change in condition Melting point/Melting range: Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clean Physical and chemical proper Information on basic physical and of General Information Appearance: Form: | to be found out by the manufacturer of the protective gloves and has to b othing ties chemical properties Liquid |
| pH-value at 20 °C (68 °F):<2 | the glove material can not be calcule Penetration time of glove material The exact break through time has a | to be found out by the manufacturer of the protective gloves and has to b othing ties chemical properties Liquid |
| Change in condition Melting point/Melting range: Undetermined. | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clean Physical and chemical proper Information on basic physical and of General Information Appearance: Form: | to be found out by the manufacturer of the protective gloves and has to be othing ties chemical properties Liquid Yellow-orange |
| Melting point/Melting range: Undetermined. | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work cla Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: | to be found out by the manufacturer of the protective gloves and has to be othing ties chemical properties Liquid Yellow-orange Odorless |
| | the glove material can not be calcula Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work cla Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: | to be found out by the manufacturer of the protective gloves and has to be othing ties chemical properties Liquid Yellow-orange Odorless Not determined. |
| (Contd. on page | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clean Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition | to be found out by the manufacturer of the protective gloves and has to be othing ties themical properties Liquid Yellow-orange Odorless Not determined. <2 |
| (Conta: on page | the glove material can not be calcule Penetration time of glove material The exact break through time has a observed. Eye protection: Tightly sealed goggles Body protection: Protective work clean Physical and chemical proper Information on basic physical and of General Information Appearance: Form: Color: Odor: Odor threshold: pH-value at 20 °C (68 °F): Change in condition | to be found out by the manufacturer of the protective gloves and has to be othing ties themical properties Liquid Yellow-orange Odorless Not determined. <2 |

Printing date 06/10/2024

Reviewed on 06/10/2024

| Trade | name: | Gara | lner | Color | Std. |
|-------|-------|------|------|-------|---------|
| | | #14, | AST | FM D1 | 544-58T |

| | (Contd. of p | bage : |
|---------------------------------------|---|--------|
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| Density at 20 °C (68 °F): | 1.07395 g/cm ³ (8.96211 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | er): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Water: | 80.9 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 13.4 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 06/10/2024

Trade name: Gardner Color Std. #14. ASTM D1544-58T Reviewed on 06/10/2024

(Contd. of page 6)

11 Toxicological information · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) LD50 Oral 6,441 mg/kg (rat) Inhalative LC50/4h 48.4 mg/l · Primary irritant effect: • on the skin: Strong caustic effect on skin and mucous membranes. • on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. · Sensitization: Sensitization possible through inhalation. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. · Carcinogenic categories · IARC (International Agency for Research on Cancer) CAS: 7791-13-1 Cobalt Chloride Hexahydrate 2B· NTP (National Toxicology Program) None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 8)

US

Printing date 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T Reviewed on 06/10/2024

(Contd. of page 7)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

| · UN-Number · DOT, IMDG, IATA | UN3264 |
|--------------------------------------|---|
| · UN proper shipping name | 0.0201 |
| $\cdot DOT$ | <i>Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid, Fe</i> <i>Chloride Hexahydrate)</i> |
| · IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C (Hydrochloric Acid, Ferric Chloride Hexahydrate) |
| · Transport hazard class(es) | |
| ·DOT | |
| CORROSIVE 8 | |
| · Class | 8 Corrosive substances |
| ·Label | 8 |
| · IMDG | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| ·IATA | |
| | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · Packing group · DOT, IMDG, IATA | III |

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T

| | (Contd. of page a |
|--|--|
| Environmental hazards: | |
| Marine pollutant: | Symbol (fish and tree) |
| Special precautions for user | Warning: Corrosive substances |
| EMS Number: | F-A, S-B |
| Segregation groups | (SGG1) Acids |
| Stowage Category | Α |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex | II of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| | On cargo aircraft only: 60 L |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities $(\widetilde{E}Q)$ | Code: El |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S |
| 0 | (HYDROCHLORIC ACID, FERRIC CHLORIDE HEXAHYDRATE |
| | 8, <i>III</i> |

15 Regulatory information

*

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

| • Section 355 (extremely hazardous substances): | |
|---|---------------------|
| None of the ingredients is listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| CAS: 7791-13-1 Cobalt Chloride Hexahydrate | |
| · TSCA (Toxic Substances Control Act): | |
| Water | ACTIVE |
| Hydrochloric Acid | ACTIVE |
| · Hazardous Air Pollutants | |
| CAS: 7647-01-0 Hydrochloric Acid | |
| CAS: 7791-13-1 Cobalt Chloride Hexahydrate | |
| · Proposition 65 | |
| • Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| | (Contd. on page 10) |

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Gardner Color Std. #14. ASTM D1544-58T

(Contd. of page 9)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Ferric Chloride Hexahydrate Hydrochloric Acid Cobalt Chloride Hexahydrate · Hazard statements Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Suspected of causing genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. (Contd. on page 11)

Printing date 06/10/2024

Trade name: Gardner Color Std. #14, ASTM D1544-58T

Reviewed on 06/10/2024

(Contd. of page 10)

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

• Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN

06/10/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Carcinogenicity 1B: Carcinogenicity - Category 1B Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1 \cdot * Data compared to the previous version altered.