Printing date 05/14/2024

Reviewed on 05/14/2024

Product identifier Trade name: <u>Turbidity Stan</u> 2000 NTU (A		
Article number: HYD034		
Details of the supplier of th Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	e safety data sheet	AQUA
Information department: Technical Coordinator Sherman Nelson shermann(Emergency telephone numb Chemtrec: 800-424-9300 Canutec: 613-996-6666		
Hazard(s) identificatio	n	
Hazard(s) identificatio Classification of the substa		
	nce or mixture	
Classification of the substa	nce or mixture crossbones	
Classification of the substant	nce or mixture Crossbones 3 H331 Toxic if inhaled.	
Classification of the substand	nce or mixture Crossbones 3 H331 Toxic if inhaled.	
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation . GHS08 Health ho	nce or mixture crossbones 3 H331 Toxic if inhaled. izard H350 May cause cancer.	
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation A GHS08 Health ha Carcinogenicity 1B	nce or mixture crossbones 3 H331 Toxic if inhaled. izard H350 May cause cancer.	
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation A GHS08 Health ha Carcinogenicity 1B GHS05 Corrosion	nce or mixture crossbones 3 H331 Toxic if inhaled. nzard H350 May cause cancer.	d eye damage.
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation GHS08 Health ha Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1C	nce or mixture crossbones 3 H331 Toxic if inhaled. uzard H350 May cause cancer. n H314 Causes severe skin burns an	d eye damage.
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation . Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1C Eye Damage 1	nce or mixture crossbones 3 H331 Toxic if inhaled. uzard H350 May cause cancer. n H314 Causes severe skin burns an	
Classification of the substant GHS06 Skull and Acute Toxicity - Inhalation A GHS08 Health ha Carcinogenicity 1B GHS05 Corrosion Skin Corrosion 1C Eye Damage 1 GHS07	nce or mixture crossbones 3 H331 Toxic if inhaled. 1zard H350 May cause cancer. n H314 Causes severe skin burns an H318 Causes serious eye damage.	•

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)



(Contd. on page 3)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

(Contd. of page 2)

22.13%

22.13%

55.74%

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 100-97-0 Hexamethylenetetramine

CAS: 10034-93-2 Hydrazine Sulfate

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

(Contd. on page 4)

US -

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

		(Contd. of page 3)
	quipment. Keep unprotected persons away.	
 Environmental pr 		
Dilute with plenty		
	nter sewers/ surface or ground water.	
	erial for containment and cleaning up:	
	<i>l-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing a		
	ated material as waste according to section 13.	
Ensure adequate		
· Reference to othe		
	information on safe handling.	
	information on personal protection equipment.	
	disposal information.	
	Criteria for Chemicals	
· PAC-1:		
CAS: 100-97-0	Hexamethylenetetramine	$55 mg/m^3$
CAS: 10034-93-2	Hydrazine Sulfate	$0.5 \ mg/m^3$
· PAC-2:		
CAS: 100-97-0	Hexamethylenetetramine	610 mg/m ³
CAS: 10034-93-2	Hydrazine Sulfate	$5.5 mg/m^3$
· PAC-3:		
CAS: 100-97-0	Hexamethylenetetramine	3,600 mg/m ³
CAS: 10034-93-2	Hydrazine Sulfate	33 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

(Contd. on page 5)

Printing date 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

(Contd. of page 4)

Reviewed on 05/14/2024

CAS: 100-97-0 Hexamethylenetetramine

TLV Long-term value: 1 mg/m³ *inhalable fraction, A4, DSEN

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physic General Information	cal and chemical properties	
Appearance:		
Form:	Liquid	
Color:	<i>Milky opaque color, must be shaken before use</i>	
Odor:	Odorless	
Odor threshold:	Not determined.	

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

		(Contd. of page
· pH-value:	Not determined.	
· Change in condition	Undetermined.	
Melting point/Melting range: Boiling point/Boiling range:	$100 \ ^{\circ}C \ (212 \ ^{\circ}F)$	
· Flash point:	250 °C (482 °F)	
· Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	1.12969 g/cm ³ (9.42726 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	55.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	44.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

(Contd. of page 6)

· Informati	ion on toxicological effects
· Acute tox	
· LD/LC50	values that are relevant for classification:
ATE (Acı	ute Toxicity Estimate)
Oral	LD50 2,716 mg/kg (rat)
Dermal	LD50 1,356 mg/kg
Inhalative	e LC50/4h 2.26 mg/l
	irritant effect:
	in: No irritant effect.
	e: Strong irritant with the danger of severe eye injury.
	tion: Sensitization possible through skin contact.
	Il toxicological information:
	uct shows the following dangers according to internally approved calculation methods for preparations
Toxic	
Harmful	
Irritant	
Ũ	enic categories
· IARC (In	ternational Agency for Research on Cancer)
None of th	he ingredients is listed.
· NTP (Nat	tional Toxicology Program)
CAS: 100	34-93-2 Hydrazine Sulfate
· OSHA-Ca	a (Occupational Safety & Health Administration)
None of th	he ingredients is listed.
) Ecolori	and information
LCOIOgi	cal information

• Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

(Contd. on page 8)

US

Printing date 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA) Reviewed on 05/14/2024

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

* v		
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 10034-93-2 Hydrazine Sulfate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hexamethylenetetramine	ACTIVE
Hydrazine Sulfate	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
(Con	td. on page 9)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

(Contd. of page 8)

· Proposition 65

 \cdot Chemicals known to cause cancer:

CAS: 10034-93-2 Hydrazine Sulfate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Hydrazine Sulfate Hexamethylenetetramine · Hazard statements Harmful in contact with skin. *Toxic if inhaled.* Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

(Contd. on page 10)

Printing date 05/14/2024

*

Reviewed on 05/14/2024

Trade name: Turbidity Standard 2000 NTU (APHA)

(Contd. of page 9)

	(Contd. of page 9)
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	al regulations.
	0
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
Information about limitation of use:	
v v	ontained in this propagation
Workers are not allowed to be exposed to the hazardous carcinogenic materials c	oniainea in inis preparation.
Exceptions can be made by the authorities in certain cases.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried ou	t.
Other information	
This information is based on our present knowledge. However, this shall not co	nstitute a guarantee for any
specific product features and shall not establish a legally valid contractual relations	hip.
Department issuing SDS: Environment protection department.	
• • •	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2, 05/14/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0, 08-24-2016: creation date for SDS. STN	
05/14/2024	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Skin Corrosion IC: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Skin Corrosion 1C: Skin corrosion/irritation – Category 1C Eye Damage 1: Serious eye damage/eye irritation – Category 1	