Printing date 06/02/2021

Reviewed on 06/02/2021

1 Identification

- · Product identifier
- Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix
- · Article number: CHV116
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- · Hazard-determining components of labeling:
- Hydrochloric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).


(Contd. on page 2)

⁻ US

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix



· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

CAS: 12007-60-2 Lithium Tetraborate, Reagent

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

94.059%

0.2%

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• PAC-1:		Personal precautions, protective equipment and emergency procedures				
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on safe handling. See Section 7 for disposal information. Protective Action Criteria for Chemicals• PAC-1: CAS: 7647-01-01.8 ppmCAS: 7647-01-0Hydrochloric Acid1.8 ppmCAS: 7647-01-0Hydrochloric Acid22 ppmCAS: 7647-01-0Hydrochloric Acid4.7 mg/m³• PAC-3: CAS: 7647-01-0Information ate, Reagent47 mg/m³	· ·	•				
Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.• Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Use neutralizing agent.Dispose contaminated material as waste according to item 13.Ensure adequate ventilation.• Reference to other sectionsSee Section 7 for information on safe handling.See Section 8 for information on personal protection equipment.See Section 13 for disposal information.• Protective Action Criteria for Chemicals• PAC-1:CAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric AcidCAS: 12007-60-2Lithium Tetraborate, Reagent• PAC-3:CAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric Acid0Unim Tetraborate, Reagent• PAC-3:CAS: 7647-01-0Hydrochloric Acid100 ppm		Wear protective equipment. Keep unprotected persons away.				
Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Use neutralizing agent.Dispose contaminated material as waste according to item 13.Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.Protective Action Criteria for Chemicals· PAC-1:CAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric Acid22 ppmCAS: 12007-60-2Lithium Tetraborate, Reagent47 mg/m³· PAC-3:CAS: 7647-01-0Hydrochloric AcidCAS: 7647-01-0Hydrochloric Acid21 ppmCAS: 12007-60-2Lithium Tetraborate, Reagent· PAC-3:CAS: 7647-01-0Hydrochloric Acid100 ppm						
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m³ PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m³ PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm 	Dilute with plenty	of water.				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals *PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ *PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³	Do not allow to en	ter sewers/ surface or ground water.				
Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals *PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ *PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³						
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ · PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³ · PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	Absorb with liquid	l-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Ensure adequate ventilation.Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals• PAC-1: CAS: 7647-01-0Hydrochloric Acid1.8 ppmcAS: 12007-60-2Lithium Tetraborate, Reagent4.3 mg/m³• PAC-2: CAS: 7647-01-0Hydrochloric Acid22 ppmcAS: 12007-60-2Lithium Tetraborate, Reagent47 mg/m³• PAC-3: CAS: 7647-01-0Hydrochloric Acid100 ppm						
 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m³ PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m³ PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm 						
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ • PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm						
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals• PAC-1:CAS: 7647-01-0Hydrochloric AcidCAS: 12007-60-2Lithium Tetraborate, Reagent• PAC-2:CAS: 7647-01-0Hydrochloric AcidCAS: 12007-60-2Lithium Tetraborate, Reagent• PAC-3:• PAC-3:CAS: 7647-01-0Hydrochloric Acid100 ppm						
See Section 13 for disposal information.• Protective Action Criteria for Chemicals• PAC-1:CAS: 7647-01-0Hydrochloric Acid1.8 ppmCAS: 12007-60-2Lithium Tetraborate, Reagent• PAC-2:CAS: 7647-01-0Hydrochloric Acid22 ppmCAS: 12007-60-2Lithium Tetraborate, Reagent47 mg/m³• PAC-3:CAS: 7647-01-0Hydrochloric Acid100 ppm	See Section 7 for information on safe handling.					
• Protective Action Criteria for Chemicals • PAC-1: CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ • PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 7647-01-0 Hydrochloric Acid 47 mg/m ³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	See Section 8 for information on personal protection equipment.					
• PAC-1: • CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ • PAC-2: • • CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 7647-01-0 Hydrochloric Acid 47 mg/m ³ • PAC-3: • • CAS: 7647-01-0 Hydrochloric Acid 100 ppm	See Section 13 for disposal information.					
CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m ³ · PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³ · PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	· Protective Action Criteria for Chemicals					
CAS: 12007-60-2 Lithium Tetraborate, Reagent 4.3 mg/m³ • PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	· PAC-1:					
• PAC-2: CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm			
CAS: 7647-01-0 Hydrochloric Acid 22 ppm CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	CAS: 12007-60-2	Lithium Tetraborate, Reagent	$4.3 mg/m^{3}$			
CAS: 12007-60-2 Lithium Tetraborate, Reagent 47 mg/m ³ • PAC-3: CAS: 7647-01-0 Hydrochloric Acid 100 ppm	• PAC-2:					
• PAC-3: • CAS: 7647-01-0 Hydrochloric Acid 100 ppm	CAS: 7647-01-0	Hydrochloric Acid	22 ppm			
CAS: 7647-01-0 Hydrochloric Acid 100 ppm	CAS: 12007-60-2	Lithium Tetraborate, Reagent	47 mg/m ³			
	· PAC-3:	• PAC-3:				
CAS: 12007-60-2 Lithium Tetraborate, Reagent 280 mg/m ³	CAS: 7647-01-0	Hydrochloric Acid	100 ppm			
	CAS: 12007-60-2	Lithium Tetraborate, Reagent	280 mg/m ³			

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:				
	CAS: 7647-01-0 Hydrochloric Acid			
	NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³		
	PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
	REL	Ceiling limit value: 7 mg/m³, 5 ppm		
	TLV	Ceiling limit value: 2.98 mg/m³, 2 ppm		

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 5)

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 4)

Physical and chemical proper	ties	
· Information on basic physical and chemical properties		
· General Information	nemea properties	
· Appearance:		
Form:	Liquid	
Color:	Colorless	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
• Flash point: Not applicable.		
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature: Not determined.		
• Auto igniting:	Product is not selfigniting.	
Danger of explosion:Product does not present an explosion hazard.		
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 •C (68 •F):	23 hPa (17.3 mm Hg)	
• Density at 20 •C (68 •F):	1.0015 g/cm ³ (8.35752 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
• Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	94.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 6)

US

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 5)

· Possibility of hazardous reactions No dangerous reactions known.

• *Conditions to avoid* No further relevant information available.

• Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1760
, ,	UN1760
UN proper shipping name	
DOT	Corrosive liquids, n.o.s. (Hydrochloric acid)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID)
Transport hazard class(es)	
DOT	
J. J.	
CORROSIVE	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
29	
U. V. Company	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	0
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

	(Contd. of page 7
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
• TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVI
Lithium Tetraborate, Reagent	ACTIVI
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 12007-60-2 Lithium Tetraborate, Reagent	I (oral
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
	(Contd. on page

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 8)

NIOSH-Ca (National Institute f	or Occupational Safety and Health)
--------------------------------	------------------------------------

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Hydrochloric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Revision 1.0 05-07-2021: updated hazard information. STN Revision 1.0, 05-07-2021: updated incorrect description of 20% to correct 25%. STN 06/02/2021 / -• **Abbreviations and acronyms:** IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ENVECS: Former on Investing of Environ Communical Substances

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- *PBT: Persistent, Bioaccumulative and Toxic*
- vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: Lithium Tetraborate 2 gpL 5% V/V HCl Matrix

(Contd. of page 9)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1