Printing date 03/14/2024 Reviewed on 03/14/2024

1 Identification

· Product identifier

· Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

· Article number: L3396

• CAS Number: 1317-36-8 • EC number: 215-267-0

• Index number: 082-001-00-6

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Toxicity - Oral 4 H302 Harmful if swallowed. Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

(Contd. on page 2)

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 1)

- · Signal word Danger
- · Hazard statements

Harmful if swallowed or if inhaled.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*2 *Health* = *2 Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

CAS: 1317-36-8 Lead Oxide, Yellow (Litharge)

- · Identification number(s) · EC number: 215-267-0
- · Index number: 082-001-00-6

(Contd. on page 3)

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 0.16 mg/m3
- · PAC-2: 130 mg/m³
- · PAC-3: 750 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 3)

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1317-36-8 Lead Oxide, Yellow (Litharge)

PEL Long-term value: 0.05 mg/m³

as Pb; See 29 CFR 1910.1025

REL Long-term value: 0.05* mg/m³

as Pb;*8-hr TWA; See Pocket Guide App. C

TLV Long-term value: 0.05 mg/m³

as Pb; A3, BEI

· Ingredients with biological limit values:

CAS: 1317-36-8 Lead Oxide, Yellow (Litharge)

BEI 200 µg/100 ml

LD50 Intraperitoneal: blood

Time: not critical LD50: Lead

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Powder Color: Yellow · Odor: **Odorless** · Odor threshold: Not determined. · pH-value: Not applicable. · Change in condition 886 °C (1,626.8 °F) Melting point/Melting range: Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. Product is not flammable. · Flammability (solid, gaseous): Not determined. · Decomposition temperature: · Ignition temperature: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. Not applicable. · Vapor pressure: 9.53 g/cm³ (79.52785 lbs/gal) · Density at 20 °C (68 °F): $3,100 \text{ kg/m}^3$ · Bulk density: · Relative density Not determined. · Vapor density Not applicable. Not applicable. · Evaporation rate · Solubility in / Miscibility with Not determined. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. No further relevant information available. · Other information

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

		500 mg/kg (ATE
Inhalative	LC50/4h	1.5 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) 2A
- · NTP (National Toxicology Program) R
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

LIC

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN2291
UN proper shipping name	
DOT	Lead compounds, soluble, n.o.s. (Lead Oxide, Yellow (Litharge))
IMDG	LEAD COMPOUND, SOLUBLE, N.O.S. (Lead Oxide, Yellov (Litharge)), MARINE POLLUTANT
IATA	LEAD COMPOUND, SOLUBLE, N.O.S. (Lead Oxide, Yellov
	(Litharge))
Transport hazard class(es)	
DOT, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
IMDG	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT, IMDG, IATA	III
Environmental hazards:	Environmentally hazardous substance, solid; Marine Pollutant
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Miscellaneous dangerous substances and articles
Hazard identification number (Ken	
EMS Number:	F-A,S-A (SCC7) Heavy metals and their salts (including the
Segregation groups	(SGG7) Heavy metals and their salts (including their organometallic compounds), (SGG9) lead and its compounds
Stowage Category	A
Transport in bulk according to Ani	
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. on page 8)

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

	(Contd. of page
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 100 kg
	On cargo aircraft only: 200 kg
· IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
• • • • • •	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 2291 LEAD COMPOUND, SOLUBLE, N.O.S. (LEAD OXIDI
•	YELLOW (LITHARGE)), 9, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) B2
- · TLV (Threshold Limit Value) A3
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





...

· Signal word Danger

· Hazard statements

Harmful if swallowed or if inhaled.

Suspected of causing cancer.

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

(Contd. on page 9)

Printing date 03/14/2024 Reviewed on 03/14/2024

Trade name: Lead Oxide, Yellow (Litharge), Reagent Grade Powder

(Contd. of page 8)

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 03/14/24: Reviewed/ updated SDS based on new supplier information on raw materials. CS 03/14/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

 $LC50: Lethal\ concentration,\ 50\ percent$

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Carcinogenicity 2: Carcinogenicity - Category 2

Toxic to Reproduction 1A: Reproductive toxicity - Category 1A

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

* * Data compared to the previous version altered.

US.