Printing date 08/14/2024 Reviewed on 08/14/2024

1 Identification

· Product identifier

· Trade name: Manganese AA Standard
1000 ppm (NIST Traceable)

· Article number: 5550

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)

Reviewed on 08/14/2024 Printing date 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 1)

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 7697-37-2 Nitric Acid	2.958%		
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5 Water	96.601%		
CAS: 6156-78-1 Manganese Acetate Tetrahydrate	0.441%		

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 7697-37-2 Nitric Acid	0.16 ppm			
CAS: 6156-78-1 Manganese Acetate Tetrahydrate	13 mg/m ³			
· PAC-2:				
CAS: 7697-37-2 Nitric Acid	24 ppm			
CAS: 6156-78-1 Manganese Acetate Tetrahydrate	22 mg/m^3			
· PAC-3:				
CAS: 7697-37-2 Nitric Acid	92 ppm			
CAS: 6156-78-1 Manganese Acetate Tetrahydrate	740 mg/m^3			

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 4)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 3)

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

> Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm

NIC-A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

chemical mixture.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Clear

Odor: Odorless

Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): <2

(Contd. on page 5)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

		(Contd. of page	
Change in condition			
Melting point/Melting range:	0 °C (32 °F)		
Boiling point/Boiling range:	100 °C (212 °F)		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
Density at 20 °C (68 °F):	1.01167 g/cm³ (8.44239 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/wate	er): Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Water:	96.6 %		
VOC content:	0.00 %		
	0.0 g/l / 0.00 lb/gal		
Solids content:	0.4 %		
Other information	No further relevant information available.		

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

IC.

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 5)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 101 mg/l

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information		
UN-Number DOT, IMDG, IATA	UN3264	
UN proper shipping name		
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)	
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Acid)	
Transport hazard class(es)		
DOT		
J. J		
CORROSIVE		
Class	8 Corrosive substances	
Label	8	
	8 Corrosive substances 8	
Class Label Packing group	8 Corrosive substances 8	
Label Packing group		
Label Packing group DOT, IMDG, IATA	8	
Label Packing group DOT, IMDG, IATA Environmental hazards:	8 III Not applicable.	
	8 III Not applicable. Warning: Corrosive substances: 80	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number:	8 III Not applicable. Warning: Corrosive substances: 80 F-A,S-B	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups	8 III Not applicable. Warning: Corrosive substances: 80	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups	8 III Not applicable. Warning: Corrosive substances: 80 F-A,S-B	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code Transport in bulk according to Annex II of	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code Transport in bulk according to Annex II of	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.	
Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups Stowage Category Stowage Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information:	III Not applicable. Warning: Corrosive substances: 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.	

(Contd. on page 8)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 7)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

· TSCA (Toxic Substances Control Act):

Water ACTIVE
Nitric Acid ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Printing date 08/14/2024 Reviewed on 08/14/2024

Trade name: Manganese AA Standard 1000 ppm (NIST Traceable)

(Contd. of page 8)

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

Nitric Acid

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 08-14-2024: Reviewed SDS for accuracy. STN/GW 08/14/2024 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

* * Data compared to the previous version altered.