Printing date 05/24/2023

Reviewed on 05/24/2023

Identification		
Product identifier		
Trade name: <u>Acetic Ac</u> v/v Soluti		
Article number: SO-08		
Details of the supplier		
Manufacturer/Supplier		
Aqua Solutions, Inc. 6913 Highway 225		SOLUTIONS
DEER PARK, TX 77530	6	
USA 800-256-2586		
Information departmen	nt:	
Technical Coordinator		
Sherman Nelson sherma Emergency telephone r	ann@aquasolutions.org umber:	
Chemtrec: 800-424-930	00	
Canutec: 613-996-6666	5	
Hazard(s) identifica	ation	
Classification of the su	bstance or mixture	
GHS02 Flam	ee	
Flammable Liquids 3	H226 Flammable liquid and vapor.	
GHS05 Corr	asian	
GHS05 Corre	osion	
GHS05 Corresion 1A	osion H314 Causes severe skin burns and	eye damage.
\sim		eye damage.
Skin Corrosion 1A	H314 Causes severe skin burns and	eye damage.
Skin Corrosion 1A	H314 Causes severe skin burns and	eye damage.
Skin Corrosion 1A Eye Damage 1 GHS07	H314 Causes severe skin burns and H318 Causes serious eye damage.	eye damage.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma	H314 Causes severe skin burns and H318 Causes serious eye damage. 14 H312 Harmful in contact with skin.	
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1	H314 Causes severe skin burns and H318 Causes serious eye damage.	
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th	H314 Causes severe skin burns and H318 Causes serious eye damage. l 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements	H314 Causes severe skin burns and H318 Causes serious eye damage. l 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th	H314 Causes severe skin burns and H318 Causes serious eye damage. l 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th	H314 Causes severe skin burns and H318 Causes serious eye damage. l 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms	H314 Causes severe skin burns and H318 Causes serious eye damage. l 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C	H314 Causes severe skin burns and H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re e product is classified and labeled acco	action.
Skin Corrosion 1A Eye Damage 1 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C Signal word Danger	H314 Causes severe skin burns and H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re e product is classified and labeled acco GHS07	action.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Derma Sensitization - Skin 1 Label elements GHS label elements Th Hazard pictograms	H314 Causes severe skin burns and H318 Causes serious eye damage. I 4 H312 Harmful in contact with skin. H317 May cause an allergic skin re e product is classified and labeled acco GHS07	

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

(Contd. of page 1)
· Hazard statements
Flammable liquid and vapor.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 2
3 0 Reactivity = 0
· HMIS-ratings (scale 0 - 4)
HEALTH 3 Health = 3
FIRE 2 $Fire = 2$
REACTIVITY 1 Reactivity = 1
· Other hazards
· Results of PBT and vPvB assessment
• <i>PBT</i> : Not applicable.
· vPvB: Not applicable.
3 Composition/information on ingredients
. Chemical characterization: Mixtures

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

	(Contd. of page 2)
· Dangerous components:	
CAS: 64-19-7 Acetic Acid, Glacial	94.285%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	5.715%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.

(Contd. on page 4)

⁻US

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

V/V Solution

· Reference to other sections	(Contd. of page 3)
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 64-19-7 Acetic Acid, Glacial	5 ppm
· PAC-2:	
CAS: 64-19-7 Acetic Acid, Glacial	35 ppm
· PAC-3:	
CAS: 64-19-7 Acetic Acid, Glacial	250 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:	
CAS: 64-19-7 Acetic Acid, Glacial	
PEL Long-term value: 25 mg/m ³ , 10 ppm	
REL Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm	
TLV Short-term value: 15 ppm Long-term value: 10 ppm	
 Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. 	
Wash hands before breaks and at the end of work.	

 $(Contd. \ on \ page \ 5)$

US

Printing date 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

Reviewed on 05/24/2023

(Contd. of page 4)

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Vinegar	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	40 °C (104 °F)	
Flammability (solid, gaseous):	Flammable.	
Auto igniting:	485 °C (905 °F)	
Decomposition temperature:	Not determined.	

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

	(Contd. of page
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Density at 20 °C (68 °F):	1.04982 g/cm ³ (8.76075 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	94.3 %
Water:	5.7 %
VOC content:	94.28 %
	989.8 g/l / 8.26 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 1,124 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 7)

US –

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

(Contd. of page 6)

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

(Contd. of page 7)

TAT Normal or		
UN-Number DOT, IMDG, IATA	UN2789	
UN proper shipping name DOT IMDG, IATA	Acetic acid solution ACETIC ACID SOLUTION	
Transport hazard class(es)		
DOT		
CORROSIVE 8		
Class	8 Corrosive substances	
Label	8, 3	
IMDG		
Class	8 Corrosive substances	
Label	8/3	
IATA		
Class	8 Corrosive substances	
Label	8 (3)	
Packing group DOT, IMDG, IATA	II	
Environmental hazards: Marine pollutant:	No	
Special precautions for user Hazard identification number (Kemler code)		
EMS Number:	F-E,S-C (SCC1) Acida	
Segregation groups Stowage Category	(SGG1) Acids A	
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 05/24/2023

Reviewed on 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

	(Contd. of page 8)
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
~ .	On cargo aircraft only: 30 L
· IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 2789 ACETIC ACID SOLUTION, 8 (3), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Acetic Acid, Glacial

Water

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

- US

ACTIVE

ACTIVE

Printing date 05/24/2023

Trade name: Acetic Acid 94% v/v Solution Reviewed on 05/24/2023

(Contd. of page 9) · Hazard pictograms GHS02 GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: Acetic Acid, Glacial · Hazard statements Flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0 5/24/2023 Reviewed SDS for accuracy. STN Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN Creation date for SDS 12-03-2014. STN

(Contd. on page 11)

US

Printing date 05/24/2023

Trade name: Acetic Acid 94% v/v Solution

05/24/2023

Reviewed on 05/24/2023

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 \cdot * Data compared to the previous version altered.

(Contd. of page 10)