Printing date 12/15/2017

Reviewed on 12/15/2017

|  | Reviewed on 12/15/201                 |
|--|---------------------------------------|
| 1 Identification   |                                       |
| · Product identifier   |                                       |
| • Trade name: <u>Nitric Acid 4% v/v</u><br>in Isopropyl Alcohol  |                                       |
| • Article number: ND417  |                                       |
| <ul> <li>Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier:<br/>Aqua Solutions, Inc.</li> <li>6913 Highway 225<br/>DEER PARK, TX 77536<br/>USA<br/>800-256-2586</li> </ul>     | AQUA<br>SOLUTIONS                     |
| <ul> <li>Information department:<br/>Technical Coordinator<br/>Sherman Nelson sherman@aquasolutions.org</li> <li>Emergency telephone number:<br/>Chemtrec: 800-424-9300<br/>Canutec: 613-996-6666</li> </ul> |                                       |
| 2 Hazard(s) identification<br>· Classification of the substance or mixture   |                                       |
| GHS02 Flame  |                                       |
| Flam. Liq. 2 H225 Highly flammable liquid and vapor.   |                                       |
| Skin Corr. 1A H314 Causes severe skin burns and eye damage.  |                                       |
| Eye Dam. 1 H318 Causes serious eye damage.   |                                       |
| GHS07  |                                       |
| STOT SE 3 H336 May cause drowsiness or dizziness.  |                                       |
| <ul> <li>Label elements</li> <li>GHS label elements The product is classified and labeled according to</li> <li>Hazard pictograms</li> </ul>   | the Globally Harmonized System (GHS). |
|  |                                       |
|  |                                       |
| GHS02 GHS05 GHS07  |                                       |
| GHS02 GHS05 GHS07<br>• Signal word Danger  |                                       |
|  |                                       |

Printing date 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol Reviewed on 12/15/2017

| · Hazard statements  |
|--|
| Highly flammable liquid and wapon  |
| Highly flammable liquid and vapor.   |
| Causes severe skin burns and eye damage.   |
| May cause drowsiness or dizziness.   |
| Precautionary statements   |
| Keep away from heat/sparks/open flames/hot surfaces No smoking.  |
| Ground/bond container and receiving equipment.   |
| Use explosion-proof electrical/ventilating/lighting/equipment.   |
| Use only non-sparking tools.   |
| Take precautionary measures against static discharge.  |
| Do not breathe dusts or mists.   |
| Wash thoroughly after handling.  |
| Use only outdoors or in a well-ventilated area.  |
| Wear protective gloves/protective clothing/eye protection/face protection.                                 |
| If swallowed: Rinse mouth. Do NOT induce vomiting.   |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.        |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing.                                 |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to |
| Continue rinsing.  |
| Immediately call a poison center/doctor.   |
| Specific treatment (see on this label).  |
| Wash contaminated clothing before reuse.   |
| In case of fire: Use for extinction: CO2, powder or water spray.   |
| Store in a well-ventilated place. Keep container tightly closed.   |
| Store in a well-ventilated place. Keep cool.   |
| Store locked up.   |
| Dispose of contents/container in accordance with local/regional/national/international regulations.        |
| Classification system:   |
| NFPA ratings (scale 0 - 4)   |
|  |
| Health = 3   |
| Fire = $3$   |
| 3  0 Reactivity = 0  |
|  |
| HMIS-ratings (scale 0 - 4)   |
| HEALTH 2 $Health = 2$  |
|  |
|  |
| <b>REACTIVITY</b> $0$ <i>Reactivity</i> = 0  |
| Other hazards  |
| Results of PBT and vPvB assessment   |
| <b>PBT:</b> Not applicable.  |
|  |
| vPvB: Not applicable.  |
|  |
| Composition linformation on incredients  |
| Composition/information on ingredients   |
| Chemical characterization: Mixtures  |

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$
- · Dangerous components:

CAS: 67-63-0 Isopropanol

92.612% (Contd. on page 3)

US -

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

CAS: 7697-37-2 Nitric Acid

(Contd. of page 2) 7.388%

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6** Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1:                   |                   |
|----------------------------|-------------------|
| CAS: 67-63-0 Isopropanol   | 400 ppm           |
| CAS: 7697-37-2 Nitric Acid | 0.16 ppm          |
| · PAC-2:                   |                   |
| CAS: 67-63-0 Isopropanol   | 2000* ppm         |
| CAS: 7697-37-2 Nitric Acid | 24 ppm            |
| · · · · · ·                | (Contd. on page 4 |

US

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

(Contd. of page 3)

US

| • PAC-3:       |             |             |
|----------------|-------------|-------------|
| CAS: 67-63-0   | Isopropanol | 12000** ppm |
| CAS: 7697-37-2 | Nitric Acid | 92 ppm      |

## 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

| CAS: 67-63-0 Isopropanol   |                 |
|--|-----------------|
| PEL Long-term value: 980 mg/m <sup>3</sup> , 400 ppm   |                 |
| REL Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm<br>Long-term value: 980 mg/m <sup>3</sup> , 400 ppm                     |                 |
| TLV Short-term value: 984 mg/m <sup>3</sup> , 400 ppm<br>Long-term value: 492 mg/m <sup>3</sup> , 200 ppm<br>BEI               |                 |
| CAS: 7697-37-2 Nitric Acid   |                 |
| PEL Long-term value: 5 mg/m <sup>3</sup> , 2 ppm   |                 |
| REL Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5 mg/m <sup>3</sup> , 2 ppm                             |                 |
| TLV Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm                           |                 |
| Ingredients with biological limit values:  |                 |
| CAS: 67-63-0 Isopropanol   |                 |
| BEI 40 mg/L<br>LD50 Intraperitoneal: urine<br>Time: end of shift at end of workweek<br>LD50: Acetone (background, nonspecific) |                 |
| • Additional information: The lists that were valid during the creation were used as basis.                                    |                 |
|  | (Contd. on page |

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tig

Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and<br>General Information     | chemical properties               |  |
|--|-----------------------------------|--|
| Appearance:<br>Form:   | Liquid                            |  |
| Color:   | Yellow                            |  |
| Odor:  | IPA                               |  |
| Odor threshold:  | Not determined.                   |  |
| pH-value at 20 °C (68 °F):                                   | <2                                |  |
| Change in condition  | II. J. A J                        |  |
| Melting point/Melting range:<br>Boiling point/Boiling range: | Undetermined.<br>82 °C (179.6 °F) |  |
| Flash point:   | 13 °C (55.4 °F)                   |  |
| Flammability (solid, gaseous):                               | Not applicable.                   |  |

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

|   | (Contd. of page 5   |
|---|---|
| Ignition temperature:                   | 425 °C (797 °F)   |
| Decomposition temperature:              | Not determined.   |
| · Auto igniting:                        | Product is not selfigniting.  |
| Danger of explosion:                    | Product is not explosive. However, formation of explosive air/vapor<br>mixtures are possible. |
| · Explosion limits:                     |   |
| Lower:                                  | 2 Vol %   |
| Upper:                                  | 12 Vol %  |
| · Vapor pressure at 20 °C (68 °F):      | 43 hPa (32.3 mm Hg)   |
| · Density at 20 °C (68 °F):             | 0.81372 g/cm³ (6.79049 lbs/gal)   |
| · Relative density                      | Not determined.   |
| · Vapor density                         | Not determined.   |
| • Evaporation rate                      | Not determined.   |
| · Solubility in / Miscibility with      |   |
| Water:                                  | Not miscible or difficult to mix.   |
| · Partition coefficient (n-octanol/wate | r): Not determined.   |
| · Viscosity:                            |   |
| Dynamic:                                | Not determined.   |
| Kinematic:                              | Not determined.   |
| · Solvent content:                      |   |
| Organic solvents:                       | 92.6 %  |
| VOC content:                            | 92.61 %   |
|   | 753.6 g/l / 6.29 lb/gl  |
| Solids content:                         | 0.0 %   |
| • Other information                     | No further relevant information available.  |

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11** Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 32.4 mg/l (rat)

(Contd. on page 7)

<sup>–</sup> US

Printing date 12/15/2017

#### Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

(Contd. of page 6)

3

Reviewed on 12/15/2017

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

(Contd. of page 7)

US

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

| Transport information                        |  |
|--|--|
| UN-Number<br>DOT, IMDG, IATA                 | UN2924   |
| UN proper shipping name<br>DOT<br>IMDG, IATA | Flammable liquids, corrosive, n.o.s. (Isopropanol, Nitric acid)<br>FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol, NITR<br>ACID) |
| Transport hazard class(es)                   |  |
| DOT  |  |
| RAMABLE LODO                                 |  |
| Class  | 3 Flammable liquids  |
| Label  | 3, 8   |
| IMDG   |  |
| Class  | 3 Flammable liquids  |
| Label  | 3/8  |
| IATA   |  |
|  |  |
| Class<br>Label                               | 3 Flammable liquids<br>3 (8)   |
|  | 5 (5)  |
| Packing group<br>DOT, IMDG, IATA             | II   |
| Environmental hazards:<br>Marine pollutant:  | No   |
| Special precautions for user                 | Warning: Flammable liquids   |
| Danger code (Kemler):                        | 338  |
| EMS Number:                                  | F-E,S-C  |
| Segregation groups                           | Acids  |
| Stowage Category                             | B<br>SW2 Clear of living quarters.   |

Printing date 12/15/2017

Reviewed on 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

|  | (Contd. of page  |
|--|--|
| • Transport in bulk according to Annex<br>MARPOL73/78 and the IBC Code | II of<br>Not applicable.   |
| · Transport/Additional information:                                    |  |
| · DOT  |  |
| · Quantity limitations   | On passenger aircraft/rail: 1 L<br>On cargo aircraft only: 5 L                       |
| · IMDG   |  |
| · Limited quantities (LQ)  | 1L   |
| $\cdot$ Excepted quantities (EQ)                                       | Code: E2   |
|  | Maximum net quantity per inner packaging: 30 ml                                      |
|  | Maximum net quantity per outer packaging: 500 ml                                     |
| · UN "Model Regulation":   | UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O.S<br>(ISOPROPANOL, NITRIC ACID), 3 (8), II |

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

• TSCA (Toxic Substances Control Act):

Isopropanol

Nitric Acid

· Proposition 65

 $\cdot$  Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

A4

<sup>-</sup> US

Printing date 12/15/2017

Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol Reviewed on 12/15/2017

(Contd. of page 9) · Hazard pictograms GHS02 GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: Isopropanol Nitric Acid · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- · Date of preparation / last revision
- 12-15-2017: review SDS for accuracy. STN Creation date for SDS 08-27-2015. STN 12/15/2017 / -

(Contd. on page 11)

US

Printing date 12/15/2017

### Reviewed on 12/15/2017

### Trade name: Nitric Acid 4% v/v in Isopropyl Alcohol

|  | (Contd. of page 10)  |
|--|----------------------|
| Abbreviations and acronyms:  |                      |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concernis | ng the International |
| Carriage of Dangerous Goods by Road)   | Č.                   |
| IMDG: International Maritime Code for Dangerous Goods  |                      |
| DOT: US Department of Transportation   |                      |
| IATA: International Air Transport Association  |                      |
| ACGIH: American Conference of Governmental Industrial Hygienists   |                      |
| EINECS: European Inventory of Existing Commercial Chemical Substances                                      |                      |
| ELINCS: European List of Notified Chemical Substances  |                      |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)                                |                      |
| NFPA: National Fire Protection Association (USA)   |                      |
| HMIS: Hazardous Materials Identification System (USA)  |                      |
| VOC: Volatile Organic Compounds (USA, EU)  |                      |
| LC50: Lethal concentration, 50 percent   |                      |
| LD50: Lethal dose, 50 percent  |                      |
| PBT: Persistent, Bioaccumulative and Toxic   |                      |
| vPvB: very Persistent and very Bioaccumulative   |                      |
| NIOSH: National Institute for Occupational Safety  |                      |
| OSHA: Occupational Safety & Health   |                      |
| TLV: Threshold Limit Value   |                      |
| PEL: Permissible Exposure Limit  |                      |
| REL: Recommended Exposure Limit  |                      |
| BEI: Biological Exposure Limit   |                      |
| Flam. Liq. 2: Flammable liquids – Category 2   |                      |
| Skin Corr. 1A: Skin corrosion/irritation – Category 1A   |                      |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1   |                      |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3                                   |                      |