Printing date 03/03/2022

Reviewed on 03/03/2022

1 Identification · Product identifier · Trade name: Acid Wash Color Stock Standard 'F' • Article number: EBRF · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Inhalation 2 H330 Fatal if inhaled. GHS08 Health hazard H334 May cause allergy or asthma symptoms or Sensitization - Respiratory 1 breathing difficulties if inhaled. Germ Cell Mutagenicity 1B H340 May cause genetic defects. Carcinogenicity 1B H350 May cause cancer. Toxic to Reproduction 1B H360 May damage fertility or the unborn child. Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the respiratory system through prolonged or repeated exposure. GHS05 Corrosion Eye Damage 1 H318 Causes serious eye damage. GHS07 Skin Irrititation 2 H315 Causes skin irritation. Sensitization - Skin 1 H317 May cause an allergic skin reaction. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

US

Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

(Contd. of page 1)



Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

(Contd. of page 2)

4.848%

95.152%

The substance possesses oxidizing properties.

· HMIS-ratings (scale 0 - 4) HEALTH

2 Health = 23 Fire = 3**REACTIVITY O** Reactivity = 0

· Other hazards

FIRE

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7778-50-9 Potassium Dichromate

- · Table of Nonhazardous Ingredients
- CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures		
Mount respiratory protective device.		
Wear protective equipment. Keep unprotected persons away.		
· Environmental precautions:		
Dilute with plenty of water.		
Do not allow to enter sewers/ surface or ground water.		
• Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Use neutralizing agent.		
Dispose contaminated material as waste according to item 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information.		
· Protective Action Criteria for Chemicals		
· PAC-1:		
CAS: 7778-50-9 Potassium Dichromate	$0.42 \ mg/m^3$	
· PAC-2:		
CAS: 7778-50-9 Potassium Dichromate	7.4 mg/m ³	
· PAC-3:		
CAS: 7778-50-9 Potassium Dichromate	44 mg/m ³	

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.*
- Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

(Contd. of page 3)

US

Printing date 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

Reviewed on 03/03/2022

(Contd. of page 4)
· Control parameters
· Components with limit values that require monitoring at the workplace:
CAS: 7778-50-9 Potassium Dichromate
PEL Long-term value: 0.005* mg/m ³ Ceiling limit value: 0.1** mg/m ³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026
REL Long-term value: 0.0002 mg/m ³ as Cr; See Pocket Guide Apps. A and C
TLV Short-term value: 0.0005 mg/m ³ Long-term value: 0.0002 mg/m ³ as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN
· Ingredients with biological limit values:
CAS: 7778-50-9 Potassium Dichromate
BEI 25 μg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Total chromium (fume) 10 μg/L
LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)
• Additional information: The lists that were valid during the creation were used as basis.
• Exposure controls • Personal protective equipment:
 General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
 Avoid contact with the skin. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory networks and the static independent of circulating gives.

respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F' Reviewed on 03/03/2022

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information		
Form:	Liquid	
Color:	Orange	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	$0 \ ^{\circ}C \ (32 \ ^{\circ}F)$	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
<i>Density at 20 °C (68 °F):</i>	1.03132 g/cm ³ (8.60637 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 03/03/2022

Reviewed on 03/03/2022

ade name: Acid Wash Color Stock Standard 'F'		
		(Contd. of pag
· Solvent content:		
Water:	95.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	4.8 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 2,063 mg/kg

 Dermal
 LD50
 22,689 mg/kg

 Inhalative
 LC50/4h
 1.03 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization:
- Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Irritant

Very toxic

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 7778-50-9 Potassium Dichromate	1
· NTP (National Toxicology Program)	
CAS: 7778-50-9 Potassium Dichromate	K
(Cont	d. on page 8)
	US -

Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3139
· UN proper shipping name	
DOT	Oxidizing liquid, n.o.s. (Potassium Dichromate)
·IMDG	OXIDIZING LIQUID, N.O.S. (Potassium Dichromate), MARIN
	POLLUTANT
·IATA	OXIDIZING LIQUID, N.O.S. (Potassium Dichromate)

Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

	(Contd. of pag
Transport hazard class(es)	
DOT	
OXIDIZER 51	
Class	5.1 Oxidizing substances
Label	5.1
Class	5.1 Oxidizing substances
Label	5.1
IATA	
Class Label	5.1 Oxidizing substances 5.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substance
Marin o nollutant.	Potassium Dichromate Yes
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Oxidizing substances
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-Q
Stowage Category Segregation Code	<i>B</i> SG38 Stow "separated from" SGG2-ammonium compounds.
Segregation Cour	SG49 Stow "separated from" SGG6-cyanides
	SG60 Stow "separated from" SGG16-peroxides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Printing date 03/03/2022

Reviewed on 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

(Contd. of page 9)

ACTIVE ACTIVE

· UN ''Model Regulation'':

UN 3139 OXIDIZING LIQUID, N.O.S. (POTASSIUM DICHROMATE), 5.1, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355	(extremely	hazardous	substances):
-------------	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7778-50-9 Potassium Dichromate

· TSCA (Toxic Substances Control Act):

Water

Potassium Dichromate

· Hazardous Air Pollutants

CAS: 7778-50-9 Potassium Dichromate

· Proposition 65

· Chemicals known to cause cancer:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for females:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause reproductive toxicity for males:

CAS: 7778-50-9 Potassium Dichromate

· Chemicals known to cause developmental toxicity:

CAS: 7778-50-9 Potassium Dichromate

· Carcinogenic categories

• EPA (Environmental Protection Agency) CAS: 7778-50-9 Potassium Dichromate

A(inh), D(oral), K/L(inh), CBD(oral)

· TLV (Threshold Limit Value)

CAS: 7778-50-9 Potassium Dichromate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7778-50-9 Potassium Dichromate

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Potassium Dichromate

(Contd. on page 11)

A1

Printing date 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F'

Reviewed on 03/03/2022

	(Contd. of page 10)
· Hazard statements	
Fatal if inhaled.	
Causes skin irritation.	
Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
Causes damage to the respiratory system through prolonged or repeated exposure.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if p	present and easy to do.
Continue rinsing.	2
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment is urgent (see on this label).	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
· National regulations:	
· Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
\mathbf{G} - \mathbf{G} \mathbf{G} \mathbf{G} \mathbf{G}	

• Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision

Creation date for SDS 12-23-2019. STN

(Contd. on page 12)

⁻ US

Printing date 03/03/2022

Trade name: Acid Wash Color Stock Standard 'F' Reviewed on 03/03/2022

	(Contd. of page 11)
03/03/2022 / 1.0	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Toxicity - Inhalation 2: Acute toxicity – Category 2	
Skin Irrititation 2: Skin corrosion/irritation – Category 2	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B	
Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Categor	y 1
* Data compared to the previous version altered.	