Printing date 06/04/2015

Reviewed on 06/04/2015

1 Identification · Product identifier · Trade name: Marquis Reagent • Article number: DET004 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Product safety department Technical Coordinator Sherman Nelson sherman@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Carc. 1A H350 May cause cancer. GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage. GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling:* Sulfuric Acid 96 - 98% Formaldehyde Solutions, Flammable

(Contd. on page 2)

USA -

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

	(Contd. of page 1)
Hazard statements	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
May cause cancer.	
Precautionary statements	
If medical advice is needed, have product container or label at hand.	
Keep out of reach of children.	
Read label before use.	
Do not breathe dusts or mists.	
Wear protective gloves.	
Wear eye protection / face protection.	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse su	kin with water/shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,	if present and easy to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for	breathing.
Wash contaminated clothing before reuse.	
IF exposed or concerned: Get medical advice/attention.	
If skin irritation or rash occurs: Get medical advice/attention.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international	regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 2 Pire = 0 Reactivity = 2	
\sim Reactivity = 2	
HMIS-ratings (scale 0 - 4)	
HEALTH 3 <i>Health</i> = 3	
FIRE 0 $Fire = 0$	
REACTIVITY 2 $Reactivity = 2$	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	
Composition/information on ingreatents	
Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazardous additions.	
• •	
Dangerous components: CAS: 7664-93-9 Sulfuric Acid 96 - 98%	97.736%

(Contd. on page 3) USA

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

CAS: 50-00-0 Formaldehyde Solutions, Flammable

(Contd. of page 2) 2.265%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- \cdot Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

USA

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with	limit values th	hat require	monitoring	at the	workplace:
-------------------	-----------------	-------------	------------	--------	------------

7664-93-9 Sulfuric Acid 96 - 98%

PEL Long-term value: 1 mg/m³ REL Long-term value: 1 mg/m³

TLV Long-term value: 0.2* mg/m³ *as thoracic fraction

50-00-0 Formaldehyde Solutions, Flammable

PEL Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)

- REL Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A
- *TLV Ceiling limit value: 0.37 mg/m³, 0.3 ppm (SEN) NIC-DSEN; RSEN*

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 5)

USA

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

· Material of gloves

(Contd. of page 4)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	hemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Formaldehyde	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Information not °C	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	<0.01 hPa (<0 mm Hg)	
· Density at 20 °C (68 °F):	1.7885 g/cm ³ (14.925 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
		(Contd. on page

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

	(Contd. of page 5)
Not determined.	
2.3 %	
2.3 %	
40.5 g/l / 0.34 lb/gl	
No further relevant information available.	
	2.3 % 2.3 % 40.5 g/l / 0.34 lb/gl

10 Stability and reactivity

· Reactivity

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	8832 mg/kg (rat)
Dermal	LD50	13248 mg/kg
Inhalative	LC50/4 h	132 mg/l

50-00-0 Formaldehyde Solutions, Flammable

Oral	LD50	>200 mg/kg (rat)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye: Strong caustic effect.

• Sensitization: Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7664-93-9	Sulfuric Acid 96 - 98%	1
50-00-0	Formaldehyde Solutions, Flammable	1
	onal Toxicology Program)	
7664-93-9	Sulfuric Acid 96 - 98%	K
		(Contd. on page 7)

(Contd. of page 6)

Κ

Safety Data Sheet acc. to OSHA HCS

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

50-00-0 Formaldehyde Solutions, Flammable

· OSHA-Ca (Occupational Safety & Health Administration)

50-00-0 Formaldehyde Solutions, Flammable

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information • UN-Number UN1760 • DOT, IMDG, IATA UN1760 • UN proper shipping name Corrosive liquids, n.o.s. (Sulfuric acid) • DOT CORROSIVE LIQUID, N.O.S. (SULPHURIC ACID) • Transport hazard class(es) DOT • DOT Corrosive substances • Class 8 Corrosive substances

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

	(Contd. of page
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN1760, Corrosive liquids, n.o.s. (Sulfuric acid), 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

All ingredients are listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

50-00-0 Formaldehyde Solutions, Flammable

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 9)

USA

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

(Contd. of page 8)

B1

A2

A2

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

50-00-0 Formaldehyde Solutions, Flammable

· TLV (Threshold Limit Value established by ACGIH)

7664-93-9 Sulfuric Acid 96 - 98%

50-00-0 Formaldehyde Solutions, Flammable

· NIOSH-Ca (National Institute for Occupational Safety and Health)

50-00-0 Formaldehyde Solutions, Flammable

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Formaldehyde Solutions, Flammable · Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Do not breathe dusts or mists. Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. *IF exposed or concerned: Get medical advice/attention.* If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Rinse mouth. Do NOT induce vomiting. Store locked up. (Contd. on page 10)

- USA

Printing date 06/04/2015

Reviewed on 06/04/2015

Trade name: Marquis Reagent

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

- · Contact: Mr. Nelson
- Date of preparation / last revision Revision 0.0, 06-04-2015: creation date for SDS. STN 06/04/2015 / -• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Carc. 1A: Carcinogenicity, Hazard Category 1A USA