Printing date 08/31/2021

\*

Reviewed on 08/31/2021

Identification	
Product identifier	
Trade name: Nitric Acid 5% v/v	
in Ethyl Alcohol	
Article number: DEL195A	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
<i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i>	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
Flam. Liq. 2 H225 Highly flammable liquid and vapor.	
GHS06 Skull and crossbones	
Acute Tox. 2 H330 Fatal if inhaled.	
GHS08 Health hazard	
STOT SE 2 H371 May cause damage to the central nervous sys	stem and the visual organs.
GHS05 Corrosion	
Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
Eye Dam. 1 H318 Causes serious eye damage.	
Label elements GHS label elements The product is classified and labeled accordin Hazard pictograms	ng to the Globally Harmonized System (GHS).
GHS02 GHS05 GHS06 GHS08	
	(Contd. on page
	(content on page

Printing date 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol Reviewed on 08/31/2021

· Signal word Danger	age 1)
· Hazard-determining components of labeling:	
Nitric Acid	
Isopropanol	
Methanol (Methyl Alcohol)	
· Hazard statements	
Highly flammable liquid and vapor.	
Fatal if inhaled.	
Causes severe skin burns and eye damage.	
May cause damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy t	o do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Call a poison center/doctor.	
Specific treatment is urgent (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = $3$	
$\frac{3}{0} Reactivity = 0$	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c} \text{HEALTH}  \underline{3} \\ \text{Health} = 3 \\ \text{Health} = 2 \end{array}$	
FIRE 3 Fire = 3	
<b>REACTIVITY</b> $O$ Reactivity = 0	
• Other hazards	
· Other hazards · Results of PBT and vPvB assessment	
• Results of F D1 and vF vD assessment • PRT• Not applicable	

· **PBT:** Not applicable.

(Contd. on page 3)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 2)

• **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	81.811%
CAS: 7697-37-2	Nitric Acid	9.11%
CAS: 67-56-1	Methanol (Methyl Alcohol)	4.559%
CAS: 67-63-0	Isopropanol	4.52%

### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents:
- *CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.* • *Special hazards arising from the substance or mixture*
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.* 

Wear protective equipment. Keep unprotected persons away.

• *Environmental precautions: Dilute with plenty of water.* 

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

#### Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

		(Contd. of page
	terial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
Ensure adequate	nated material as waste according to item 13.	
Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
	n Criteria for Chemicals	
PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppn
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppn
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppn
PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppn

### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. · Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol Reviewed on 08/31/2021

(Contd. of page 4)

Addi	tional information about design of technical systems: No further data; see item 7.	
Cont	rol parameters	
Com	ponents with limit values that require monitoring at the workplace:	
CAS.	: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	
PEL	Long-term value: 1900 mg/m³, 1000 ppm	
REL	Long-term value: 1900 mg/m³, 1000 ppm	
TLV	Short-term value: 1000 ppm A3	
CAS.	7697-37-2 Nitric Acid	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
TLV	Short-term value: 4 ppm Long-term value: 2 ppm	
CAS.	67-56-1 Methanol (Methyl Alcohol)	
PEL	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
CAS.	: 67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m³, 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
Ingre	edients with biological limit values:	
CAS.	: 67-56-1 Methanol (Methyl Alcohol)	
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)	
CAS.	: 67-63-0 Isopropanol	
	40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)	

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 5)

Exposure controls
Personal protective equipment:
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	Clear	
Odor:	Alcohol	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78 °C (172.4 °F)	

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade	name:	Nitric Acid 5% v/v
		in Ethyl Alcohol

	(Contd. of page 6)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	425 °C (797 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density at 20 °C (68 °F):	0.8249 g/cm <sup>3</sup> (6.88379 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	90.9 %
VOC content:	90.89 %
	749.8 g/l / 6.26 lb/gal
Solids content:	81.8 %
· Other information	No further relevant information available.

### 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 7)

<b>11 Toxicolo</b>	gical inf	formation
		cological effects
· Acute toxi	•	
		t are relevant for classification:
ATE (Acu	-	
Oral	LD50	2,194 mg/kg
Dermal	LD50	6,581 mg/kg
Inhalative	LC50/4h	0.54 mg/l
CAS: 7697	7-37-2 Nit	ric Acid
Inhalative	LC50/4h	0.05 mg/l (ATE)
CAS: 67-5	6-1 Metho	anol (Methyl Alcohol)
Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4h	3 mg/l (ATE)
Sensitization     Additional     The product     Toxic     Corrosive     Irritant     Very toxic     Swallowing     and stomage	on: No set toxicolog ct shows th g will lead ch.	he danger of severe eye injury. nsitizing effects known. <b>ical information:</b> he following dangers according to internally approved calculation methods for preparations: I to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus
· Carcinoge	-	ries Agency for Research on Cancer)
		Alcohol, Absolute 200 Proof 1
CAS: 67-6.	-	
		cology Program)
		nts is listed.
	0	ional Safety & Health Administration)
	-	nts is listed.
	0	

# **12** Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 9)

US

Printing date 08/31/2021

Reviewed on 08/31/2021

#### Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 8)

· A	dditional	ecological	information:	
-----	-----------	------------	--------------	--

### · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

• Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2924
UN proper shipping name DOT	Flammable liquids, corrosive, n.o.s. (Ethanol, Methano Isopropanol, Nitric acid)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANO) METHANOL, Isopropanol, NITRIC ACID)
Transport hazard class(es)	
DOT	
RAMABE LOOD	
- Class	3 Flammable liquids
Label	3, 8
IMDG	

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

	(Contd. of page
· Label	3/8
·IATA	
· Class	3 Flammable liquids
· Label	3 (8)
· Packing group	
· DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code).	33
· EMS Number:	F-E,S-C
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S (ETHANOL, METHANOL, ISOPROPANOL, NITRIC ACID), (8), II

# 15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Section 355 (ext	remely hazardous substances):	
CAS: 7697-37-2	Nitric Acid	
Section 313 (Sp	cific toxic chemical listings):	
CAS: 7697-37-2	Nitric Acid	
CAS: 67-56-1	Methanol (Methyl Alcohol)	
CAS: 67-63-0	Isopropanol	
· TSCA (Toxic Su	bstances Control Act):	
Ethyl Alcohol, Absolute 200 Proof		ACTIV
Nitric Acid		ACTIV
Methanol (Methyl Alcohol)		ACTIV
Isopropanol		ACTIV
· Hazardous Air I	ollutants	
CAS: 67-56-1 N	ethanol (Methyl Alcohol)	
Proposition 65		
· Chemicals know	n to cause cancer:	
None of the ingr	edients is listed.	
		(Contd. on page

Printing date 08/31/2021

Reviewed on 08/31/2021

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 10)

A3

A4

· Chemicals known to	cause reproductive	toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-56-1 Methanol (Methyl Alcohol)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid Isopropanol Methanol (Methyl Alcohol) · Hazard statements Highly flammable liquid and vapor. Fatal if inhaled. Causes severe skin burns and eye damage. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 12)

Printing date 08/31/2021

Reviewed on 08/31/2021

#### Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 11)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Call a poison center/doctor. Specific treatment is urgent (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0, 08-12-2021: upodated hazard information. STN Creation date for SDS 07-24-2018. STN 08/31/2021 / 1.0
   Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 STOT SE 2: Specific target organ toxicity (single exposure) - Category 2 • \* Data compared to the previous version altered.

- US