Printing date 06/18/2024

Reviewed on 06/18/2024

1 Identification · Product identifier • Trade name: Mercuric Chloride 5% w/v Solution ASTM E-200 · Article number: 5596 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS06 Skull and crossbones Acute Toxicity - Oral 3 H301 Toxic if swallowed. GHS08 Health hazard Germ Cell Mutagenicity 2 H341 Suspected of causing genetic defects. Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child. Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure. GHS05 Corrosion Eye Damage 1 H318 Causes serious eye damage. GHS07 Skin Irritation 2 H315 Causes skin irritation. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

ge ∠) — US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride 5% w/v Solution ASTM E-200



(Contd. on page 3)

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

· **vPvB:** Not applicable.

(Contd. of page 2)

4.804%

95.196%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7487-94-7 Mercuric Chloride

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

[–] US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals 	(Contd. of page 3)
· PAC-1:	
CAS: 7487-94-7 Mercuric Chloride	$0.1 \ mg/m^3$
• PAC-2:	
CAS: 7487-94-7 Mercuric Chloride	$0.14 mg/m^3$
• PAC-3:	
CAS: 7487-94-7 Mercuric Chloride	38 mg/m ³

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7487-94-7 Mercuric Chloride

PEL Long-term value: 0.1 mg/m³ as Hg; see OSHA standard interpretation memo

- REL Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin
- TLV Long-term value: 0.025 mg/m³ as Hg; A4; Skin; BEI

(Contd. on page 5)

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

(Contd. of page 4)

· Ingredie	
	nts with biological limit values:
CAS: 74	87-94-7 Mercuric Chloride
BEI 20 µ	ıg/g creatinine
LD.	50 Intraperitoneal: urine
Tim	e: prior to shift
LD:	50: Mercury
Addition	al information: The lists that were valid during the creation were used as basis.
Exposur	e controls
	protective equipment:
General	protective and hygienic measures:
Keep awa	ay from foodstuffs, beverages and feed.
Immedia	tely remove all soiled and contaminated clothing.
Wash ha	nds before breaks and at the end of work.
Store pro	tective clothing separately.
	ntact with the skin.
	ntact with the eyes and skin.
	g equipment:
	f brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure <i>i</i>
	ry protective device that is independent of circulating air.
Protectio	n of hands:
MP2	Protective gloves
	e material has to be impermeable and resistant to the product/ the substance/ the preparation. issing tests no recommendation to the glove material can be given for the product/ the preparation/ t mixture
Selection	of the glove material on consideration of the penetration times, rates of diffusion and the degradation of gloves
The select varies from the glove	tion of the suitable gloves does not only depend on the material, but also on further marks of quality a om manufacturer to manufacturer. As the product is a preparation of several substances, the resistance material can not be calculated in advance and has therefore to be checked prior to the application.
	<i>ion time of glove material</i> It break through time has to be found out by the manufacturer of the protective gloves and has to
observed	
Eye prot	
	Tightly sealed goggles

- General Information • Appearance:
- Form:
- Color:

Liquid Colorless

(Contd. on page 6)

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride 5% w/v Solution ASTM E-200

		(Contd. of page
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.04081 g/cm ³ (8.68556 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	95.2 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

(Contd. of page 6)

3

11 Toxicological information · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral LD50 104 mg/kg · Primarv irritant effect: • on the skin: Irritant to skin and mucous membranes. • on the eye: Strong irritant with the danger of severe eye injury. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Toxic Irritant · Carcinogenic categories · IARC (International Agency for Research on Cancer)

CAS: 7487-94-7 Mercuric Chloride

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride 5% w/v Solution ASTM E-200

(Contd. of page 7)

· Uncleaned packagings:

*

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, IMDG, IATA	UN3287
UN proper shipping name	
DOT	Toxic liquid, inorganic, n.o.s. (Mercuric Chloride)
IMDG	TOXIC LIQUID, INORGANIC, N.O.S. (Mercuric Chlorid MARINE POLLUTANT
IATA	TOXIC LIQUID, INORGANIC, N.O.S. (Mercuric Chloride)
Transport hazard class(es)	
DOT	
Class	6.1 Toxic substances
Label	6.1
IMDG	
Class Label	6.1 Toxic substances 6.1
IATA	
8 8	
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Product contains environmentally hazardous substanc Mercuric Chloride
Marine pollutant:	Yes Symbol (fish and tree)
Special precautions for user	Warning: Toxic substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-A

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride 5% w/v Solution ASTM E-200

	(Contd. of page 8	
· Segregation groups	(SGG7) Heavy metals and their salts (including their organometallic compounds)	
· Stowage Category	A	
· Stowage Code	SW2 Clear of living quarters.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
·DOT		
• Quantity limitations	On passenger aircraft/rail: 60 L	
	On cargo aircraft only: 220 L	
· IMDG		
· Limited quantities (LQ)	5L	
\cdot Excepted quantities (EQ)	Code: El	
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· UN "Model Regulation":	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (MERCURIC CHLORIDE), 6.1, III	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7487-94-7 Mercuric Chloride

· Section 313 (Specific toxic chemical listings):

CAS: 7487-94-7 Mercuric Chloride

• TSCA (Toxic Substances Control Act):

Water

Mercuric Chloride

· Hazardous Air Pollutants

CAS: 7487-94-7 Mercuric Chloride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 7487-94-7 Mercuric Chloride

(Contd. on page 10)

ACTIVE ACTIVE

US

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

EPA (Environmental Protection Agency)	
CAS: 7487-94-7 Mercuric Chloride	(
TLV (Threshold Limit Value)	· ·
CAS: 7487-94-7 Mercuric Chloride	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally E Hazard pictograms	Harmonized System (GHS).
GHS05 GHS06 GHS08	
Signal word Danger	
Hazard-determining components of labeling: Mercuric Chloride	
Hazard statements	
Toxic if swallowed.	
Causes skin irritation.	
Causes serious eye damage.	
Suspected of causing genetic defects.	
Suspected of damaging fertility or the unborn child.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses	s, if present and easy to a
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.	
if skin irritation occurs: Get medical davice/attention. Store locked up.	
store tocked up. Dispose of contents/container in accordance with local/regional/national/internationa	al regulations
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Chemicus sujery ussessment. It Chemicus Sujery Issessment hus not been curren out.	

Printing date 06/18/2024

Reviewed on 06/18/2024

Trade name: Mercuric Chloride

5% w/v Solution ASTM E-200

(Contd. of page 10)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/18/2024: Reviewed SDS for accuracy. MH/STN 06/18/2024 / 1.0 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Toxic to Reproduction 2: Reproductive toxicity - Category 2 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

 \cdot * Data compared to the previous version altered.