
Printing date 05/10/2024

Reviewed on 05/10/2024

1 Identification

- · Product identifier
- Trade name: <u>Phenol / Cyclohexanone</u> 50% w/w each component
- Article number: EXX183
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 1) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Phenol Cyclohexanone 99.8% · Hazard statements Flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 2)

50.0%

50.0%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3 FIRE 2 Fire = 2 REACTIVITY 0 Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 108-94-1 Cyclohexanone 99.8%

CAS: 108-95-2 Phenol

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

 Extinguishing media
 Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 For safety reasons unsuitable extinguishing agents: Water with full jet

• For safety reasons unsulable extinguishing agents: water w • Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

[–] US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone

50% w/w each component

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 108-94-1 Cyclohexanone 99.8% 60 ppm CAS: 108-95-2 Phenol 15 ppm · PAC-2: CAS: 108-94-1 Cyclohexanone 99.8% 830 ppm

 CAS: 108-95-2
 Phenol
 23 ppm

 · PAC-3:
 CAS: 108-94-1
 Cyclohexanone 99.8%
 5000* ppm

 CAS: 108-95-2
 Phenol
 200 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

(Contd. on page 5)

(Contd. of page 3)

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 4)

Addi	tional information about design of technical systems: No further data; see section 7.	
	trol parameters	
	ponents with limit values that require monitoring at the workplace:	
	: 108-94-1 Cyclohexanone 99.8%	
	Long-term value: 200 mg/m ³ , 50 ppm	
	Long-term value: 100 mg/m³, 25 ppm Skin	
TLV	Short-term value: 50 ppm Long-term value: 20 ppm Skin, BEI, A3	
CAS	: 108-95-2 Phenol	
	Long-term value: 19 mg/m³, 5 ppm Skin	
REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin	
TLV	Long-term value: 5 ppm Skin; BEI, A4	
Ingr	edients with biological limit values:	
CAS	: 108-94-1 Cyclohexanone 99.8%	
BEI	80 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: 1.2-Cyclohexanediol (with hydrolysis, nonspecific, nonquantitative)	
	8 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Cyclohexanol (with hydrolysis, nonspecific, nonquantitative)	
CAS	: 108-95-2 Phenol	
BEI	250 mg/g creatinine LD50 Intraperitoneal: urine Time: end of shift LD50: Phenol with hydrolysis (background, nonspecific)	
Addi	tional information: The lists that were valid during the creation were used as basis.	
Perso Gend Keep Imm Wash Store Avoi	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes.	
Avoi	d contact with the eyes and skin.	

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 5)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and chemical properties			
General Information			
Appearance: Form:	Liquid		
Color:	Clear		
Odor:	Characteristic		
Odor threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	153 °C (307.4 °F)		
Flash point:	43 °C (109.4 °F)		
Flammability (solid, gaseous):	Flammable.		
Auto igniting:	420 °C (788 °F)		
Decomposition temperature:	Not determined.		
Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.		

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

	(Contd. of	f page
Explosion limits:		
Lower:	1.3 Vol %	
Upper:	9.5 Vol %	
· Vapor pressure at 20 °C (68 °F):	5 hPa (3.8 mm Hg)	
Density at 20 °C (68 °F):	1.0038 g/cm ³ (8.37671 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	1,003.8 g/l / 8.38 lb/gal	
Solids content:	50.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute	Toxicity	Estimate)
------------	----------	-----------

Oral	LD50	167 mg/kg
	LD50	300 mg/kg
Inhalative	LC50/4h	0.96 mg/l

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

(Contd. on page 8)

[–] US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 7)

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

All components have the value 3.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 8)

· UN-Number	
· DOT, IMDG, IATA	UN3071
· UN proper shipping name · DOT · IMDG, IATA	Mercaptans, liquid, toxic, flammable, n.o.s. MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. (Pheno Cyclohexanone)
· Transport hazard class(es)	
·DOT	
TOXIC 6 8	
· Class	6.1 Toxic substances
· Label	6.1, 3
· IMDG	
· Class	6.1 Toxic substances
· Label	6.1/3
· Class	6.1 Toxic substances
· Label	6.1 (3)
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code • EMS Number:): 36 F-E,S-D
· EMS Number: · Stowage Category	F-E,S-D C
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG57 Stow "separated from" odour-absorbing cargoes
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

	(Contd. of page
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	100 ml
\cdot Excepted quantities (EQ)	Code: E4
	Maximum net quantity per inner packaging: 1 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1228 MERCAPTANS, LIQUID, FLAMMABLE, TOXIC N.O.S. (PHENOL, CYCLOHEXANONE), 3 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara	
· Section 355 (extremely hazardous substances):	
CAS: 108-95-2 Phenol	
· Section 313 (Specific toxic chemical listings):	
CAS: 108-95-2 Phenol	
· TSCA (Toxic Substances Control Act):	
Cyclohexanone 99.8%	ACTIVE
Phenol	ACTIVE
· Hazardous Air Pollutants	
CAS: 108-95-2 Phenol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
CAS: 108-95-2 Phenol	D, I
· TLV (Threshold Limit Value)	
CAS: 108-94-1 Cyclohexanone 99.8%	A3
CAS: 108-95-2 Phenol	A4
Сс	ontd. on page 11)

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone 50% w/w each component

(Contd. of page 10)

	(Contd. of page
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements The product is classified and labeled according to the Globally Harmonized	ed System (GHS
Hazard pictograms	
\land \land \land \land	
GHS02 GHS05 GHS06 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Phenol	
Cyclohexanone 99.8%	
Hazard statements	
Flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
Suspected of causing genetic defects.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	er.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Get medical advice/attention if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ons.

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Phenol / Cyclohexanone

50% w/w each component

(Contd. of page 11)

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department. • **Contact:**

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/08/2024: Rewiewed SDS for accuracy. MH/STN Creation date for SDS 11-10-2014. STN 05/10/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 \cdot * Data compared to the previous version altered.