Printing date 07/02/2024

*

Reviewed on 07/02/2024

Product identifier	
Trade name: <u>Salicylic Acid 143 gpL</u> in Methanol	
Article number: BAS715	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
Classification of the substance or mixture GHS02 Flame	
	H225 Highly flammable liquid and vapor.
GHS02 Flame	H225 Highly flammable liquid and vapor.
GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2 Specific Target Organ Toxicity - Single Exposure 1	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the syste
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the syste
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2 Specific Target Organ Toxicity - Single Exposure 1	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the syste

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0(Contd. on page 3)

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 2)

81.968% 18.032%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3FIRE 3 Fire = 3REACTIVITYReactivity

 $\frac{1}{10} Reactivity = 0$

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol CAS: 69-72-7 salicylic acid

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- *Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.*
- After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/02/2024

*

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 3)

Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol 530 ppm •PAC-3: CAS: 67-56-1 Methanol 7200* ppm	· Personal prece	uutions, protective equipment and emergency procedures	
 Environmental precautions: Do not allow to enter sewers' surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol Z,100 ppm PAC-3: CAS: 67-56-1 Methanol Z,200* ppm PAC-3: CAS: 67-56-1 Methanol Z,200* ppm PaC-3: CAS: 67-56-1 Methanol Z,200* ppm Paccas: Forecution for safe handling. See section for a safe handling. See section for safe handling. Protecution about protection against explosions and fires: Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about protection against explosions and frequired. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 			
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 3 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol 530 ppm PAC-3: CAS: 67-56-1 Methanol 2,100 ppm PAC-3: CAS: 67-56-1 Methanol 7200* ppm 7 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep respiratory protective device available. Store in cool, dry conditions in well sealed receptacles. 			
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 67-56-1 Methanol 530 ppm • PAC-2: CAS: 67-56-1 Methanol 2,100 ppm • PAC-3: CAS: 67-56-1 Methanol 7200* ppm • PAC-3: CAS: 67-56-1 Methanol 7200* ppm • PAC-3: • Handling: • Precutions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required. • Further information about storage in one common storage facility: Not required.			
Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 67-56-1 Methanol • PAC-2: CAS: 67-56-1 Methanol • Z100 ppm • PAC-3: CAS: 67-56-1 Methanol • Z00* ppm • PAC-3: CAS: 67-56-1 Methanol • Z00* ppm • PAC-3: • Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Open and handle receptacle with care. • Prevent formation about protection against explosions and fires: Keep ignition sources away - Do not smoke. • Protect egginst electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.			
Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on personal protection equipment. See Section 8 for information on personal protection equipment. See Section 7 for information on personal protection equipment. PAC-1: CAS: 67-56-1 [Methanol 2,100 ppm PAC-3: CAS: 67-56-1 [Methanol 7200* ppm PAC-3: CAS: 67-56-1 [Methanol 7200* ppm PAC-3: Paceautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storege: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.			
Ensure adequate ventilation. • Reference to other sections See Section 7 for information on safe handling. See Section 15 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 67-56-1 Methanol • PAC-2: CAS: 67-56-1 Methanol • PAC-3: CAS: 67-56-1 Methanol • PAC-3: CAS: 67-56-1 Methanol • PAC-3: CAS: 67-56-1 Methanol • Pace-3: Code and bandle storage • Pace-4 • Precentions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle recep			
 Reference to other sections See Section 7 for information on safe handling. See Section 13 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol Store in Case of the protection of the			
See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol 530 ppm PAC-2: CAS: 67-56-1 Methanol 2,100 ppm PAC-3: CAS: 67-56-1 Methanol 7200* ppm PAC-3: Combines for safe handling Example Association Association Association PAC-3: Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Hormation about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly scaled. Store in cool, dry conditions in well sealed receptacles.			
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 67-56-1 Methanol 530 ppm • PAC-2: CAS: 67-56-1 Methanol 2,100 ppm • PAC-3: CAS: 67-56-1 Methanol 7200* ppm • Pac-3: Conditing and storage • Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.	See Section 7 f	for information on safe handling.	
 Protective Action Criteria for Chemicals PAC-1: CAS: 67-56-1 Methanol 530 ppm PAC-2: CAS: 67-56-1 Methanol 2,100 ppm PAC-3: CAS: 67-56-1 Methanol 7200* ppm PAC-3: CAS: 67-56-1 Methanol 7200* ppm PAC-3: CAS: 67-56-1 Methanol 7200* ppm Padation of safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 			
• PAC-1: 530 ppm CAS: 67-56-1 Methanol 2,100 ppm • PAC-2: 2,100 ppm CAS: 67-56-1 Methanol 2,00° ppm • PAC-3: 7200° ppm CAS: 67-56-1 Methanol 7200° ppm • Handling and storage 7200° ppm • Handling: • • Precautions for safe handling 7200° ppm • Precautions for safe handling • Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. • Prevent formation of aerosols. • • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. • Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • • Storage: • • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.			
CAS: 67-56-1 Methanol 530 ppm • PAC-2: 2,100 ppm CAS: 67-56-1 Methanol 2,100 ppm • PAC-3: 7200* ppm CAS: 67-56-1 Methanol 7200* ppm • Handling and storage 7200* ppm • Handling: • 7200* ppm • Precautions for safe handling 7200* ppm Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. • Prevent formation of aerosols. • • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • • Storage: • • Requirements to be met by storerooms and receptacles: Store in a cool location. • • Information about storage conditions: Keep receptacle tightly sealed. • Further information about storage conditions: Keep receptacle tightly sealed. • Store in cool, dry conditions in well sealed receptacles. Store in cool, dry conditions in well sealed receptacles.		on Crueria for Chemicais	
PAC-2: CAS: 67-56-1 Methanol 2,100 ppm • PAC-3:			520
CAS: 67-56-1 Methanol 2,100 ppm • PAC-3: 7200* ppm CAS: 67-56-1 Methanol 7200* ppm 7 Handling and storage 7 • Handling: • • Precautions for safe handling 8 Ensure good ventilation/exhaustion at the workplace. 0 Open and handle receptacle with care. 9 Prevent formation of aerosols. • • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • • Storage: • • Requirements to be met by storerooms and receptacles: Store in a cool location. • • Information about storage conditions: Keep receptacle tightly sealed. • Further information about storage conditions: Keep receptacle tightly sealed. • Store in cool, dry conditions in well sealed receptacles. •		Methanol	530 ppm
• PAC-3: 7200* ppm CAS: 67-56-1 Methanol 7200* ppm 7 Handling and storage 7400* ppm • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. 0pen and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. • Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Store in cool, dry conditions in well sealed receptacles.	· PAC-2:		
CAS: 67-56-1 Methanol 7200* ppm 7 Handling and storage 7 • Handling: • Precautions for safe handling 7 Ensure good ventilation/exhaustion at the workplace. 0 0 Open and handle receptacle with care. 7 Prevent formation of aerosols. • Information about protection against explosions and fires: 7 Keep ignition sources away - Do not smoke. 7 Protect against electrostatic charges. 7 Keep respiratory protective device available. 7 • Conditions for safe storage, including any incompatibilities 5 • Storage: • • Requirements to be met by storerooms and receptacles: Store in a cool location. • • Information about storage in one common storage facility: Not required. • • Further information about storage conditions: Keep receptacle tightly sealed. • Store in cool, dry conditions in well sealed receptacles. •	CAS: 67-56-1	Methanol	2,100 ppm
 7 Handling and storage • Handling: • Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. • Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. • Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: Store in a cool location. • Information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.			
 Handling: Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.			
 Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1		7200* ppm
 Open and handle receptacle with care. Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 7 Handling an		7200* ppm
 Prevent formation of aerosols. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 7 Handling an • Handling: • Precautions fo	nd storage r safe handling	7200* ppm
 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 7 Handling an • Handling: • Precautions for Ensure good v	nd storage r safe handling entilation/exhaustion at the workplace.	7200* ppm
 Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 7 Handling an • Handling: • Precautions for Ensure good very Open and hand	nd storage r safe handling entilation/exhaustion at the workplace. dle receptacle with care.	7200* ppm
 Keep respiratory protective device available. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good v. Open and hand Prevent formation	nd storage r safe handling entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols.	7200* ppm
 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good v. Open and hand Prevent formation a	nd storage r safe handling entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires:	7200* ppm
 Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good vo Open and hand Prevent formation • Information an Keep ignition so Protect agains	nd storage or safe handling entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges.	7200* ppm
 Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good vo Open and hand Prevent formation • Information an Keep ignition so Protect agains	nd storage or safe handling entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges.	7200* ppm
 Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. 	CAS: 67-56-1 Handling and Handling: Precautions for Ensure good v. Open and hand Prevent formation and Keep ignition so Protect agains Keep respirato	nd storage entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. ry protective device available.	7200* ppm
• Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good v. Open and hand Prevent formation and Keep ignition so Protect agains Keep respirato • Conditions for • Storage:	nd storage entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. ry protective device available.	7200* ppm
Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.	CAS: 67-56-1 Handling an • Handling: • Precautions fo Ensure good very Open and hand Prevent formation and Keep ignition so Protect agains Keep respirato • Conditions for • Storage: • Requirements	nd storage entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. ry protective device available. rs afe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location.	7200* ppm
Store in cool, dry conditions in well sealed receptacles.	CAS: 67-56-1 7 Handling and • Handling: • Precautions for Ensure good very Open and hand Prevent formation and Keep ignition so Protect agains Keep respirato • Conditions for • Storage: • Requirements • Information and	ad storage or safe handling entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. ry protective device available. ry protective device available. to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required.	7200* ppm
	CAS: 67-56-1 7 Handling and • Handling: • Precautions for Ensure good very Open and hand Prevent formation and Keep ignition so Protect agains Keep respirato • Conditions for • Storage: • Requirements • Information and • Further information and	nd storage entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. ry protective device available. * safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required. nation about storage conditions:	7200* ppm
	CAS: 67-56-1 7 Handling and • Handling: • Precautions for Ensure good v. Open and hand Prevent formation and Verep ignition s Protect agains Keep respirato • Conditions for • Storage: • Requirements • Information and • Further information and Verep receptact	nd storage entilation/exhaustion at the workplace. dle receptacle with care. tion of aerosols. bout protection against explosions and fires: sources away - Do not smoke. t electrostatic charges. try protective device available. esafe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required. mation about storage conditions: le tightly sealed.	7200* ppm

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

	(Contd. of page 4)
· Con	ntrol parameters
	nponents with limit values that require monitoring at the workplace:
	following constituent is the only constituent of the product which has a PEL, TLV or other recommended
	osure limit.
	his time, the remaining constituent has no known exposure limits.
	S: 67-56-1 Methanol
PEI	L Long-term value: 260 mg/m ³ , 200 ppm
REI	L Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	/ Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
-	redients with biological limit values:
	S: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Add	litional information: The lists that were valid during the creation were used as basis.
	posure controls
	sonal protective equipment:
	neral protective and hygienic measures:
	p away from foodstuffs, beverages and feed.
	nediately remove all soiled and contaminated clothing. sh hands before breaks and at the end of work.
	re protective clothing separately.
	id contact with the eyes.
	id contact with the eyes and skin.
· Bre	athing equipment:
	case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	piratory protective device that is independent of circulating air.
· Pro	tection of hands:
11	Protective gloves
The	a close material has to be importantly and resistant to the product the substance the propagation
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	mical mixture.
	ection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	terial of gloves
T^{I}	

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 5)

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	I i mui d
Form: Color:	Liquid Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79302 g/cm³ (6.61775 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

		(Contd. of page 6)
• Solvent content: Organic solvents: VOC content:	82.0 % 81.97 % 650.0 g/l / 5.42 lb/gal	
Solids content:	18.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50117 mg/kg

		1 10 10
Dermal	LD50	366 mg/kg
Inhalative	LC50/4h	3.66 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
Transport hazard class(es)		
DOT		
FLAMMABLE LIQUID		
3		
Class	3 Flammable liquids	
Label	3	

[·] Uncleaned packagings:

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

	(Contd. of page
IMDG, IATA	
A	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	336
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	B
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355	(extremely	hazardous	substances)):
---------------	------------	-----------	-------------	----

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

Methanol

salicylic acid

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

(Contd. on page 10)

ACTIVE ACTIVE

⁻ US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 9)

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor.

(Contd. on page 11)

US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Salicylic Acid 143 gpL in Methanol

(Contd. of page 10)

Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/02/2024: Reviewed SDS for accuracy. MH/STN 07/02/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.