Printing date 05/16/2024 Reviewed on 05/16/2024

#### 1 Identification

· Product identifier

· Trade name: 50 mM Phthalic Buffer Concentrate

· Article number: LY371

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



011500

- · Signal word Warning
- · Hazard-determining components of labeling:

Methanol

· Hazard statements

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF exposed or concerned: Call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic
Buffer Concentrate

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1 Methanol		3.984%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	94.767%
CAS: 88-99-3	Phthalic Acid	0.831%
CAS: 1310-73-2	Sodium Hydroxide	0.322%
CAS: 57-09-0	Cetyltrimethyl Ammonium Bromide, 98%	0.096%

## 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

  During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic Buffer Concentrate

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 67-56-1	Methanol	530 ppm	
CAS: 88-99-3	Phthalic Acid	24 mg/m³	
CAS: 1310-73-2	Sodium Hydroxide	$0.5 \text{ mg/m}^3$	
CAS: 57-09-0	Cetyltrimethyl Ammonium Bromide, 98%	$1.2 mg/m^3$	
· PAC-2:	· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm	
CAS: 88-99-3	Phthalic Acid	260 mg/m³	
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m <sup>3</sup>	
CAS: 57-09-0	Cetyltrimethyl Ammonium Bromide, 98%	14 mg/m³	
· PAC-3:			
CAS: 67-56-1	Methanol	7200* ppm	
CAS: 88-99-3	Phthalic Acid	$1,600 \text{ mg/m}^3$	
CAS: 1310-73-2	Sodium Hydroxide	50 mg/m³	
CAS: 57-09-0	Cetyltrimethyl Ammonium Bromide, 98%	81 mg/m³	

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic Buffer Concentrate

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### CAS: 67-56-1 Methanol

PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin

SKIN

TLV Short-term value: 250 ppm Long-term value: 200 ppm

Skin; BEI

#### · Ingredients with biological limit values:

#### CAS: 67-56-1 Methanol

BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

. .

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic Buffer Concentrate

(Contd. of page 4)

Form: Color: Clear Alcohol Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Explosion limits: Lower: Not determined. Not determined. Not determined.	9 Physical and chemical properties	
General Information Appearance: Form: Color: Clear Odor: Alcohol Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Molling range: 100°C (212°F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Pecomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined.  Vapor pressure at 20°C (68°F): 23 hPa (17.3 mm Hg)  Density at 20°C (68°F): Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Viscosity: Dynamic: Not determined.  Not determined.  Viscosity: Dynamic: Not determined.  Not determined.  Viscosity: Dynamic: Not determined.  Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 3.9.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Information on basic physical and c	chemical properties
Appearance: Form: Color: Color: Odor threshold: Not determined. PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range: Not applicable. Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Pecomposition temperature: Not determined. Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal) Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Viscosity: Dynamic: Not determined. Not determined. Viscosity: Dynamic: Not determined. Not determined. Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 93.98 % 39.8 g/l /0.33 lb/gal  Solids content: 1.2 %		
Color: Clear Odor: Alcohol Odor threshold: Not determined.  pH-value: Not determined.  Change in condition Melting point/Melting range: Undetermined.  Boiling point/Melting range: 100°C (212°F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20°C (68°F): 23 hPa (17.3 mm Hg)  Density at 20°C (68°F): 0.99976 g/cm³ (8.343 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 93.98 % 3.98 g// 0.33 lb/gal  Solids content: 1.2 %	· Appearance:	
Odor: Odor threshold: Not determined.  PH-value: Not determined.  Change in condition Melting point/Melting range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits:  Lower: Not determined.  Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic: Not determined.  Not determined.  Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.9.8 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	Form:	Liquid
Odor threshold:  PH-value:  Not determined.  Change in condition Melting point/Melting range: Boiling point/Boiling range:  Flash point:  Not applicable.  Flammability (solid, gaseous):  Not applicable.  Product is not selfigniting.  Decomposition temperature:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower: Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  Not determined.  Vapor pressure at 20 °C (68 °F):  Not determined.  Vapor density  Not determined.  Vapor density  Not determined.  Vapor density  Not determined.  Vapor density  Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic:  Not determined.  Solvent content:  Organic solvents:  4.0 % Water:  94.8 % VOC content:  3.9.8 % 39.8 g/l / 0.33 lb/gal  Solids content:  1.2 %	Color:	•
PH-value: Not determined.  Change in condition Melting point/Melting range: Boiling point/Melting range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Not determined.  Lower: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Solvent content: Not determined.  Solvent content: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Odor:	Alcohol
Change in condition Melting point/Melting range: Boiling point/Boiling range: Plash point: Not applicable. Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined. Not determined. Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined. Not determined.  Solvent content: Organic solvents: Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Odor threshold:	Not determined.
Melting point/Melting range: Bolling point/Bolling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined.  Solvent content: Organic solvents: Vapor content: Organic solvents: Vapor content: Organic solvents: Vapor content: Organic solvents: Vapor densits: Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Vapor density Vapor density Not determined.  Solvent content: Organic solvents: Vapor density Vapor density Vapor density Not determined. Vapor density Not determined.  Solvent content: Organic solvents: Vapor density Vapor density Vapor density Not determined. Vapor density Not determined. Vapor density Not determined.  Not determined.  Vapor density Not determined.  Vapor density Not determined.  Not determined.  Vapor density Not determined.  Vapor density Not determined.  Vapor density Not determined.  Not determined.  Vapor density Not determined.  Not determine	· pH-value:	Not determined.
Melting point/Melting range: Bolling point/Bolling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined.  Solvent content: Organic solvents: Vapor content: Organic solvents: Vapor content: Organic solvents: Vapor content: Organic solvents: Vapor densits: Vapor density Not determined. Solvent content: Organic solvents: Vapor density Not determined. Solvent content: Organic solvents: Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Vapor density Not determined. Solvent content: Organic solvents: Vapor density Vapor density Vapor density Vapor density Vapor density Vapor density Not determined.  Solvent content: Organic solvents: Vapor density Va	· Change in condition	
Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: Organic solvents: 94.8 % Water: 94.8 % Water: 94.8 % Water: 94.8 %  VOC content: 1.2 %		Undetermined
Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Relative density Not determined.  Evapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: Organic solvents: 4,0 % Water: 94.8 % Water: 94.8 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %		
Flammability (solid, gaseous):  Not applicable.  Decomposition temperature:  Product is not selfigniting.  Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower:  Upper:  Not determined.  Upper:  Not determined.  Vapor pressure at 20 °C (68 °F):  23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F):  O.99976 g/cm³ (8.343 lbs/gal)  Relative density  Not determined.  Vapor density  Not determined.  Vapor density  Not determined.  Solubility in / Miscibility with Water:  Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic:  Kinematic:  Not determined.  Not determined.  Solvent content:  Organic solvents:  4.0 % Water:  94.8 %  3.98 %  39.8 g/l / 0.33 lb/gal  Solids content:	0.	
Decomposition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): Not determined.  Vapor density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined.  Solvent content: Organic solvents: Water: 94.8 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Flash point:	Not applicable.
Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Kinematic: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % Water: 94.8 % 39.8 g/1/0.33 lb/gal  Solids content: 1.2 %	· Flammability (solid, gaseous):	Not applicable.
Danger of explosion:  Product does not present an explosion hazard.  Explosion limits:  Lower:	· Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Ignition temperature:	Product is not selfigniting.
Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined.  Solvent content: Organic solvents: Water: 94.8 % Water: 94.8 % YOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Danger of explosion:	Product does not present an explosion hazard.
Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Not determined.  Solvent content: Organic solvents: Water: 94.8 % Water: 94.8 % YOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	· Explosion limits:	
Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 0.99976 g/cm³ (8.343 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %	-	Not determined.
· Vapor pressure at 20 °C (68 °F):  Density at 20 °C (68 °F):  Relative density  Not determined.  · Vapor density  Not determined.  · Evaporation rate  Not determined.  · Solubility in / Miscibility with Water:  Partition coefficient (n-octanol/water): Not determined.  · Viscosity:  Dynamic: Kinematic:  Not determined.  Not determined.  Not determined.  Solvent content:  Organic solvents:  Water:  94.8 %  VOC content:  3.9.8 %  39.8 g/l / 0.33 lb/gal  Solids content:  1.2 %	Upper:	Not determined.
Relative density Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Value of the state of	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Relative density Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Value of the state of	· Density at 20 °C (68 °F)·	0 99976 o/cm³ (8 343 lbs/ogl)
Vapor density Evaporation rate Not determined. Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Valent:	· Relative density	
Evaporation rate  Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %		
Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %		
Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 4.0 % Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %		1107 desermined.
Partition coefficient (n-octanol/water): Not determined.           Viscosity:         Not determined.           Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         4.0 %           Organic solvents:         4.0 %           Water:         94.8 %           VOC content:         3.98 %           39.8 g/l / 0.33 lb/gal           Solids content:         1.2 %	· · · · · · · · · · · · · · · · · · ·	
<ul> <li>Viscosity:         Dynamic:         Kinematic:         Not determined.         Not determined.         Solvent content:         Organic solvents:</li></ul>	Water:	Fully miscible.
Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         Organic solvents:         4.0 %           Water:         94.8 %           VOC content:         3.98 %           39.8 g/l / 0.33 lb/gal           Solids content:         1.2 %	· Partition coefficient (n-octanol/wate	e <b>r</b> ): Not determined.
Dynamic:         Not determined.           Kinematic:         Not determined.           Osolvent content:         4.0 %           Water:         94.8 %           VOC content:         3.98 %           39.8 g/l / 0.33 lb/gal           Solids content:         1.2 %	· Viscosity:	
Kinematic:       Not determined.         Solvent content:       90 contents         Organic solvents:       4.0 %         Water:       94.8 %         VOC content:       3.98 %         39.8 g/l / 0.33 lb/gal         Solids content:       1.2 %		Not determined.
Organic solvents:       4.0 %         Water:       94.8 %         VOC content:       3.98 %         39.8 g/l / 0.33 lb/gal    Solids content:          1.2 %	•	Not determined.
Organic solvents:       4.0 %         Water:       94.8 %         VOC content:       3.98 %         39.8 g/l / 0.33 lb/gal    Solids content:          1.2 %	· Solvent content:	
Water: 94.8 % VOC content: 3.98 % 39.8 g/l / 0.33 lb/gal  Solids content: 1.2 %		40%
VOC content:       3.98 %         39.8 g/l / 0.33 lb/gal         Solids content:       1.2 %		
39.8 g/l / 0.33 lb/gal <b>Solids content:</b> 1.2 %		
Solids content: 1.2 %	voc comem.	
	Solids content:	
	Other information	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic
Buffer Concentrate

(Contd. of page 5)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	2,510 mg/kg
		7,530 mg/kg
Inhalative	LC50/4h	75.3 mg/l

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

Reviewed on 05/16/2024 Printing date 05/16/2024

Trade name: 50 mM Phthalic **Buffer Concentrate** 

· Other adverse effects No further relevant information available.

(Contd. of page 6)

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
· Environmental hazards:	Not applicable.

Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": Not regulated

## 15 Regulatory information

· Special precautions for user

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol

· TSCA (Toxic Substance	es Control Act):
-------------------------	------------------

TISCA (TOME Substitutes Control Act).	
Water	ACTIVE
Methanol	ACTIVE
Phthalic Acid	ACTIVE
Sodium Hydroxide	ACTIVE

(Contd. on page 8)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic **Buffer Concentrate** 

Cetyltrimethyl Ammonium Bromide, 98%

(Contd. of page 7)

*ACTIVE* 

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Methanol

· Hazard statements

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

IF exposed or concerned: Call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## <mark>16 Other informati</mark>on

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 9)

Printing date 05/16/2024 Reviewed on 05/16/2024

Trade name: 50 mM Phthalic Buffer Concentrate

(Contd. of page 8)

· Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN

05/16/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2

\* \* Data compared to the previous version altered.

US