Printing date 05/12/2023

\*

Reviewed on 05/12/2023

Product identifier	
Trade name: Ferric Chloride Solution Alcoholic, for TBC Test	
Article number: 3770	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
<b>Information department:</b> Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org <b>Emergency telephone number:</b> Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Hazard(s) identification Classification of the substance or mixture GHS02 Flame	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS08 Health hazard	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 2 GHS05 Corrosion Eye Damage 1	H371 May cause damage to the central nervous system a
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 2 GHS05 Corrosion Eye Damage 1 GHS07	H371 May cause damage to the central nervous system a the visual organs.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 2 GHS05 Corrosion Eye Damage 1	H371 May cause damage to the central nervous system a the visual organs.

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol *Ferric Chloride Hexahydrate* Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0(Contd. on page 3)

- US -

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3FIRE $3$ Fire = 3REACTIVITY $0$ Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	onents:	
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	86.517%
CAS: 67-56-1	Methanol	4.86%
CAS: 67-63-0	Isopropanol	4.82%
CAS: 10025-77-1	Ferric Chloride Hexahydrate	2.488%
CAS: 7647-01-0	Hydrochloric Acid	1.316%

#### 4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# **5** Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- $\cdot \textit{For safety reasons unsuitable extinguishing agents: Water with full jet}$
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

US

(Contd. of page 3)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/12/2023

Reviewed on 05/12/2023

#### Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	15 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	39 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 10025-77-1	Ferric Chloride Hexahydrate	240 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	100 ppm

# 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 5)

<sup>-</sup> US

Printing date 05/12/2023

Reviewed on 05/12/2023

#### Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 4)

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

PEL	Long-term value: 1900 mg/m³, 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm A3
CAS: 67-56-1 Methanol	
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
CAS: 67-63-0 Isopropanol	·
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
CAS: 7647-01-0 Hydrochloric Acid	i de la companya de l
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>
PEL	Ceiling limit value: 7 mg/m³, 5 ppm
REL	Ceiling limit value: 7 mg/m³, 5 ppm
TLV	Ceiling limit value: 2 ppm A4
	(Contd. on

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

> $(\mathbf{C})$ tđ c 5

. Ingr	edients with biological limit values:
-	: 67-56-1 Methanol
	15 mg/L
221	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
CAS	: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
Add	tional information: The lists that were valid during the creation were used as basis.
Exp	osure controls
	onal protective equipment:
Gen	eral protective and hygienic measures:
Keep	p away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
Avoi	d contact with the skin.
	d contact with the eyes and skin.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	iratory protective device that is independent of circulating air.
Prot	ection of hands:
111	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation.
	ical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality a
	es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance
	Nove material can not be calculated in advance and has therefore to be checked prior to the application.
	etration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to
	rved.
	protection:
5-	
	Tightly sealed goggles

· Body protection: Protective work clothing

(Contd. on page 7)

US

Printing date 05/12/2023

\*

Reviewed on 05/12/2023

Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 6)

9 Physical and chemical proper	ties
· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Clear yellowish-brown
· Odor:	Alcohol Not determined.
• Odor threshold:	
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined. Undetermined.
Boiling point/Boiling range:	
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	425 °C (797 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density at 20 °C (68 °F):	0.80388 g/cm³ (6.70838 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	96.2 %
VOC content:	96.20 % 773.3 g/l / 6.45 lb/gal
Solids content:	2.5 %
• Other information	No further relevant information available.
Sinci information	

(Contd. on page 8)

Printing date 05/12/2023

Reviewed on 05/12/2023

#### Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 7)

## **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	1,947 mg/kg
		6,173 mg/kg
Inhalative	LC50/4h	61.7 mg/l

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 9)

1

3

US

Printing date 05/12/2023

Reviewed on 05/12/2023

Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 8)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

• Results of PBT and vPvB assessment

• *PBT:* Not applicable.

• **vPvB:** Not applicable.

 $\cdot \textit{Other adverse effects No further relevant information available}.$ 

## **13 Disposal considerations**

· Waste treatment methods

• *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.* 

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
IMDG, IATA	) FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropano )
Transport hazard class(es)	
DOT	
R.MMABLE LOOD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemle	Warning: Flammable liquids

Printing date 05/12/2023

Reviewed on 05/12/2023

# Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

	(Contd. of page
· EMS Number:	F-E,S-E
· Segregation groups	$(SG\overline{G1})$ Acids
· Stowage Category	В
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	0
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL
č	METHANOL, ISOPROPANOL
	), <i>3</i> , <i>II</i>

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

\*

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 67-63-0 Isopropanol	
· TSCA (Toxic Substances Control Act):	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Methanol	ACTIVE
Isopropanol	ACTIVE
Hydrochloric Acid	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	

(Contd. on page 11)

US

Printing date 05/12/2023

Reviewed on 05/12/2023

#### Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 10)

A3

A4

|--|

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-56-1 Methanol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

## None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Methanol Ferric Chloride Hexahydrate Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* IF exposed or concerned: Call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. (Contd. on page 12)

Printing date 05/12/2023

Reviewed on 05/12/2023

#### Trade name: Ferric Chloride Solution Alcoholic, for TBC Test

(Contd. of page 11)

Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision

Revision 1.0 05/12/2023, reviewed SDS for accuracy. STN

Revision 2.0, 01-12-2020: Updated sections 1, 2 and 15 to meet Fanns new requirements

05/12/2023

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 • \* Data compared to the previous version altered.