Printing date 05/29/2024 Reviewed on 05/29/2024

1 Identification

· Product identifier

· Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

· Article number: SGS022

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

(Contd. on page 2)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 1)

· Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 2REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

	(Contd. of page 2)
· Dangerous components:	
CAS: 64-19-7 Acetic Acid, Glacial	99.555%
· Table of Nonhazardous Ingredients	
CAS: 108-24-7 Acetic Anhydride	0.308%
CAS: 7601-90-3 Perchloric acid 68 - 70% w/w	0.137%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:				
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm		
CAS: 108-24-7	Acetic Anhydride	0.5 ppm		
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	0.61 ppm		
· PAC-2:				
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm		
CAS: 108-24-7	Acetic Anhydride	15 ppm		
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	6.7 ppm		
· PAC-3:				
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm		
CAS: 108-24-7	Acetic Anhydride	100 ppm		
CAS: 7601-90-3	Perchloric acid 68 - 70% w/w	40 ppm		

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Long-term value: 25 mg/m³, 10 ppm

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Control parameters			
· Components with limit values that require monitoring at the workplace:			
CAS: 64-19-7 Acetic Acid, Glacial			
PEL Long-term value: 25 mg/m³, 10 ppm			
REL Short-term value: 37 mg/m³, 15 ppm			

TLV Short-term value: 15 ppm Long-term value: 10 ppm

(Contd. on page 5)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 4)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Color: Clear · Odor: Vinegar · Odor threshold:

Not determined.

· pH-value at 20 °C (68 °F): 2.5

· Change in condition

Melting point/Melting range: 16.6 °C (61.9 °F) Boiling point/Boiling range: 118 °C (244.4 °F)

(Contd. on page 6)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Explosion limits: Lower: Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor ansity Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %		(Contd. of page
Auto igniting: 485 °C (905 °F) Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 4 Vol % Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Flash point:	40 °C (104 °F)
Decomposition temperature: Ignition temperature: Product is not selfigniting. Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Explosion limits: Lower: Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content:	Flammability (solid, gaseous):	Flammable.
Ignition temperature: Product is not selfigniting. Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. Explosion limits: Lower: 4 Vol % Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Auto igniting:	485 °C (905 °F)
Danger of explosion: Product is not explosive. However, formation of explosive air/vapo mixtures are possible. Explosion limits: Lower: Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: VOC content: 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Decomposition temperature:	Not determined.
Explosion limits: Lower: Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Ignition temperature:	Product is not selfigniting.
Lower: 4 Vol % Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Danger of explosion:	
Upper: 17 Vol % Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) Density at 20 °C (68 °F): 1.05362 g/cm³ (8.79246 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Explosion limits:	
Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Lower:	4 Vol %
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Upper:	17 Vol %
Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Vapor density Evaporation rate Not determined. Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Density at 20 °C (68 °F):	1.05362 g/cm³ (8.79246 lbs/gal)
Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Relative density	
Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Vapor density	Not determined.
Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Evaporation rate	Not determined.
Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Solubility in / Miscibility with	
Viscosity: Not determined. Dynamic: Not determined. Kinematic: Not determined. Solvent content: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Water:	Not miscible or difficult to mix.
Dynamic: Not determined. Kinematic: Not determined. Solvent content: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Partition coefficient (n-octanol/wate	er): Not determined.
Kinematic: Not determined. Solvent content: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Viscosity:	
Solvent content: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Dynamic:	Not determined.
Organic solvents: 99.9 % VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Kinematic:	Not determined.
VOC content: 99.86 % 1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Solvent content:	
1,052.2 g/l / 8.78 lb/gal Solids content: 0.0 %	Organic solvents:	
Solids content: 0.0 %	VOC content:	
		1,052.2 g/l / 8.78 lb/gal
Other information No further relevant information available.	Solids content:	0.0 %
	Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

US

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 6)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 1,065 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

IMDG, IATA Class Class Label Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Stowage Category B Corrosive substances Warning: Corrosive substances (SGG1) Acids Stowage Category B	UN-Number DOT, IMDG, IATA	UN1760
Transport hazard class(es) DOT Class Label Residuate Class Label Residuate Packing group DOT, IMDG, IATA II Environmental hazards: Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Stowage Category B Residuate Residua		Corrosive liquids, n.o.s. (Acetic Acid, Glacial
Class Label Rewire substances 1	IMDG, IATA) CORROSIVE LIQUID, N.O.S. (Acetic Acid, Glacial)
Class Label R IMDG, IATA Class Label Class Label R Corrosive substances B Corrosive substances Corrosiv	Transport hazard class(es)	
Label 8 IMDG, IATA Class 8 Corrosive substances Label 8 Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 83 EMS Number: F-A,S-B Segregation groups (SGG1) Acids Stowage Category B	DOT	
IMDG, IATA Class Class Label Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Stowage Category B Corrosive substances Warning: Corrosive substances (SGG1) Acids Stowage Category B	OORROSIVE 8	
IMDG, IATA Class Label Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Stowage Category B **Corrosive substances** Warning: Corrosive substances* F-A,S-B (SGG1) Acids Stowage Category B	Class	8 Corrosive substances
Class Label Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Segregation groups Stowage Category B Corrosive substances Warning: Corrosive substances (SGG1) Acids		8
Label8Packing group DOT, IMDG, IATAIIEnvironmental hazards:Not applicable.Special precautions for userWarning: Corrosive substancesHazard identification number (Kemler code):83EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryB		
Packing group DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Segregation groups (SGG1) Acids Stowage Category B	Class	8 Corrosive substances
DOT, IMDG, IATA II Environmental hazards: Not applicable. Special precautions for user Hazard identification number (Kemler code): 83 EMS Number: Segregation groups Segregation groups (SGG1) Acids Stowage Category II Stowage Category	Label	8
Environmental hazards: Special precautions for user Warning: Corrosive substances Hazard identification number (Kemler code): 83 EMS Number: F-A,S-B Segregation groups (SGG1) Acids Stowage Category B		II
Hazard identification number (Kemler code): 83 EMS Number: F-A,S-B Segregation groups (SGG1) Acids Stowage Category B	Environmental hazards:	Not applicable.
EMS Number: F-A,S-B Segregation groups (SGG1) Acids Stowage Category B	Special precautions for user	Warning: Corrosive substances
Segregation groups (SGG1) Acids Stowage Category B		
Stowage Category B		
		_
Transport in bulk according to Annex II of	MARPOL73/78 and the IBC Code	

(Contd. on page 9)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

	(Contd. of page
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG	
· Limited quantities (LQ)	IL
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (ACETIC ACII
	GLACIAL
), 8, <i>II</i>

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Acetic Acid, Glacial	ACTIVE
Acetic Anhydride	ACTIVE
Perchloric acid 68 - 70% w/w	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 9)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

· Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

(Contd. on page 11)

Printing date 05/29/2024 Reviewed on 05/29/2024

Trade name: Perchloric Acid 0.01 Normal Acetous Soln., NIST Traceable

(Contd. of page 10)

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-12-2015. STN

05/29/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids - Category 3

Acute Toxicity - Dermal 4: Acute toxicity - Category 4

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

* Data compared to the previous version altered.

US