

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

## 1 Identification

- **Product identifier**
- **Trade name:** 75% Ethylene Dichloride-  
25% v/v Cyclohexanone
- **Article number:** LEI003
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

1,2-Dichloroethane (Ethylene Dichloride)

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 1)

Cyclohexanone 99.8%

· **Hazard statements**

*Highly flammable liquid and vapor.**Harmful if swallowed.**Causes skin irritation.**Causes serious eye irritation.**May cause cancer.**May cause respiratory irritation.*

· **Precautionary statements**

*Obtain special instructions before use.**Do not handle until all safety precautions have been read and understood.**Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Ground/bond container and receiving equipment.**Use explosion-proof electrical/ventilating/lighting/equipment.**Use only non-sparking tools.**Take precautionary measures against static discharge.**Avoid breathing dust/fume/gas/mist/vapors/spray**Wash thoroughly after handling.**Do not eat, drink or smoke when using this product.**Use only outdoors or in a well-ventilated area.**Wear protective gloves/protective clothing/eye protection/face protection.**If swallowed: Call a poison center/doctor if you feel unwell.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.**IF INHALED: Remove person to fresh air and keep comfortable for breathing.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**IF exposed or concerned: Get medical advice/attention.**Specific treatment (see on this label).**Rinse mouth.**If skin irritation occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**Take off contaminated clothing and wash it before reuse.**In case of fire: Use for extinction: CO2, powder or water spray.**Store in a well-ventilated place. Keep container tightly closed.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name:** 75% Ethylene Dichloride-  
25% v/v Cyclohexanone

· **vPvB:** Not applicable.

(Contd. of page 2)

## 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	79.787%
CAS: 108-94-1	Cyclohexanone	20.213%

## 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 3)

## · Protective Action Criteria for Chemicals

### · PAC-1:

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	50 ppm
CAS: 108-94-1	Cyclohexanone 99.8%	60 ppm

### · PAC-2:

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	200 ppm
CAS: 108-94-1	Cyclohexanone 99.8%	830 ppm

### · PAC-3:

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	300 ppm
CAS: 108-94-1	Cyclohexanone 99.8%	5000* ppm

## 7 Handling and storage

### · Handling:

· **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### · Conditions for safe storage, including any incompatibilities

#### · Storage:

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

### · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### CAS: 107-06-2 1,2-Dichloroethane (Ethylene Dichloride)

PEL Long-term value: 50 ppm  
Ceiling limit value: 100; 200\* ppm  
\*5-min peak in any 3 hrs

REL Short-term value: 8 mg/m<sup>3</sup>, 2 ppm  
Long-term value: 4 mg/m<sup>3</sup>, 1 ppm  
See Pocket Guide Apps. A and C

TLV Long-term value: 40 mg/m<sup>3</sup>, 10 ppm

##### CAS: 108-94-1 Cyclohexanone 99.8%

PEL Long-term value: 200 mg/m<sup>3</sup>, 50 ppm

REL Long-term value: 100 mg/m<sup>3</sup>, 25 ppm  
Skin

(Contd. on page 5)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 4)

TLV Long-term value: 50 mg/m<sup>3</sup>, 20 ppm  
Skin

· **Ingredients with biological limit values:**

**CAS: 108-94-1 Cyclohexanone 99.8%**

BEI 80 mg/L  
LD50 Intraperitoneal: urine  
Time: end of shift at end of workweek  
LD50: 1,2-Cyclohexanediol with hydrolysis (nonspecific, semi-quantitative)

8 mg/L  
LD50 Intraperitoneal: urine  
Time: end of shift  
LD50: Cyclohexanol with hydrolysis (nonspecific, semi-quantitative)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone

(Contd. of page 5)

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Liquid
Color:	Clear
Odor:	Organic
Odor threshold:	Not determined.

· pH-value: Not determined.

#### · Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	84 °C (183.2 °F)

· Flash point: 13 °C (55.4 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 420 °C (788 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

#### · Explosion limits:

Lower:	1.3 Vol %
Upper:	16 Vol %

· Vapor pressure at 20 °C (68 °F): 87 hPa (65.3 mm Hg)

· Density at 20 °C (68 °F): 1.175 g/cm<sup>3</sup> (9.80538 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

#### · Solvent content:

Organic solvents:	20.2 %
VOC content:	20.21 %
	237.5 g/l / 1.98 lb/gl

Solids content: 0.0 %

· Other information: No further relevant information available.

## 10 Stability and reactivity

· Reactivity: No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 6)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	756 mg/kg (rat)
Dermal	LD50	2,007 mg/kg

**CAS: 107-06-2 1,2-Dichloroethane (Ethylene Dichloride)**

Oral	LD50	670 mg/kg (rat)
Dermal	LD50	2,800 mg/kg (rat)

**CAS: 108-94-1 Cyclohexanone 99.8%**

Oral	LD50	1,535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalative	LC50/4 h	8,000 mg/l (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful  
Irritant

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	2B
CAS: 108-94-1	Cyclohexanone 99.8%	3

· **NTP (National Toxicology Program)**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	R
---------------	--	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name:** 75% Ethylene Dichloride-  
25% v/v Cyclohexanone


(Contd. of page 7)

- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |   |   |
|---|---|
| · <b>UN-Number</b>  | UN1992  |
| · <b>DOT, IMDG, IATA</b>  |   |
| · <b>UN proper shipping name</b>  | Flammable liquids, toxic, n.o.s. (Ethylene dichloride, Cyclohexanone) |
| · <b>DOT</b>  | FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHYLENE DICHLORIDE, CYCLOHEXANONE)  |
| · <b>IMDG, IATA</b>   |   |
| · <b>Transport hazard class(es)</b>   |   |
| · <b>DOT</b>  |   |
|  |   |
| · <b>Class</b>  | 3 Flammable liquids   |
| · <b>Label</b>  | 3, 6.1  |
| · <b>IMDG</b>   |   |
| · <b>Class</b>  | 3 Flammable liquids   |

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 8)

· **Label** 3(6.1)

· **IATA**



· **Class** 3 Flammable liquids

· **Label** 3 (6.1)

· **Packing group**

· **DOT, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids

· **Danger code (Kemler):** 33

· **EMS Number:** F-E,S-D

· **Segregation groups** Liquid halogenated hydrocarbons

· **Stowage Category** B

· **Stowage Code** SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **DOT**

· **Quantity limitations** On passenger aircraft/rail: 5 L  
On cargo aircraft only: 60 L

· **IMDG**

· **Limited quantities (LQ)** 1L

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN 1992 FLAMMABLE LIQUIDS, TOXIC, N.O.S. (ETHYLENE  
DICHLORIDE, CYCLOHEXANONE), 3 (6.1), II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 107-06-2 | 1,2-Dichloroethane (Ethylene Dichloride)

· **TSCA (Toxic Substances Control Act):**

1,2-Dichloroethane (Ethylene Dichloride)

Cyclohexanone 99.8%

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 9)

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)
---------------	--

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	B2
---------------	--	----

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)	A4
---------------	--	----

CAS: 108-94-1	Cyclohexanone 99.8%	A3
---------------	---------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 107-06-2	1,2-Dichloroethane (Ethylene Dichloride)
---------------	--

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02    GHS07    GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

1,2-Dichloroethane (Ethylene Dichloride)

Cyclohexanone 99.8%

· **Hazard statements**

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

May cause respiratory irritation.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

(Contd. on page 11)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 10)

- Wear protective gloves/protective clothing/eye protection/face protection.*
- If swallowed: Call a poison center/doctor if you feel unwell.*
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.*
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
- IF exposed or concerned: Get medical advice/attention.*
- Specific treatment (see on this label).*
- Rinse mouth.*
- If skin irritation occurs: Get medical advice/attention.*
- If eye irritation persists: Get medical advice/attention.*
- Take off contaminated clothing and wash it before reuse.*
- In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.*
- Store in a well-ventilated place. Keep container tightly closed.*
- Store in a well-ventilated place. Keep cool.*
- Store locked up.*
- Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **National regulations:**
  - **Additional classification according to Decree on Hazardous Materials:**  
Carcinogenic hazardous material group III (dangerous).
  - **Information about limitation of use:**  
*Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.*  
*Exceptions can be made by the authorities in certain cases.*
  - **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.
- **Contact:**
- **Date of preparation / last revision**  
11-29-2017: review SDS for accuracy. STN  
Revision 0.0, 03-23-2016: creation date for SDS. STN  
11/29/2017 / -
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
ACGIH: American Conference of Governmental Industrial Hygienists  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value

(Contd. on page 12)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 11/29/2017

Reviewed on 11/29/2017

**Trade name: 75% Ethylene Dichloride-  
25% v/v Cyclohexanone**

(Contd. of page 11)

*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*BEI: Biological Exposure Limit*  
*Flam. Liq. 2: Flammable liquids – Category 2*  
*Acute Tox. 4: Acute toxicity – Category 4*  
*Skin Irrit. 2: Skin corrosion/irritation – Category 2*  
*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*  
*Carc. 1B: Carcinogenicity – Category 1B*  
*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

US