Printing date 05/29/2024

Reviewed on 05/29/2024

Product identifier	
Trade name: <u>Nital-Etch Solution</u> 10% Nitric Acid in MeOH	
Article number: SPE079	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification Classification of the substance or mixture	
Classification of the substance or mixture	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame	H225 Highly flammable liquid and vapor.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H370 Causes damage to the central nervous system and
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 1	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H370 Causes damage to the central nervous system and

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH



Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

(Contd. of page 2)

82.577%

17.423%

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1	Methanol
0110.07 20 1	111011101101

CAS: 7697-37-2 Nitric Acid

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 4)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

• Environmental precautions: Do not allow to enter sewers/ • Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid l	vinders, universal binders, sawdust).
Use neutralizing agent.	
Dispose contaminated material as waste according to section	n 13.
Ensure adequate ventilation.	
• Reference to other sections See Section 7 for information on safe handling.	
See Section 7 for information on safe nanating. See Section 8 for information on personal protection equipt	aant
See Section 8 for high matter on personal protection equip. See Section 13 for disposal information.	<i>ieni</i> .
• Protective Action Criteria for Chemicals	
·	
· PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
CAS: 7697-37-2 Nitric Acid	0.16 ppm
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
CAS: 7697-37-2 Nitric Acid	24 ppm
· PAC-3:	
CAS: 67-56-1 Methanol	7200* ppm
CAS: 7697-37-2 Nitric Acid	92 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.

\cdot Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

	(Contd. of page 4)
· Con	trol parameters
	nponents with limit values that require monitoring at the workplace:
	S: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
12,	Long-term value: 200 ppm
	Skin; BEI
CAS	5: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm
	Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm
	Long-term value: (2) ppm
	*inh. fraction + vapor, NIC-A4
·Ingr	redients with biological limit values:
CAS	S: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
· Exp	osure controls
	sonal protective equipment:
	eral protective and hygienic measures:
	p away from foodstuffs, beverages and feed.
	nediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately. id contact with the eyes.
	id contact with the eyes. id contact with the eyes and skin.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
	viratory protective device that is independent of circulating air.
· Prot	tection of hands:
111	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	nical mixture.
	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation
14	

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degrad • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Methanol	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64 °C (147.2 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	<i>igniting:</i> 455 °C (851 °F)	
Decomposition temperature: Not determined.		
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.86265 g/cm ³ (7.19881 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	82.6 %	
VOC content:	82.58 %	
	712.3 g/l / 5.94 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	121 mg/kg
Dermal Inhalative	LD50	121 mg/kg 363 mg/kg
Inhalative	LC50/4h	3 mg/l

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: *Toxic*

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	UN2024
· DOT, IMDG, IATA	UN2924
· UN proper shipping name	
·DOT	Flammable liquids, corrosive, n.o.s. (Methanol, Nitric Acid)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol, Nitri
	Acid)
· Transport hazard class(es)	
· DOT	
RAMARIE LOOD	
· Class	3 Flammable liquids

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

	(Contd. of pag
Label	3, 8
IMDG	
- Class	3 Flammable liquids
Label	3/8
ΙΑΤΑ	
Class	3 Flammable liquids
Label	3 (8)
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E,S-C
Segregation groups	(SGG1) Acids
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
-	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (\widetilde{EQ})	Code: E2
· ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O. (METHANOL, NITRIC ACID), 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 10)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

Sara	(Contd. of page
Sara Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Nitric Acid	ACTIVE
Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Methanol Nitric Acid
Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment.

(Contd. on page 11)

[–] US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH

(Contd. of page 10) Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/29/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit **BEI:** Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2

(Contd. on page 12)

US

Printing date 05/29/2024

Trade name: Nital-Etch Solution 10% Nitric Acid in MeOH Reviewed on 05/29/2024

(Contd. of page 11)

US

Acute Toxicity - Oral 3: Acute toxicity – Category 3 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • * Data compared to the previous version altered.