Printing date 05/10/2021

Reviewed on 05/10/2021

#### **1** Identification

- · Product identifier
- Trade name: <u>Zinc ICP Standard</u> <u>10,000 ppm, NIST Solution</u>
- · Article number: 9951
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

### 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

US

Printing date 05/10/2021

#### Reviewed on 05/10/2021

Trade name: Zinc ICP Standard 10,000 ppm, NIST Solution

(Contd. of page 1) Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3 FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:             |             |       |  |  |
|-------------------------------------|-------------|-------|--|--|
| CAS: 7697-37-2                      | Nitric Acid | 2.0%  |  |  |
| · Table of Nonhazardous Ingredients |             |       |  |  |
| CAS: 7732-18-5                      | Water       | 97.0% |  |  |
| CAS: 7440-66-6                      | Zinc Metal  | 1.0%  |  |  |

#### **4** First-aid measures

#### · Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard

10,000 ppm, NIST Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 0.16 ppm CAS: 7697-37-2 Nitric Acid CAS: 7440-66-6 Zinc Metal  $6 mg/m^3$ · PAC-2: CAS: 7697-37-2 Nitric Acid 24 ppm CAS: 7440-66-6 Zinc Metal  $21 mg/m^3$ · PAC-3: CAS: 7697-37-2 Nitric Acid 92 ppm CAS: 7440-66-6 Zinc Metal 120 mg/m<sup>3</sup>

### 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

10 000 nnm NICT Coludia

(Contd. of page 2)

<sup>-</sup> US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard

10,000 ppm, NIST Solution

|  | (Contd. of page 3)  |
|--|---|
| · Cont   | trol parameters   |
| · Com  | ponents with limit values that require monitoring at the workplace:   |
| CAS  | : 7697-37-2 Nitric Acid   |
| PEL  | Long-term value: 5 mg/m <sup>3</sup> , 2 ppm  |
| REL  | Short-term value: 10 mg/m³, 4 ppm<br>Long-term value: 5 mg/m³, 2 ppm  |
| TLV  | Short-term value: 10 mg/m³, 4 ppm<br>Long-term value: 5.2 mg/m³, 2 ppm  |
| · Addi   | tional information: The lists that were valid during the creation were used as basis.   |
| · <b>Gene</b><br>Keep<br>Imma<br>Wash<br>Avoi<br>Avoi<br>• <b>Brea</b><br>In ca<br>respi | onal protective equipment:<br>eral protective and hygienic measures:<br>o away from foodstuffs, beverages and feed.<br>ediately remove all soiled and contaminated clothing.<br>h hands before breaks and at the end of work.<br>d contact with the eyes.<br>d contact with the eyes and skin.<br>ething equipment:<br>use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use<br>iratory protective device that is independent of circulating air.<br>ection of hands:   |
| W  | Protective gloves   |
| Due<br>chen<br>Selec<br>Mate<br>The s<br>varie<br>the g<br><b>Pene</b><br>The<br>obse    | glove material has to be impermeable and resistant to the product/ the substance/ the preparation.<br>to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the<br>nical mixture.<br>ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation<br>erial of gloves<br>selection of the suitable gloves does not only depend on the material, but also on further marks of quality and<br>es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of<br>clove material can not be calculated in advance and has therefore to be checked prior to the application.<br>etration time of glove material<br>exact break through time has to be found out by the manufacturer of the protective gloves and has to be<br>rved.<br>protection: |
| · Body   | Tightly sealed goggles<br>protection: Protective work clothing  |

(Contd. on page 5)

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard

10,000 ppm, NIST Solution

(Contd. of page 4)

| 9 Physical and chemical proper                             | ties  |  |  |  |  |
|--|---|--|--|--|--|
| · Information on basic physical and c                      | hemical properties                            |  |  |  |  |
| General Information  |   |  |  |  |  |
| · Appearance:  |   |  |  |  |  |
| Form:  | Fluid   |  |  |  |  |
| Color:   | According to product specification            |  |  |  |  |
| · Odor:  | Characteristic                                |  |  |  |  |
| • Odor threshold:  | Not determined.                               |  |  |  |  |
| • <i>pH-value at 20</i> ° <i>C</i> (68 ° <i>F</i> ):       | <2  |  |  |  |  |
| · Change in condition                                      |   |  |  |  |  |
| Melting point/Melting range:                               | 0 °C (32 °F)                                  |  |  |  |  |
| Boiling point/Boiling range:                               | Undetermined.                                 |  |  |  |  |
| · Flash point:   | Not applicable.                               |  |  |  |  |
| · Flammability (solid, gaseous):                           | Not applicable.                               |  |  |  |  |
| • Decomposition temperature:                               | Not determined.                               |  |  |  |  |
| · Auto igniting:   | Product is not selfigniting.                  |  |  |  |  |
| • Danger of explosion:                                     | Product does not present an explosion hazard. |  |  |  |  |
| · Explosion limits:  |   |  |  |  |  |
| <i>Lower:</i>  | Not determined.                               |  |  |  |  |
| Upper:   | Not determined.                               |  |  |  |  |
| · Vapor pressure at 20 °C (68 °F):                         | 23 hPa (17.3 mm Hg)                           |  |  |  |  |
| · Density at 20 °C (68 °F):                                | 1 g/cm <sup>3</sup> (8.345 lbs/gal)           |  |  |  |  |
| · Relative density   | Not determined.                               |  |  |  |  |
| · Vapor density  | Not determined.                               |  |  |  |  |
| · Evaporation rate   | Not determined.                               |  |  |  |  |
| · Solubility in / Miscibility with                         |   |  |  |  |  |
| Water:   | Not miscible or difficult to mix.             |  |  |  |  |
| · Partition coefficient (n-octanol/water): Not determined. |   |  |  |  |  |
| · Viscosity:   |   |  |  |  |  |
| Dynamic:   | Not determined.                               |  |  |  |  |
| Kinematic:   | Not determined.                               |  |  |  |  |
| · Solvent content:   |   |  |  |  |  |
| Water:   | 97.0 %  |  |  |  |  |
| VOC content:   | 0.00~%  |  |  |  |  |
|  | 0.0 g/l / 0.00 lb/gal                         |  |  |  |  |
| Solids content:  | 1.0 %   |  |  |  |  |
| · Other information  | No further relevant information available.    |  |  |  |  |

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard

10,000 ppm, NIST Solution

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 7)

IIS

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard 10,000 ppm, NIST Solution

(Contd. of page 6)

• Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| UN-Number  |   |
|--|---|
| · DOT, IMDG, IATA  | UN3264  |
| UN proper shipping name  |   |
| DOT  | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)   |
| · IMDG, IATA   | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI<br>ACID) |
| · Transport hazard class(es)   |   |
| DOT  |   |
|  |   |
| J. J.  |   |
| CORROSIVE  |   |
| 8  |   |
| · Class  | 8 Corrosive substances                                      |
| · Label  | 8   |
| · IMDG, IATA   |   |
| and the second s |   |
| · Class  | 8 Corrosive substances                                      |
| · Label  | 8   |
| · Packing group  |   |
| · DOT, IMDG, IATA  | III   |
| · Environmental hazards:   | Not applicable.   |
| · Special precautions for user   | Warning: Corrosive substances                               |
| · Hazard identification number (Kemler code)   |   |
| · EMS Number:  | F-A,S-B   |
| · Segregation groups   | Acids   |
| · Stowage Category   | Α   |
| · Stowage Code   | SW2 Clear of living quarters.                               |
| · Transport in bulk according to Annex II of   |   |

US

Printing date 05/10/2021

Reviewed on 05/10/2021

#### Trade name: Zinc ICP Standard 10,000 ppm, NIST Solution

| (Contd. of page 7   |
|---|
|   |
|   |
| On passenger aircraft/rail: 5 L   |
| On cargo aircraft only: 60 L  |
|   |
| 5L  |
| Code: E1  |
| Maximum net quantity per inner packaging: 30 ml                             |
| Maximum net quantity per outer packaging: 1000 ml                           |
| UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S<br>(NITRIC ACID), 8, III |
|   |

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| Section 255 (outnow on harandong substances).                 |                 |
|---|-----------------|
| • Section 355 (extremely hazardous substances):               |                 |
| CAS: 7697-37-2 Nitric Acid                                    |                 |
| · Section 313 (Specific toxic chemical listings):             |                 |
| CAS: 7697-37-2 Nitric Acid                                    |                 |
| CAS: 7440-66-6 Zinc Metal                                     |                 |
| • TSCA (Toxic Substances Control Act):                        |                 |
| Water   | ACTIVE          |
| Nitric Acid   | ACTIVE          |
| Zinc Metal  | ACTIVE          |
| · Hazardous Air Pollutants                                    | ł               |
| None of the ingredients is listed.                            |                 |
| · Proposition 65  |                 |
| · Chemicals known to cause cancer:                            |                 |
| None of the ingredients is listed.                            |                 |
| · Chemicals known to cause reproductive toxicity for females: |                 |
| None of the ingredients is listed.                            |                 |
| · Chemicals known to cause reproductive toxicity for males:   |                 |
| None of the ingredients is listed.                            |                 |
| · Chemicals known to cause developmental toxicity:            |                 |
| None of the ingredients is listed.                            |                 |
| · Carcinogenic categories                                     |                 |
| · EPA (Environmental Protection Agency)                       |                 |
| CAS: 7440-66-6 Zinc Metal                                     | D, I, II        |
| • TLV (Threshold Limit Value)                                 |                 |
| None of the ingredients is listed.                            |                 |
|   | (Contd. on page |

- US

Printing date 05/10/2021

Reviewed on 05/10/2021

Trade name: Zinc ICP Standard 10,000 ppm, NIST Solution

(Contd. of page 8)

# · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: Nitric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label). Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision Revision 1.0 05-07-2021: updated hazard information. STN Revision 1.0, 05-07-2021: Updated hazard information. STN 05/10/2021 / 1.0
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

<sup>-</sup> US

Printing date 05/10/2021

Trade name: Zinc ICP Standard 10,000 ppm, NIST Solution

Reviewed on 05/10/2021

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 • \* Data compared to the previous version altered. (Contd. of page 9)