Printing date 06/07/2022 Reviewed on 01/31/2018

### 1 Identification

· Product identifier

· Trade name: <u>Hydrogen Bromide</u>

0.1 Normal In Acetic Acid

· Article number: UC233

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



 $GHS02\ Flame$ 

Flammable Liquids 3 H226 Flammable liquid and vapor.



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS07

· Signal word Danger

(Contd. on page 2)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 1)

### · Hazard-determining components of labeling:

Acetic Acid, Glacial

Bromine

Phenol

#### · Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

*Use only non-sparking tools.* 

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 2

Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



Health = 3

Fire = 2

REACTIVITY  $\bigcirc$  Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 3)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 2)

· vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7	Acetic Acid, Glacial	97.345%
CAS: 7726-95-6	Bromine	1.731%
CAS: 108-95-2	Phenol	0.925%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

(Contd. on page 4)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 3)

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

*Use neutralizing agent.* 

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

V		
· <i>PAC-1</i> :		
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 7726-95-6	Bromine	0.033 ppm
CAS: 108-95-2	Phenol	15 ppm
· PAC-2:		
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 7726-95-6	Bromine	0.24 ppm
CAS: 108-95-2	Phenol	23 ppm
· PAC-3:		
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
CAS: 7726-95-6	Bromine	8.5 ppm
CAS: 108-95-2	Phenol	200 ppm

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 4)

· Cont	· Control parameters				
· Components with limit values that require monitoring at the workplace:					
CAS	: 64-19-7 Acetic Acid, Glacial				
PEL	Long-term value: 25 mg/m³, 10 ppm				
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm				
TLV	Short-term value: 15 ppm Long-term value: 10 ppm				
CAS	: 7726-95-6 Bromine				
PEL	Long-term value: 0.7 mg/m³, 0.1 ppm				
REL	Short-term value: 2 mg/m³, 0.3 ppm Long-term value: 0.7 mg/m³, 0.1 ppm				
TLV	Short-term value: 0.2 ppm Long-term value: 0.1 ppm				
CAS	: 108-95-2 Phenol				
PEL	Long-term value: 19 mg/m³, 5 ppm Skin				
REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin				

#### · Ingredients with biological limit values:

#### CAS: 108-95-2 Phenol

BEI 250 mg/g creatinine

LD50 Intraperitoneal: urine

Time: end of shift

TLV Long-term value: 5 ppm Skin; BEI, A4

LD50: Phenol with hydrolysis (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 6)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 5)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

· Relative density

· Evaporation rate

· Vapor density



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties		
<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> </ul>		

· Appearance: Form: Liquid Color: Clear to pale yellow · Odor: Strong Vinegar · Odor threshold: Not determined. · pH-value at 20 °C (68 °F): 2.5 · Change in condition Melting point/Melting range: 16.6 °C (61.9 °F) Boiling point/Boiling range: 118 °C (244.4 °F) 40 °C (104 °F) · Flash point: · Flammability (solid, gaseous): Not applicable. · Ignition temperature: 485 °C (905 °F) · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: 4 Vol % Lower: 17 Vol % Upper: · Vapor pressure at 20 °C (68 °F): 16 hPa (12 mm Hg) 1.08882 g/cm<sup>3</sup> (9.0862 lbs/gal) · Density at 20 °C (68 °F):

Not determined.

Not determined.

Not determined.

(Contd. on page 7)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

		(Contd. of page
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octano	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	98.3 %	
VOC content:	98.27 %	
	1,070.0 g/l / 8.93 lb/gal	
Solids content:	0.9 %	
Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

$\cdot$ LD/LC50	values	that are	relevant	for c	lassification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	10,817 mg/kg	
		1,054 mg/kg	
Inhalative	LC50/4h	18.8 mg/l	

- Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 7)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-95-2 Phenol

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN2920
· UN proper shipping name	
$\cdot DOT$	Corrosive liquids, flammable, n.o.s. (Acetic Acid, Glacial
	)
· IMDG, IATA	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Acetic Acid
	Glacial

(Contd. on page 9)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 8) · Transport hazard class(es)  $\cdot DOT$ · Class 8 Corrosive substances · Label 8. 3 · IMDG · Class 8 Corrosive substances · Label 8/3  $\cdot$  IATA · Class 8 Corrosive substances · Label 8(3)· Packing group · DOT, IMDG, IATA II· Environmental hazards: · Marine pollutant: No · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 83 · EMS Number: F-E,S-C· Segregation groups Acids · Stowage Category SW1 Protected from sources of heat. · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information:  $\cdot DOT$ On passenger aircraft/rail: 1 L · Quantity limitations On cargo aircraft only: 30 L · IMDG · Limited quantities (LQ) 1L(Contd. on page 10)

· IIS

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

	(Contd. of page 9)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETIC ACID, GLACIAL ), 8 (3), II

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

20.0		
· Section 355 (extremely hazardous substances):		
CAS: 7726-95-6	Bromine	
CAS: 108-95-2	Phenol	
· Section 313 (Specific toxic chemical listings):		
CAS: 7726-95-6	Bromine	

· TSCA (Toxic Substances Control Act):

Phenol

Acetic Acid, Glacial	ACTIVE
Bromine	ACTIVE
Phenol	ACTIVE

· Hazardous Air Pollutants

CAS: 108-95-2 Phenol

· Proposition 65

CAS: 108-95-2

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

  CAS: 108-95-2 | Phenol | D, I
  - · TLV (Threshold Limit Value)

CAS: 108-95-2 | Phenol | A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 11)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide

0.1 Normal In Acetic Acid

(Contd. of page 10)

#### · Hazard pictograms







GHS02

GHS05 GHS07

#### · Signal word Danger

### · Hazard-determining components of labeling:

Acetic Acid, Glacial

**Bromine** 

Phenol

### · Hazard statements

Flammable liquid and vapor.

Harmful in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

#### · Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

*Use explosion-proof electrical/ventilating/lighting/equipment.* 

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

*If swallowed: Rinse mouth. Do NOT induce vomiting.* 

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

(Contd. on page 12)

Printing date 06/07/2022 Reviewed on 01/31/2018

Trade name: Hydrogen Bromide 0.1 Normal In Acetic Acid

(Contd. of page 11)

## · Date of preparation / last revision

Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN Creation date for SDS 11-12-2014. STN

06/07/2022 / -

#### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 4: Acute toxicity – Category 4 Skin Corrosion IA: Skin corrosion/irritation – Category IA Eye Damage 1: Serious eye damage/eye irritation – Category I

Sensitization - Skin 1: Skin sensitisation - Category 1

-US