Printing date 05/30/2024

Reviewed on 05/30/2024

Identification	
Product identifier	
Trade name: <u>Sodium Lauryl Sulfate</u> 30% w/v Solution	
Article number: SPE737	
Details of the supplier of the safety data	sheet
Manufacturer/Supplier: Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolution	ns.org
Technical Coordinator	•
Sherman Nelson shermann@aquasolution Emergency telephone number:	ns.org
<i>Chemtrec:</i> 800-424-9300	
Canutec: 613-996-6666	
Classification of the substance or mixtur	re
Eye Damage 1	re H318 Causes serious eye damage.
GHS05 Corrosion	
GHS05 Corrosion Eye Damage 1	
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E	H318 Causes serious eye damage. H332 Harmful if inhaled.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class Hazard pictograms	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS05 GHS07 Label elements GHS05 GHS07 Signal word Danger Hazard-determining components of label	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS05 GHS07 Jabel elements GHS05 GHS07 Signal word Danger	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS05 GHS07 Signal word Danger Hazard-determining components of label Sodium dodecyl sulphate Hazard statements Harmful if inhaled.	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.
GHS05 Corrosion Eye Damage 1 GHS07 Acute Toxicity - Inhalation 4 Skin Irritation 2 Specific Target Organ Toxicity - Single E Label elements GHS05 GHS05 GHS05 GHS05 GHS05 GHS05 GHS05 GHS05 GHS07 Signal word Danger Hazard-determining components of label Sodium dodecyl sulphate Hazard statements	H318 Causes serious eye damage. H332 Harmful if inhaled. H315 Causes skin irritation. Exposure 3 H335 May cause respiratory irritation.

Printing date 05/30/2024

Reviewed on 05/30/2024

(Contd. of page 1)

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

Man anna namingtom imitation	(Conta. of page 1)
May cause respiratory irritation. • Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves / eye protection / face protection.	
If on skin: Wash with plenty of water.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	···· :6 ·····
If in eyes: Rinse cautiously with water for several minutes. Remove contact lens Continue rinsing.	ses, if present and easy to ao.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.	
<i>Store in accordance with local/regional/national/international regulations.</i>	
Store in accordance with local/regional/national/international regulations. Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internation	and regulations
· Classification system:	mai regulations.
· NFPA ratings (scale 0 - 4)	
(NTTA rungs (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH *3 $Health = *3$	
FIRE 0 $Fire = 0$	
REACTIVITY [0] Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 151-21-3 Sodium dodecyl sulphate	35.201%
· Table of Nonhazardous Ingredients	

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

64.799%

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

• After inhalation:

(Contd. of page 2)

- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, s	sawdust).
Use neutralizing agent.	,
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 151-21-3 Sodium dodecyl sulphate	3.9 mg/m ³
· PAC-2:	
CAS: 151-21-3 Sodium dodecyl sulphate	43 mg/m ³
· PAC-3:	
CAS: 151-21-3 Sodium dodecyl sulphate	260 mg/m ³
	· · · · · ·

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

[•] US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.





Tightly sealed goggles

(Contd. on page 5)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Yellow	
Odor: Odor threshold:	Odorless Not determined.	
pH-value:	Not determined.	
-	nor accommed.	
Change in condition	Undetermined.	
Melting point/Melting range: Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.88384 g/cm ³ (7.37564 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	64.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 4.26 mg/l

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- \cdot on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 7)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

(Contd. of page 6)

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA Class	Not regulated	
Packing group DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Not regulated	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

Water

Sodium dodecyl sulphate

(Contd. on page 8)

ACTIVE ACTIVE

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sodium dodecyl sulphate · Hazard statements Harmful if inhaled. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

(Contd. on page 9)

Printing date 05/30/2024

Trade name: Sodium Lauryl Sulfate 30% w/v Solution Reviewed on 05/30/2024

(Contd. of page 8)

Store in accordance with local/regional/national/international regulations. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN 05/30/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Inhalation 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.