Printing date 05/17/2023

Reviewed on 05/17/2023

l Identification		
· Product identifier		
• Trade name: Salt Test R Solution	<u>leagent</u>	
• Article number: OXY50.	56	
• Details of the supplier of • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586		AQUA SOLUTIONS
• Information department Technical Coordinator Sherman Nelson sherman Technical Coordinator Sherman Nelson sherman • Emergency telephone nu	nn@aquasolutions.org nn@aquasolutions.org umber:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666)	
Classification of the sub	ostance or mixture	
• Classification of the sub	stance or mixture sion	
· Classification of the sub	ostance or mixture	eye damage.
Classification of the sub GHS05 Corro Skin Corrosion 1A	pstance or mixture sion H314 Causes severe skin burns and	eye damage.
Classification of the sub GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	pstance or mixture sion H314 Causes severe skin burns and	eye damage.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Inhalation	pstance or mixture sion H314 Causes severe skin burns and H318 Causes serious eye damage. on 4 H332 Harmful if inhaled.	eye damage. ing to the Globally Harmonized System (GHS
Classification of the sub GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Inhalatio Label elements GHS label elements The	pstance or mixture sion H314 Causes severe skin burns and H318 Causes serious eye damage. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Inhalatio Label elements GHS label elements The Hazard pictograms	pstance or mixture sion H314 Causes severe skin burns and H318 Causes serious eye damage. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
 Classification of the sub GHS05 Corrol Skin Corrosion 1A Eye Damage 1 Que Damage 2 Que Damage 2	nstance or mixture sion H314 Causes severe skin burns and H318 Causes serious eye damage. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Inhalatio Label elements GHS label elements The Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining con Nitric Acid Hazard statements	pstance or mixture sion H314 Causes severe skin burns and H318 Causes serious eye damage. on 4 H332 Harmful if inhaled. product is classified and labeled accordu	· · · · · · · · · · · · · · · · · · ·

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

	(Contd. of page 1)
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an	nd easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE \bigcirc Fire = 0	
REACTIVITY O $Reactivity = 0$	
· Other hazards	
· Other hazards · Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
5 Composition/information on ingreatents	
· Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
CAS: 7697-37-2 Nitric Acid	20.938%
• Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	78.904%
CAS: 7761-88-8 Silver Nitrate	0.158%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	ions, protective equipment and emergency procedures	
Mount respirator	y protective device.	
Wear protective e	equipment. Keep unprotected persons away.	
 Environmental p 		
Dilute with plent	of water.	
	nter sewers/ surface or ground water.	
• Methods and ma	terial for containment and cleaning up:	
	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
	nated material as waste according to section 13.	
Ensure adequate		
· Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
· Protective Action	Criteria for Chemicals	
· PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7761-88-8	Silver Nitrate	$0.047 \ mg/m^3$
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7761-88-8	Silver Nitrate	$0.9 mg/m^{3}$
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7761-88-8	Silver Nitrate	$5.4 mg/m^{3}$
		US

(Contd. on page 4)

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

Solution

(Contd. of page 4)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:	T · · · 1	
Form: Color:	Liquid Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.07676 g/cm³ (8.98556 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	

(Contd. on page 6)

[•] US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent	
Solution	

		(Contd. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	78.9 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 14.3 mg/l

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

– US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Id Transport information • UN-Number UN1760 • DOT, IMDG, IATA UN1760 • UN proper shipping name Corrosive liquids, n.o.s. (Nitric Acid) • DOT CORROSIVE LIQUID, N.O.S. (Nitric Acid) • Transport hazard class(es) ODT • DOT Corrosive substances • Class 8 Corrosive substances

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

	(Contd. of page 7)
· Label	8
· IMDG, IATA	
AND	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IATA	II
·IMDG	Not regulated
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID), 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

·	Sara
---	------

Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 7761-88-8 Silver Nitrate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVI
Nitric Acid	ACTIVI
Silver Nitrate	ACTIVI
· Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent

Solution

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Harmful if inhaled. Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 10)

[·]US

Printing date 05/17/2023

Reviewed on 05/17/2023

Trade name: Salt Test Reagent Solution

	(Contd. of page 9)
· Date of preparation / last revision	
Revision 1.0 05/17/2023 reviewed SDS for accuracy. S.T.N.	
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN	
Creation date for SDS 08-23-2018. STN	
05/17/2023	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	
	US