Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2021 *Reviewed on 05/19/2021*

1 Identification

· **Product identifier**

· **Trade name: Barium Nitrate, Lab Grade**

· **Article number:** B0690
· **CAS Number:**
10022-31-8
· **EC number:**
233-020-5
· **Index number:**
056-002-00-7

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586

· **Information department:**
Technical Coordinator
Sherman Nelson shermann@aquasolutions.org
· **Emergency telephone number:**
Chemtrec: 800-424-9300
Canutec: 613-996-6666

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

· **Label elements**
· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS06

· **Signal word** Danger
· **Hazard statements**
Toxic if swallowed.
Harmful if inhaled.
· **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2021 *Reviewed on 05/19/2021*

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 1)

Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 3
Reactivity = 0

The substance possesses oxidizing properties.

· **HMIS-ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 3

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** *Not applicable.*
· **vPvB:** *Not applicable.*

3 Composition/information on ingredients

· **Chemical characterization: Substances**
· **CAS No. Description**
10022-31-8 Barium Nitrate
· **Identification number(s)**
· **EC number:** *233-020-5*
· **Index number:** *056-002-00-7*

4 First-aid measures

· **Description of first aid measures**
· **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
In case of irregular breathing or respiratory arrest provide artificial respiration.
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*
· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
· **After swallowing:** *Do not induce vomiting; immediately call for medical help.*

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2021 Reviewed on 05/19/2021

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 2)

· ***Information for doctor:***
· ***Most important symptoms and effects, both acute and delayed*** *No further relevant information available.*
· ***Indication of any immediate medical attention and special treatment needed***
No further relevant information available.

5 Fire-fighting measures

· ***Extinguishing media***
· ***Suitable extinguishing agents:*** *Use fire fighting measures that suit the environment.*
· ***Special hazards arising from the substance or mixture*** *No further relevant information available.*
· ***Advice for firefighters***
· ***Protective equipment:*** *Mouth respiratory protective device.*

6 Accidental release measures

· ***Personal precautions, protective equipment and emergency procedures*** *Not required.*
· ***Environmental precautions:*** *Do not allow to enter sewers/ surface or ground water.*
· ***Methods and material for containment and cleaning up:***
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· ***Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· ***Protective Action Criteria for Chemicals***
· ***PAC-1:*** *2.9 mg/m³*
· ***PAC-2:*** *350 mg/m³*
· ***PAC-3:*** *2,100 mg/m³*

7 Handling and storage

· ***Handling:***
· ***Precautions for safe handling***
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
· ***Information about protection against explosions and fires:*** *No special measures required.*

· ***Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:*** *No special requirements.*
· ***Information about storage in one common storage facility:*** *Not required.*
· ***Further information about storage conditions:*** *Keep receptacle tightly sealed.*
· ***Specific end use(s)*** *No further relevant information available.*

8 Exposure controls/personal protection

· ***Additional information about design of technical systems:*** *No further data; see item 7.*

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2021 Reviewed on 05/19/2021

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 3)

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
CAS: 10022-31-8 Barium Nitrate	
PEL	Long-term value: 0.5 mg/m³ as Ba
REL	Long-term value: 0.5 mg/m³ as Ba
TLV	Long-term value: 0.5 mg/m³ as Ba

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
· **Breathing equipment:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Not required.
· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Appearance:**	
Form:	Crystalline
Color:	White
· **Odor:**	Odorless
· **Odor threshold:**	Not determined.
· **pH-value:**	Not applicable.
· **Change in condition**	
Melting point/Melting range:	592 °C (1,097.6 °F)
Boiling point/Boiling range:	592 °C (1,097.6 °F)
· **Flash point:**	Not applicable.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 4)

· **Flammability (solid, gaseous):**	Product is not flammable.
· **Decomposition temperature:**	Not determined.
· **Auto igniting:**	Not determined.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Explosion limits:**	
Lower:	Not determined.
Upper:	Not determined.
· **Vapor pressure:**	Not applicable.
· **Density at 20 °C (68 °F):**	3.24 g/cm³ (27.0378 lbs/gal)
· **Bulk density:**	1,750 kg/m³
· **Relative density**	Not determined.
· **Vapor density**	Not applicable.
· **Evaporation rate**	Not applicable.
· **Solubility in / Miscibility with**	
Water at 20 °C (68 °F):	90.6 g/l
· **Partition coefficient (n-octanol/water):**	Not determined.
· **Viscosity:**	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

Oral	LD50	100 mg/kg (ATE)
Inhalative	LC50/4h	1.5 mg/l (ATE)

· **Primary irritant effect:**
· **on the skin:** No irritant effect.
· **on the eye:** No irritating effect.
· **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 5)

· **Additional toxicological information:**

· **Carcinogenic categories**
· **IARC (International Agency for Research on Cancer)** Substance is not listed.
· **NTP (National Toxicology Program)** Substance is not listed.
· **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Behavior in environmental systems:**
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **UN-Number**	
· **DOT, IMDG, IATA**	UN1446
· **UN proper shipping name**	
· **DOT**	Barium nitrate
· **IMDG, IATA**	BARIUM NITRATE
· **Transport hazard class(es)**	

· **DOT**



· **Class**	5.1 Oxidizing substances



(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 05/19/2021 Reviewed on 05/19/2021

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 6)

· **Label**	5.1, 6.1
· **IMDG**	
	
· **Class**	5.1 Oxidizing substances
· **Label**	5.1/6.1
· **IATA**	
	
· **Class**	5.1 Oxidizing substances
· **Label**	5.1 (6.1)
· **Packing group**	
· **DOT, IMDG, IATA**	II
· **Environmental hazards:**	
· **Marine pollutant:**	No
· **Special precautions for user**	Warning: Oxidizing substances
· **Hazard identification number (Kemler code):**	56
· **EMS Number:**	F-A,S-Q
· **Stowage Category**	A
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **DOT**	
· **Quantity limitations**	On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg
· **IMDG**	
· **Limited quantities (LQ)**	1 kg
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· **UN "Model Regulation":**	UN 1446 BARIUM NITRATE, 5.1 (6.1), II

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.
· **Sara**
· **Section 355 (extremely hazardous substances):** Substance is not listed.
· **Section 313 (Specific toxic chemical listings):** Substance is listed.
· **TSCA (Toxic Substances Control Act):** ACTIVE
· **Hazardous Air Pollutants** Substance is not listed.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 7)

· **Proposition 65**
· **Chemicals known to cause cancer:** Substance is not listed.
· **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
· **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
· **Chemicals known to cause developmental toxicity:** Substance is not listed.

· **Carcinogenic categories**
· **EPA (Environmental Protection Agency)** D, CBD(inh), NL(oral)
· **TLV (Threshold Limit Value)** A4
· **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS06

· **Signal word** Danger
· **Hazard statements**
Toxic if swallowed.
Harmful if inhaled.
· **Precautionary statements**
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
Rinse mouth.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a poison center/doctor if you feel unwell.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.
· **Contact:**
· **Date of preparation / last revision**
Creation date for SDS 11-18-2015. STN
Revision 1.0 05-07-2021: updated hazard information. STN
05/19/2021 / -
· **Abbreviations and acronyms:**
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Trade name: Barium Nitrate, Lab Grade

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4