Printing date 05/17/2024

Reviewed on 05/17/2024

1 Identification

- · Product identifier
- · Trade name: Magnesium, Laboratory Grade Powder
- Article number: M0154
- CAS Number: 7439-95-4
- EC number: 231-104-6
- Index number: 012-001-00-3
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Pyrophoric Solids 1 Substances and mixtures which, in contact with water, emit flammable gases 1 H250 Catches fire spontaneously if exposed to air.H260 In contact with water releases flammable gases, which may ignite spontaneously.

· Label elements

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements
Catches fire spontaneously if exposed to air.
In contact with water releases flammable gases, which may ignite spontaneously.


Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not allow contact with air.
Do not allow contact with water.
Handle under inert gas. Protect from moisture.
Wear protective gloves/protective clothing/eye protection/face protection.


(Contd. on page 2)

US

Printing date 05/17/2024

Reviewed on 05/17/2024





- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 05/17/2024

Reviewed on 05/17/2024

Trade name: Magnesium, Laboratory Grade Powder

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Ensure adequate ventilation.*
- Do not flush with water or aqueous cleansing agents
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
 Protective Action Criteria for Chemicals
- **PAC-1**: 18 mg/m³
- PAC-2: 200 mg/m³
- PAC-3: 1,200 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

(Contd. of page 2)

Printing date 05/17/2024

Reviewed on 05/17/2024

(Contd. of page 3)

Trade name: Magnesium, Laboratory Grade Powder

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

• **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Not required.

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Turnings	
Color:	White to Grey	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	649.5 °C (1,201.1 °F)	
Boiling point/Boiling range:	1,090 °C (3490 °F)	
· Flash point:	500 °C (932 °F)	
· Flammability (solid, gaseous):	Contact with water liberates extremely flammable gases.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Spontaneously flammable in air.	
• Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	0 hPa	
· Density at 20 °C (68 °F):	1.738 g/cm³ (14.50361 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Other information	No further relevant information available.	

(Contd. on page 5)

Printing date 05/17/2024

Reviewed on 05/17/2024

Trade name: Magnesium, Laboratory Grade Powder

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 05/17/2024

Reviewed on 05/17/2024

Trade name: Magnesium, Laboratory Grade Powder

(Contd. of page 5)

· UN-Number · DOT, IMDG, IATA	UN1869
· UN proper shipping name	
$\cdot DOT$	Magnesium
· IMDG, IATA	MAGNESIUM
· Transport hazard class(es)	
·DOT	
· Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives
	4.1
· IMDG, IATA	
· Class	4.1 Flammable solids, self-reactive substances and solu
· Label	desensitised explosives 4.1
	7.1
· Packing group · DOT, IMDG, IATA	111
	111
· Environmental hazards:	No
· Marine pollutant:	
· Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives
• Hazard identification number (Kemler code).	
· EMS Number:	F-G,S-G
· Stowage Category · Handling Code	A H1 Keen as dry as reasonably practicable
· Segregation Code	H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1
Segregation Cour	SG25 Stow "separated from" goods of classes 2.1 and 3.
	SG26 In addition: from goods of classes 2.1 and 3 when stowe
	on deck of a containership a minimum distance of two contained
	spaces athwartship shall be maintained, when stowed on ro-r
	ships a distance of 6 m athwartship shall be maintained.
	SG32 Stow "away from" SGG10-liquid halogenated hydrocarbor
	SG35 Stow "separated from" SGG1-acids SG36 Stow "separated from" SGG18-alkalis.
	SG50 Slow separated from SGG18-alkalls. SG52 Stow "separated from" iron oxide
Transport in bulk according to Annou II of	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

US

Printing date 05/17/2024

Reviewed on 05/17/2024

Trade name: Magnesium, Laboratory Grade Powder

	(Contd. of page 6)
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 25 kg
	On cargo aircraft only: 100 kg
· IMDG	
· Limited quantities (LQ)	5 kg
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 1869 MAGNESIUM, 4.1, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger
Hazard statements

Catches fire spontaneously if exposed to air.
In contact with water releases flammable gases, which may ignite spontaneously.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not allow contact with air.
Do not allow contact with water.
Handle under inert gas. Protect from moisture.
Wear protective gloves/protective clothing/eye protection/face protection.
Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.
In case of fire: Use CO2, sand, extinguishing powder to extinguish.
Store in a dry place. Store in a closed container.

(Contd. on page 8)

Printing date 05/17/2024

Reviewed on 05/17/2024

(Contd. of page 7)

US

Trade name: Magnesium, Laboratory Grade Powder

Store contents under inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/17/2024: Reviewed SDS for accuracy. MH/STN 05/17/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Pyrophoric Solids 1: Pyrophoric solids – Category 1 Substances and mixtures which, in contact with water, emit flammable gases 1: Substances and mixtures which in contact with water emit flammable gases - Category 1 • * Data compared to the previous version altered.