Printing date 06/13/2024

Reviewed on 06/13/2024

1 Identification

- · Product identifier
- Trade name: <u>Cadmium Sulfate 150.0 gpL</u> Prepared to ASTM D3227-16
- Article number: ERL065
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Toxicity - Inhalation 2

GHS08 Health hazard

Germ Cell Mutagenicity 1BH340 May cause genetic defects.Carcinogenicity 1AH350 May cause cancer.Toxic to Reproduction 1BH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Repeated Exposure 1H372 Causes damage to organs through prolonged or

GHS07

Acute Toxicity - Oral 4

H302 Harmful if swallowed.

repeated exposure.

H330 Fatal if inhaled.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 2)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

	(Contd. of page 1)
Hazard-determining components of labeling:	
Cadmium Sulfate 8/3-Hydrate	
Sulfuric Acid 96 - 98%	
Hazard statements	
Harmful if swallowed.	
Fatal if inhaled.	
May cause genetic defects.	
May cause cancer.	
May damage fertility or the unborn child.	
Causes damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Near protective gloves/protective clothing/eye protection/face protection.	
In case of inadequate ventilation] wear respiratory protection.	
f swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
F INHALED: Remove person to fresh air and keep comfortable for breathing.	
Immediately call a poison center/doctor.	
F exposed or concerned: Get medical advice/attention.	
Specific treatment is urgent (see on this label).	
Get medical advice/attention if you feel unwell.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international re	gulations.
Classification system:	0
NFPÅ ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\frac{3}{0} Reactivity = 0$	
HMIS-ratings (scale 0 - 4)	
FIRE 0 Fire = 0	
REACTIVITY \bigcirc Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
PvB: Not applicable.	

· Chemical characterization: Mixtures

*

• **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

_			(Contd. of page 2)
	· Dangerous comp	onents:	
	CAS: 7790-84-3	Cadmium Sulfate 8/3-Hydrate	13.987%
	CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.286%
	•	ardous Ingredients	
	CAS: 7732-18-5	Water	85.727%

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation. • *Reference to other sections See Section 7 for information on safe handling.*

(Contd. on page 4)

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

		(Contd. of page 3)
See Section 13 j	or information on personal protection equipment. for disposal information. In Criteria for Chemicals	
· PAC-1:		
CAS: 7790-84-3	3 Cadmium Sulfate 8/3-Hydrate	$0.1 \ mg/m^3$
CAS: 7664-93-9	9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
· PAC-2:		
CAS: 7790-84-3	3 Cadmium Sulfate 8/3-Hydrate	0.76 mg/m ³
CAS: 7664-93-9	9 Sulfuric Acid 96 - 98%	8.7 mg/m ³
· PAC-3:		· · · · · · · · · · · · · · · · · · ·
CAS: 7790-84-3	3 Cadmium Sulfate 8/3-Hydrate	11 mg/m ³
	9 Sulfuric Acid 96 - 98%	160 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Conn	for parameters
· Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 7790-84-3 Cadmium Sulfate 8/3-Hydrate
PEL	Long-term value: 0.005 mg/m ³ as Cd; see 29 CFR 1910.1027
REL	See Pocket Guide App. A
TLV	Long-term value: 0.01 0.002* mg/m ³ as Cd; A2; *respirable fraction; BEI
CAS:	: 7664-93-9 Sulfuric Acid 96 - 98%
PEL	Long-term value: 1 mg/m ³
REL	Long-term value: 1 mg/m ³
TLV	Long-term value: 0.2^* mg/m^3

*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 4)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

		(Contd. of page
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0725 g/cm ³ (8.95001 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	85.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	14.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 715 mg/kg

Inhalative LC50/4h 0.357 mg/l

(Contd. on page 7)

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 6)

1

1

K

K

·	Primary	irritant	effect:
---	---------	----------	---------

• on the skin: No irritant effect.

• on the eye: No irritating effect.

- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Very toxic

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US –

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

· Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards: · Marine pollutant:	Yes	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• TSCA (Toxic Substances Control Act): Water

Sulfuric Acid 96 - 98%

· Hazardous Air Pollutants

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

· Proposition 65

• Chemicals known to cause cancer:

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE

ACTIVE

US

Printing date 06/13/2024

Reviewed on 06/13/2024

Trade name: Cadmium Sulfate 150.0 gpL Prepared to ASTM D3227-16

(Contd. of page 8)

A2

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7790-84-3 Cadmium Sulfate 8/3-Hydrate

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



GHS08

· Signal word Danger · Hazard-determining components of labeling: Cadmium Sulfate 8/3-Hydrate Sulfuric Acid 96 - 98% · Hazard statements Harmful if swallowed. Fatal if inhaled. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment is urgent (see on this label). Get medical advice/attention if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 10)

US

Printing date 06/13/2024

*

Reviewed on 06/13/2024

Trade name:	Cadmium Sulfate 150.0 gpL
	Prepared to ASTM D3227-16

 \cdot * Data compared to the previous version altered.

(Contd. of page 9)

Workers Exception	ion about limitation of use: are not allowed to be exposed to the hazardous carcinogenic materials contained in this prepar ns can be made by the authorities in certain cases.
	l safety assessment: A Chemical Safety Assessment has not been carried out.
Other in	nformation
	rmation is based on our present knowledge. However, this shall not constitute a guarantee fo product features and shall not establish a legally valid contractual relationship.
Departm	ent issuing SDS: Environment protection department.
Contact:	
Date of F	Preparation / Last Revision:
	reparation / last revision
	1.2, 06/12/2024: Reviewed SDS for accuracy. MH/STN
06/13/20	
	tions and acronyms:
	ernational Maritime Code for Dangerous Goods
	Department of Transportation
IATA: Inter	national Air Transport Association
	uropean Inventory of Existing Commercial Chemical Substances
	uropean List of Notified Chemical Substances
	ical Abstracts Service (division of the American Chemical Society)
	ional Fire Protection Association (USA) ardous Materials Identification System (USA)
	tile Organic Compounds (USA, EU)
	al concentration, 50 percent
	al dose, 50 percent
PBT: Persi.	stent, Bioaccumulative and Toxic
	Persistent and very Bioaccumulative
	tional Institute for Occupational Safety
	cupational Safety & Health
	hold Limit Value issible Exposure Limit
	nmended Exposure Limit
	sity - Oral 4: Acute toxicity – Category 4
	sity - Inhalation 2: Acute toxicity – Category 2
	Mutagenicity 1B: Germ cell mutagenicity – Category 1B
Carcinoger	nicity 1A: Carcinogenicity – Category 1A
	production 1B: Reproductive toxicity – Category 1B
Toxic to Re	rget Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

US ·