Printing date 05/22/2023

Reviewed on 05/22/2023

Product identifier		
Trade name: <u>Nitric Acia</u> Solution	d 3 Molar	
Article number: VUL24	3	
Details of the supplier of Manufacturer/Supplier Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586		AQUA
Information departmen Technical Coordinator Sherman Nelson sherma Technical Coordinator Sherman Nelson sherma Emergency telephone n Chemtrec: 800-424-930 Canutec: 613-996-6666	nn@aquasolutions.org nn@aquasolutions.org umber: 0	
Hazard(s) identifica	ttion	
Classification of the sul	bstance or mixture	
GHS05 Corre	osion	
$\mathbf{\nabla}$		
Skin Corrosion 1A	H314 Causes severe skin burns and	l eye damage.
Skin Corrosion 1A Eye Damage 1	H314 Causes severe skin burns and H318 Causes serious eye damage.	l eye damage.
		l eye damage.
Eye Damage 1		l eye damage.
Eye Damage 1 GHS07 Acute Toxicity - Inhalatt Label elements	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Eye Damage 1 GHS07 Acute Toxicity - Inhalate Label elements GHS label elements The	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Eye Damage 1 GHS07 Acute Toxicity - Inhalath Label elements GHS label elements The Hazard pictograms	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Eye Damage 1 GHS07 Acute Toxicity - Inhalata Label elements GHS label elements The Hazard pictograms GHS05 GHS07	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled. e product is classified and labeled accord	· · · · · · · · · · · · · · · · · · ·
Eye Damage 1 Control GHS07 Acute Toxicity - Inhalata Label elements GHS label elements The Hazard pictograms Control GHS07 Signal word Danger Hazard-determining con Nitric Acid Hazard statements	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled. e product is classified and labeled accord	· · · · · · · · · · · · · · · · · · ·
Eye Damage 1 Constraints Acute Toxicity - Inhalata Label elements GHS label elements The Hazard pictograms Constraints GHS05 GHS07 Signal word Danger Hazard-determining con Nitric Acid Hazard statements Harmful if inhaled.	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled. e product is classified and labeled accord mponents of labeling:	l eye damage.
Eye Damage 1 Control GHS07 Acute Toxicity - Inhalata Label elements GHS label elements The Hazard pictograms Control GHS07 Signal word Danger Hazard-determining con Nitric Acid Hazard statements	H318 Causes serious eye damage. ion 4 H332 Harmful if inhaled. e product is classified and labeled accord mponents of labeling: s and eye damage. ts	· · · · · · · · · · · · · · · · · · ·

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

Wash the second by set		(Contd. of page 1)
Wash thoroughly afte	•	
	in a well-ventilated area.	
	es/protective clothing/eye protection/face protection.	
	nouth. Do NOT induce vomiting.	
	Take off immediately all contaminated clothing. Rinse skin with water/shower	•
	ve person to fresh air and keep comfortable for breathing.	
	ttiously with water for several minutes. Remove contact lenses, if present	ana easy to ao.
Continue rinsing. Immediately call a po	airan antan/daatan	
Specific treatment (se		
	clothing before reuse.	
Store locked up.	loning bejore reuse.	
	container in accordance with local/regional/national/international regulation	15
· Classification system		
· NFPA ratings (scale		
A Tungs (scare	0 - 7)	
Health	x = 3	
Fire =		
Reacti	vity = 0	
· HMIS-ratings (scale	0 - 4)	
HEALTH 3 Healt	h = 3	
FIRE 0 Fire :		
REACTIVITY 0 React	tivity = 0	
• Other hazards		
• Results of PBT and		
• PBT: Not applicable		
• vPvB: Not applicable	2.	
3 Composition/info	ormation on ingredients	
· Chemical characteri	zation · Mixtures	
	to f the substances listed below with nonhazardous additions.	
· Dangerous compone	•	
CAS: 7697-37-2 Nit		26.066%
		20.000%
• Table of Nonhazard	-	
CAS: 7732-18-5 Wa	ter	73.934%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals
· PAC-1:
CAS: 7697-37-2 Nitric Acid 0.16 ppm
· PAC-2:
CAS: 7697-37-2 Nitric Acid 24 ppm
· PAC-3:
CAS: 7697-37-2 Nitric Acid 92 ppm

7 Handling and storage

• Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

(Contd. of page 4)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:	T · · · J	
Form: Color:	Liquid Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.09557 g/cm³ (9.14253 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	73.9 %	
VOC content:	0.00 %	

Printing date 05/22/2023

Reviewed on 05/22/2023

(Contd. of page 5)

Trade name: Nitric Acid 3 Molar Solution

Solids content:

0.0 %

• Other information

No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 11.5 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN2031	
UN proper shipping name		
DOT	Nitric acid solution	
IMDG, IATA	NITRIC ACID solution	
Transport hazard class(es)		
DOT		
CORROSIVE 8		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
S S S S S S S S S S S S S S S S S S S		
Class	8 Corrosive substances	
Label	8	

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

	(Contd. of page
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	: 80
EMS Number:	F-A,S-B
Segregation groups	(SGG1a) Strong acids
Stowage Category	D
Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	N
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: Forbidden
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
· ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

· Section 355 (extremely hazardous substances): CAS: 7697-37-2 Nitric Acid · Section 313 (Specific toxic chemical listings): CAS: 7697-37-2 Nitric Acid · TSCA (Toxic Substances Control Act): Water ACTIVE Nitric Acid ACTIVE · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. (Contd. on page 9) US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar

Solution

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Harmful if inhaled. Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 10)

[·]US

Printing date 05/22/2023

Reviewed on 05/22/2023

Trade name: Nitric Acid 3 Molar Solution

	(Contd. of page 9)
Date of preparation / last revision	
Revision 1.0 05/22/2023, reviewed SDS for accuracy. S.T.N.	
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN	
Creation date for SDS 08-20-2014. STN	
•	
05/22/2023	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Acute Toxicity - Inhalation 4: Acute toxicity – Category 4	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	
	US