Printing date 03/14/2024

Reviewed on 03/14/2024

# **1** Identification · Product identifier · Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO3 · Article number: 9950 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 **2** Hazard(s) identification · Classification of the substance or mixture GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to organs. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. GHS07 Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 GHS08 GHS07 · Signal word Danger · Hazard-determining components of labeling: Nitric Acid (Contd. on page 2) US

Printing date 03/14/2024

Reviewed on 03/14/2024

### Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

(Contd. of page 1) · Hazard statements Causes severe skin burns and eye damage. May cause damage to organs. May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH <sup>2</sup> Health = 2 FIRE Fire = 11 **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 7697-37-2	Nitric Acid	2.969%		
· Table of Nonhazardous Ingredients				
CAS: 7732-18-5	Water	96.581%		
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	0.449%		

(Contd. on page 3)

Printing date 03/14/2024

Reviewed on 03/14/2024

Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

(Contd. of page 2)

# 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

	ions, protective equipment and emergency procedures	
Mount respiratory	v protective device.	
	quipment. Keep unprotected persons away.	
· Environmental p		
Dilute with plenty	of water.	
	nter sewers/ surface or ground water.	
· Methods and mat	erial for containment and cleaning up:	
Absorb with liquid	<i>d-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing a	agent.	
Dispose contamin	ated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to othe	r sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
Cas Castion 12 f.	<sup>c</sup> disposal information.	
	Criteria for Chemicals	
• Protective Action • PAC-1:		0.16 ppm
• <b>Protective Action</b> • <b>PAC-1:</b> CAS: 7697-37-2	Criteria for Chemicals	0.16 ppm 27 mg/m <sup>3</sup>
• <i>Protective Action</i> • <i>PAC-1:</i> CAS: 7697-37-2	Criteria for Chemicals Nitric Acid	
• Protective Action • PAC-1: CAS: 7697-37-2 CAS: 10196-18-6 • PAC-2:	Criteria for Chemicals Nitric Acid	
<ul> <li>Protective Action</li> <li>PAC-1:</li> <li>CAS: 7697-37-2</li> <li>CAS: 10196-18-6</li> <li>PAC-2:</li> <li>CAS: 7697-37-2</li> </ul>	Criteria for Chemicals Nitric Acid Zinc Nitrate, Reagent Grade	27 mg/m <sup>3</sup> 24 ppm
<ul> <li>Protective Action</li> <li>PAC-1:</li> <li>CAS: 7697-37-2</li> <li>CAS: 10196-18-6</li> <li>PAC-2:</li> <li>CAS: 7697-37-2</li> </ul>	Criteria for Chemicals Nitric Acid Zinc Nitrate, Reagent Grade Nitric Acid	27 mg/m <sup>3</sup>
<ul> <li>Protective Action</li> <li>PAC-1:</li> <li>CAS: 7697-37-2</li> <li>CAS: 10196-18-6</li> <li>PAC-2:</li> <li>CAS: 7697-37-2</li> <li>CAS: 10196-18-6</li> <li>PAC-3:</li> </ul>	Criteria for Chemicals Nitric Acid Zinc Nitrate, Reagent Grade Nitric Acid	27 mg/m <sup>3</sup> 24 ppm

Printing date 03/14/2024

Reviewed on 03/14/2024

Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

CAS: 10196-18-6 Zinc Nitrate, Reagent Grade

(Contd. of page 3)  $1,800 \text{ mg/m}^3$ 

### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- *REL* Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: (4) NIC-0.025\* ppm Long-term value: (2) ppm \*inh. fraction + vapor, NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

*Printing date 03/14/2024* 

Reviewed on 03/14/2024

### Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

### (Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

# 9 Physical and chemical properties

Appearance:	7 1
Form: Color:	Liquid Clear
Odor:	Qdorless
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	0 °C (32 °F)
Boiling point/Boiling range:	83 °C (181.4 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.01241 g/cm <sup>3</sup> (8.44856 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

Printing date 03/14/2024

Reviewed on 03/14/2024

### Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

		(Contd. of page 5
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	96.6 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.4 %	
• Other information	ther information No further relevant information available.	

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 101 mg/l

### · Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Printing date 03/14/2024

Reviewed on 03/14/2024

Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

(Contd. of page 6)

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

# 14 Transport information • UN-Number • DOT, IMDG, IATA UN3264 • UN proper shipping name • DOT Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid) • IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric Acid) • Transport hazard class(es) • DOT Image: Corrosive substances • Class 8 Corrosive substances

Printing date 03/14/2024

Reviewed on 03/14/2024

# Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

	(Contd. of page
· Label	8
· IMDG, IATA	
8	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
Environmental hazards:	
• Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
-	(NITRIC ACID), 8, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

CAS: 10196-18-6 Zinc Nitrate, Reagent Grade

· TSCA (Toxic Substances Control Act):

Water

ACTIVE (Contd. on page 9)

Printing date 03/14/2024

Reviewed on 03/14/2024

### Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

(Contd. of page 8) ACTIVE

Nitric Acid · Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Causes severe skin burns and eye damage. May cause damage to organs. May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Call a poison center/doctor.

(Contd. on page 10)

US

Printing date 03/14/2024

Reviewed on 03/14/2024

### Trade name: Zinc AA Standard 1,000 ppm NIST Traceable in 2-5% HNO<sub>3</sub>

(Contd. of page 9)

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

# · Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Creation date for SDS 12-02-2015. STN Revision 1.0, 03/14/24: Reviewed/ updated SDS based on new supplier information on raw materials. CS 03/14/2024 • Abbreviations and acronyms: IMDG: International Maritime Code for Danagrous Goods

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 \* Data compared to the previous version altered.