Printing date 06/07/2024 Reviewed on 06/07/2024

1 Identification

· Product identifier

· Trade name: Chromate Standard, 1000 ppm

 $1 ml = 1 mg CrO_{4}$

· Article number: 1845

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536

USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number:

Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.

Carcinogenicity 1A H350 May cause cancer.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium Chromate

· Hazard statements

May cause genetic defects.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	··· · · · · · · · · · · · · · · · · ·	
· Dangerous comp	onents:	
CAS: 7789-00-6	Potassium Chromate	0.167%
· Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	99.833%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

US

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Troccure fiction Crucia for Chemicus	
· PAC-1:	
CAS: 7789-00-6 Potassium Chromate	0.56 mg/m^3
· PAC-2:	
CAS: 7789-00-6 Potassium Chromate	9.7 mg/m³
· PAC-3:	
CAS: 7789-00-6 Potassium Chromate	58 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

	· Components wit	h limit values that	require monitoring	at the workplace:
--	------------------	---------------------	--------------------	-------------------

CAS: 7789-00-6 Potassium Chromate

PEL Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³

*as Cr(VI) **as CrO3; see 29 CFR 1910.1026

REL Long-term value: 0.0002 mg/m³

as Cr; See Pocket Guide Apps. A and C

TLV Short-term value: 0.0005 mg/m³ Long-term value: 0.0002 mg/m³

as Cr(VI); A1; inhalable, Skin; BEI, DSEN, RSEN

(Contd. on page 4)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 3)

· Ingredients with biological limit values:

CAS: 7789-00-6 Potassium Chromate

BEI 25 μg/L

LD50 Intraperitoneal: urine

Time: end of shift at end of workweek

LD50: Total chromium (fume)

10 μg/L

LD50 Intraperitoneal: urine Time: increase during shift LD50: Total chromium (fume)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

us.

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 4)

9 Physical and chemical properties

T C	7 .	, ,	, ,		
 Information 	on hasi	· nhvsical	and c	hemical	nronerties
III OI III WILLOIL	on bush	pitystem	unu c	iiciiiicai	properties

· General Information

· Appearance:

Form: Liquid
Color: Yellow
Odor: Odorless
Odor threshold: Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/Melting range: $0 \, ^{\circ}C \, (32 \, ^{\circ}F)$ Boiling point/Boiling range: $100 \, ^{\circ}C \, (212 \, ^{\circ}F)$

· Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.
 Decomposition temperature: Not determined.

• Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

• Density at 20 °C (68 °F): 1.0011 g/cm³ (8.35418 lbs/gal)

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Water:
 99.8 %

 VOC content:
 0.00 %

0.0 g/l / 0.00 lb/gal

Solids content: 0.2 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 5)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 107,656 mg/kg (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7789-00-6 Potassium Chromate

· NTP (National Toxicology Program)

CAS: 7789-00-6 Potassium Chromate

K

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	No. 1	
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
· Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 7789-00-6 Potassium Chromate

· TSCA (Toxic Substances Control Act):

Water ACTIVE
Potassium Chromate ACTIVE

· Hazardous Air Pollutants

CAS: 7789-00-6 Potassium Chromate

- · Proposition 65
- · Chemicals known to cause cancer:

CAS: 7789-00-6 Potassium Chromate

· Chemicals known to cause reproductive toxicity for females:

CAS: 7789-00-6 Potassium Chromate

(Contd. on page 8)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 7)

· Chemicals known to cause reproductive toxicity for males:

CAS: 7789-00-6 Potassium Chromate

· Chemicals known to cause developmental toxicity:

CAS: 7789-00-6 Potassium Chromate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7789-00-6 Potassium Chromate

A(inh), D(oral), K/L(inh), CBD(oral)

· TLV (Threshold Limit Value)

CAS: 7789-00-6 Potassium Chromate

A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 7789-00-6 Potassium Chromate

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Potassium Chromate

· Hazard statements

May cause genetic defects.

May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

(Contd. on page 9)

Printing date 06/07/2024 Reviewed on 06/07/2024

Trade name: Chromate Standard, 1000 ppm 1 ml = 1 mg CrO₄

(Contd. of page 8)

· Date of preparation / last revision

Revision 1.2, 06/07/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 09-22-2020: Creation date for SDS. STN

06/07/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B

Carcinogenicity 1A: Carcinogenicity - Category 1A

* * Data compared to the previous version altered.

US