Printing date 11/17/2017

Reviewed on 10/27/2017

Product ide	entifier		
• Trade nam	e: <u>Reagent 103 Dibutylamine</u> 0.85 Normal in DMF		
· Article nun	nber: DC472-175		
	he supplier of the safety data sheet		
• Manufactu Aqua Soluti	rer/Supplier: ions_Inc		QUA
6913 Highv		SOLI	JTIONS
	RK, TX 77536		
USA 800-256-25	586		
· Information	n department:		
Technical C	Coordinator		
	elson sherman@aquasolutions.org v telephone number:		
Chemtrec:	800-424-9300		
Canutec: 6.	13-996-6666		
e Hazard(s) identification		
· Classificati	ion of the substance or mixture		
JUL /			
<u>(13</u>)	GHS02 Flame		
Flam Lia	3 H226 Flammable liquid and vapor.		
	GHS06 Skull and crossbones		
Acute Tox.	3 H331 Toxic if inhaled.		
	GHS08 Health hazard		
		1.11.1	
Repr. 1	H360 May damage fertility or the unbor	n child.	
	GHS05 Corrosion		
	JIISOS CONOSION		
		damage.	
\sim	1A H314 Causes severe skin burns and eye	-	
\sim			
Skin Corr.			
Skin Corr. 1 Eye Dam. 1			
Skin Corr. A Eye Dam. 1	H318 Causes serious eye damage.		

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 1) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: N,N-Dimethylformamide Dibutylamine · Hazard statements Flammable liquid and vapor. Harmful if swallowed. Toxic if inhaled. Causes severe skin burns and eye damage. May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0(Contd. on page 3)

- US

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 2)

88.071%

11.93%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3FIRE 3 Fire = 3REACTIVITYReactivity

 $\begin{array}{c} \mathsf{CTIVITY} \boxed{0} \quad Reactivity = 0 \end{array}$

• Other hazards

• Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 68-12-2 N,N-Dimethylformamide

CAS: 111-92-2 Dibutylamine

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

 \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 68-12-2	N,N-Dimethylformamide	2 ppm
CAS: 111-92-2	Dibutylamine	0.45 ppm
· PAC-2:		
CAS: 68-12-2	N,N-Dimethylformamide	91 ppm
CAS: 111-92-2	Dibutylamine	5 ppm
· PAC-3:		
CAS: 68-12-2	N,N-Dimethylformamide	530 ppm
CAS: 111-92-2	Dibutylamine	21 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 4)

Additio	nal information about design of technical systems: No further data; see item 7.	
Contro	l parameters	
Compo	nents with limit values that require monitoring at the workplace:	
CAS: 6	8-12-2 N,N-Dimethylformamide	
PEL Long-term value: 30 mg/m³, 10 ppm Skin		
REL	Long-term value: 30 mg/m³, 10 ppm Skin	
TLV	Long-term value: (30) NIC-15 mg/m³, (10) NIC-5 ppm NIC-A3; Skin; BEI	
CAS: 1	11-92-2 Dibutylamine	
WEEL	Ceiling limit value: 5 ppm Skin	
Ingred	ients with biological limit values:	
0	8-12-2 N,N-Dimethylformamide	
LI Ti) mg/L D50 Intraperitoneal: urine me: prior to last shift of workweek D50: N-Acetyl-S-(N-methylcarbamoyl) cysteine (semi-quantitative)	
	<i>nal information:</i> The lists that were valid during the creation were used as basis.	
Person Genera Keep a Immedi Wash h Store p Avoid o Breath In case respira	are controls al protective equipment: al protective and hygienic measures: way from foodstuffs, beverages and feed. iately remove all soiled and contaminated clothing. ands before breaks and at the end of work. rotective clothing separately. contact with the eyes. contact with the eyes. contact with the eyes and skin. ing equipment: of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use tory protective device that is independent of circulating air. ion of hands:	
MIS-	Protective gloves	
Due to chemic	we material has to be impermeable and resistant to the product/ the substance/ the preparation. missing tests no recommendation to the glove material can be given for the product/ the preparation/ the al mixture. In of the glove material on consideration of the penetration times, rates of diffusion and the degradation	

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 6)

ÚS -

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 5)

US

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: Clear · Odor: Distinct · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition *Melting point/Melting range:* Undetermined. **Boiling point/Boiling range:** 152 °C (305.6 °F) 42 °C (107.6 °F) · Flash point: · Flammability (solid, gaseous): Not applicable. 260 °C (500 °F) · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. · Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible. · Explosion limits: Lower: 2.2 Vol % Upper: 16 Vol % • Vapor pressure at 20 °C (68 °F): 3.5 hPa (2.6 mm Hg) • Density at 20 °C (68 °F): 0.92208 g/cm³ (7.69476 lbs/gal) · Relative density Not determined. · Vapor density Not determined. Not determined. · Evaporation rate · Solubility in / Miscibility with Water: Not miscible or difficult to mix. (Contd. on page 7)

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

	(Co	ntd. of page
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	1,057 mg/kg (rat)
Dermal	LD50	3,282 mg/kg (rabbit)
Inhalative	LC50/4 h	4.19 mg/l

CAS: 68-12-2 N,N-Dimethylformamide

Oral	LD50	2,800 mg/kg (rat)
Dermal		4,720 mg/kg (rabbit)
Inhalative	LC50/4 h	9,400 mg/l (mouse)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Harmful
- Corrosive

(Contd. on page 8)

US -

Printing date 11/17/2017

Reviewed on 10/27/2017

(Contd. of page 7)

3

US

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 68-12-2 N,N-Dimethylformamide

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN2924
· UN proper shipping name	
·DOT	Flammable liquids, corrosive, n.o.s. (N,N-Dimethylformamide, Di-
	butylamine)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (N,N
	DIMETHYLFORMAMIDE, DI-n-BUTYLAMINE)

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name:	Reagent 103 Dibutylamine
	0.85 Normal in DMF

	(Contd. of pag
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3, 8
IMDG	
Class	3 Flammable liquids
Label	3/8
IATA	
3	
Class	3 Flammable liquids
Label	3 (8)
Packing group	· /
DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	38
EMS Number:	F-E,S-C
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 9)

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUIDS, CORROSIVE, N.O.S. (N,N-DIMETHYLFORMAMIDE, DI-N-BUTYLAMINE), 3 (8), III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 68-12-2 N,N-Dimethylformamide

· TSCA (Toxic Substances Control Act):

N,N-Dimethylformamide

Dibutylamine

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 68-12-2 N,N-Dimethylformamide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- *Hazard-determining components of labeling:* N,N-Dimethylformamide Dibutylamine
- Hazard statements Flammable liquid and vapor.

(Contd. on page 11)

A4

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 10)
Harmful if swallowed.
Toxic if inhaled.
Causes severe skin burns and eye damage.
May damage fertility or the unborn child.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:
- Date of preparation / last revision 11-16-2017: review SDS for accuracy. STN Creation date for SDS 11-19-2014. STN Revision 0.0, 11-16-2017: Creation date for SDS. STN 11/17/2017 / -

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

US

Printing date 11/17/2017

Reviewed on 10/27/2017

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

	(Contd. of page 11)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 3: Acute toxicity – Category 3	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Repr. 1: Reproductive toxicity – Category 1	
	US