Printing date 04/22/2021 Reviewed on 04/22/2021

#### 1 Identification

· Product identifier

· Trade name: Hydranal® Solvent

· Article number: H3428

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson sherman@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 1)

#### · Hazard pictograms









GHS02

GHS05

GHS06

· Signal word Danger

#### · Hazard-determining components of labeling:

Methanol (Methyl Alcohol)

Imidazole, Certified

Sulfur Dioxide

#### · Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

*In case of fire: Use for extinction: CO2, powder or water spray.* 

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Classification system:

#### · NFPA ratings (scale 0 - 4)



Health = 3Fire = 4

Fire = 4Reactivity = 0

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

· HMIS-ratings (scale 0 - 4)

FIRE 4 Health = \*3FIRE 4 Fire = 4 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:			
I	CAS: 67-56-1	Methanol (Methyl Alcohol)	80.0%	
I	CAS: 288-32-4	Imidazole, Certified	13.0%	
ı	CAS: 7446-09-5	Sulfur Dioxide	7.0%	

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

	•		
· PAC-1:			
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm	
CAS: 288-32-4	Imidazole, Certified	$0.66 \ mg/m^3$	
CAS: 7446-09-5	Sulfur Dioxide	0.20 ppm	
· PAC-2:			
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm	
CAS: 288-32-4	Imidazole, Certified	$7.3 \text{ mg/m}^3$	
CAS: 7446-09-5	Sulfur Dioxide	0.75 ppm	
· PAC-3:			
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm	
CAS: 288-32-4	Imidazole, Certified	44 mg/m³	
CAS: 7446-09-5	Sulfur Dioxide	30 ppm	

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 5)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 4)

#### · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### CAS: 67-56-1 Methanol (Methyl Alcohol)

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

REL Short-term value: 325 mg/m³, 250 ppm

Long-term value: 260 mg/m³, 200 ppm

Skin

TLV Short-term value: 328 mg/m³, 250 ppm

Long-term value: 262 mg/m³, 200 ppm

Skin; BEI

#### CAS: 7446-09-5 Sulfur Dioxide

PEL Long-term value: 13 mg/m<sup>3</sup>, 5 ppm

REL Short-term value: 13 mg/m³, 5 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 0.65 mg/m<sup>3</sup>, 0.25 ppm

#### · Ingredients with biological limit values:

#### CAS: 67-56-1 Methanol (Methyl Alcohol)

BEI 15 mg/L

LD50 Intraperitoneal: urine

Time: end of shift

LD50: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

(Contd. of page 5)

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	-10 °C (14 °F)	
· Flash point:	11 °C (51.8 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	455 °C (851 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	

(Contd. on page 7)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

		(Contd. of page			
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)				
· Density at 20 °C (68 °F):	0.89 g/cm³ (7.42705 lbs/gal)				
· Relative density	Not determined.				
<ul> <li>Vapor density</li> <li>Evaporation rate</li> <li>Not determined.</li> <li>Not determined.</li> </ul>					
· Solubility in / Miscibility with					
Water:	Fully miscible.				
· Partition coefficient (n-octanol/wate	Partition coefficient (n-octanol/water): Not determined.				
· Viscosity:					
Dynamic:	Not determined.				
Kinematic:	Not determined.				
· Solvent content:					
Organic solvents:	80.0 %				
VOC content:	80.00 %				
	712.0 g/l / 5.94 lb/gal				
Solids content: 13.0 %					
Other information No further relevant information available.					

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acute Toxicity Estimate)				
Oral	LD50	1,217-2,290 mg/kg		
Inhalative	LC50/4h	158 mg/l		
CAS: 67-5	CAS: 67-56-1 Methanol (Methyl Alcohol)			
Oral	LD50	100 mg/kg (ATE)		
Dermal	LD50	300 mg/kg (ATE)		
Inhalative	LC50/4h	3 mg/l (ATE)		
CAS: 288-	CAS: 288-32-4 Imidazole, Certified			
Oral	LD50	500 mg/kg (ATE)		
CAS: 7446	-09-5 Sul	fur Dioxide		
Inhalative	LC50/4h	700 mg/l (ATE)		
		(Contd. on page 8)		

(Contd. on page 8)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 7)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

*Toxic* 

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

CAS: 7446-09-5 Sulfur Dioxide

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

 $\cdot \textbf{Recommended cleansing agent:} \ Water, if necessary with cleansing agents.$ 

(Contd. of page 8)

UN-Number DOT, IMDG, IATA	UN2924
	011/29/24
UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Methanol, Sulfur dioxid
IMDC	Imidazole)
IMDG	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANO SULPHUR DIOXIDE, Imidazole)
IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANG
IAIA	SULPHUR DIOXIDE/Imidazole solution)
Transport hazard class(es)	
DOT	
_ · ·	
FLAMMABLE LIQUID CORROSIVE	
3	
Class	3 Flammable liquids
Label	3, 8
IMDG	
3	
•	
Class	3 Flammable liquids
Label	3/8
IATA	
3	
Class	3 Flammable liquids
Label	3 (8)
Packing group	
DOT, IMDG, IATA	I
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F-E,S-C
Segregation groups	Alkalis
Stowage Category	E
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

	(Contd. of page 9
· Transport/Additional information:	
$\cdot DOT$	
· Quantity limitations	On passenger aircraft/rail: 0.5 L
~ ,	On cargo aircraft only: 2.5 L
· IMDG	
· Limited quantities (LQ)	o
$\cdot$ Excepted quantities $(EQ)$	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S (METHANOL, SULPHUR DIOXIDE, IMIDAZOLE), 3 (8), I

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	hazardous	substances):

CAS: 7446-09-5 Sulfur Dioxide

· Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 Methanol (Methyl Alcohol)

· TSCA (Toxic Substances Control Act):

Methanol (Methyl Alcohol)	ACTIVE
Imidazole, Certified	ACTIVE
Sulfur Dioxide	ACTIVE

- · Hazardous Air Pollutants
- CAS: 67-56-1 Methanol (Methyl Alcohol)
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

CAS: 7446-09-5 Sulfur Dioxide

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7446-09-5 Sulfur Dioxide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 11)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 10)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS02

GHS05

GHS06

· Signal word Danger

#### · Hazard-determining components of labeling:

Methanol (Methyl Alcohol)

Imidazole, Certified

Sulfur Dioxide

#### · Hazard statements

Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 12)

Printing date 04/22/2021 Reviewed on 04/22/2021

Trade name: Hydranal® Solvent

(Contd. of page 11)

· Department issuing SDS: Environment protection department.

· Contact:

· Date of preparation / last revision

Revision 2.0, 01-12-2020: Updated sections 1, 2 and 15 to meet Fanns new requirements 04/22/2021 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 3: Acute toxicity - Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

- U