*

*

Printing date 06/14/2024	Reviewed on 06/14/2024
1 Identification	
· Product identifier	
· Trade name: Universal Indicator	
<i>Solution, pH 2 - 10</i>	
• Article number: ND526	
• Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	,
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Aguta Taxiaity Oral 2	H201 Toris if gualloused
Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Acute Toxicity - Derma 5 Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Target Organ Toxicity - Single Exposu	<i>ure 1 H370 Causes damage to the central nervous system and the visual organs.</i>
· Label elements	
• GHS label elements The product is classified a • Hazard pictograms	and labeled according to the Globally Harmonized System (GHS).
$\wedge \wedge \wedge$	
GHS02 GHS06 GHS08	
· Signal word Danger	
· Hazard-determining components of labeling:	
Methanol	(Contd on page 2

Reviewed on 06/14/2024

Safety Data Sheet acc. to OSHA HCS

Printing date 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

	(Contd. of page 1)
· Hazard statements	(**************************************
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	l.
· Classification system:	
·NFPA ratings (scale 0 - 4)	
$\frac{1}{3} \qquad Health = 2$	
Fire = 3	
$\mathbf{Z} = 0$ <i>Reactivity</i> = 0	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{2} Health = *2$	
FIRE 3 $Fire = 3$	
REACTIVITY 0 Reactivity = 0	
· Other hazards Besults of PPT and "P"P approximate	
• Results of PBT and vPvB assessment	
· PBT: Not applicable.	

• **PBT:** Not applicable.

*

· vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 67-56-1 Methanol

(Contd. on page 3)

99.092%

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

	(Con	td. of page 2)
• Table of Nonhaza	rdous Ingredients	
CAS: 76-61-9	Thymol Blue	0.378%
CAS: 76-59-5	Bromothymol Blue	0.303%
CAS: 63451-28-5	Methyl Red Hydrochloride	0.151%
CAS: 77-09-8	Phenolphthalein	0.076%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

- *Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.*
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US

Printing date 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10 Reviewed on 06/14/2024

(Contd. of page 3)

	for disposal information. ion Criteria for Chemicals	(conta: of page 3)
· PAC-1:		
CAS: 67-56-1	Methanol	530 ppm
CAS: 76-61-9	Thymol Blue	30 mg/m ³
CAS: 76-59-5	Bromothymol Blue	30 mg/m ³
CAS: 77-09-8	Phenolphthalein	$4 mg/m^3$
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 76-61-9	Thymol Blue	330 mg/m ³
CAS: 76-59-5	Bromothymol Blue	330 mg/m ³
CAS: 77-09-8	Phenolphthalein	1.4 ppm
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 76-61-9	Thymol Blue	2,000 mg/m ³
CAS: 76-59-5	Bromothymol Blue	2,000 mg/m ³
CAS: 77-09-8	Phenolphthalein	20 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

Reviewed on 06/14/2024

(Contd. of page 4)

Com	ponents with limit values that require monitoring at the workplace:
CAS	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
Ingr	edients with biological limit values:
-	: 67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
Wash Store Avoid Brea In ca respi	ediately remove all soiled and contaminated clothing. In hands before breaks and at the end of work. In protective clothing separately. In contact with the eyes and skin. It contact with the
	Protective gloves
Due chem Selec	glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the ical mixture. tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation rial of gloves
The s varie the g Pene	relection of the suitable gloves does not only depend on the material, but also on further marks of quality and s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of love material can not be calculated in advance and has therefore to be checked prior to the application. tration time of glove material
The .	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
obset	1

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 5)

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and che	mical properties
• General Information • Appearance:	
· Appearance: Form:	Liquid
Color:	Green
· Odor:	de l'alcool
	l
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	-97.8 °C (-144 °F) 64 °C (147.2 °F)
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.79 g/cm ³ (6.59255 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: Dynamic:	Not determined.

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

		(Contd. of page 6)
Kinematic:	Not determined.	
• Solvent content: Organic solvents: VOC content:	99.1 % 99.09 % 782.8 g/l / 6.53 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
	LD50	101 mg/kg	
Dermal	LD50	303 mg/kg	
Inhalative	LC50/4h	3.03 mg/l	

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 77-09-8 Phenolphthalein	2B
· NTP (National Toxicology Program)	
CAS: 77-09-8 Phenolphthalein	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
	US

(Contd. on page 8)

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	10/1002	
· DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
PLAMARE LOUD		
· Class	3 Flammable liquids	
· Label	3	

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

3 Flammable liquids 3 II
3
3
3
3
3
II
11
N-
No
Warning: Flammable liquids
e): 336 F-E,S-E
B
Not applicable.
On passenger aircraft/rail: 1 L
On cargo aircraft only: 60 L
17
1L Code: F2
<i>Maximum net quantity per inner packaging: 30 ml</i>
Maximum net quantity per unter packaging: 50 ml
UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara	ļ
--------	---

*

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
CAS: 77-09-8 Phenolphthalein	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Thymol Blue	ACTIVE
Bromothymol Blue	ACTIVE
Phenolphthalein	ACTIVE
(Contd. on page 10)	

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 9)

• Hazardous Air Pollutants CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

CAS: 77-09-8 Phenolphthalein

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth.

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 10)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/14/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/14/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 • * Data compared to the previous version altered.