Printing date 11/27/2017

Reviewed on 11/27/2017

#### **1** Identification

- · Product identifier
- Trade name: <u>Mixed Metals Standard</u> 10.0 ppm Each Component
- · Article number: INT005
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org
   Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Danger
- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- Wash thoroughly after handling.
- Wear protective gloves / eye protection / face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Specific treatment (see on this label).

(Contd. on page 2)

US

Printing date 11/27/2017

Reviewed on 11/27/2017

#### Trade name: Mixed Metals Standard 10.0 ppm Each Component

(Contd. of page 1)

Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations	(Conta. of page 1)
<ul> <li>Classification system:</li> <li>NFPA ratings (scale 0 - 4)</li> </ul>	
$\begin{array}{c} 1 \\ 2 \\ 0 \\ $	
HMIS-ratings (scale 0 - 4)	
HEALTH2FIRE0REACTIVITY0Reactivity0	
<ul> <li>Other hazards</li> <li>Results of PBT and vPvB assessment</li> <li>PBT: Not applicable.</li> <li>vPvB: Not applicable.</li> </ul>	

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous compo	onents:	
CAS: 7697-37-2	Nitric Acid	2.013%
• Table of Nonhaza	rdous Ingredients	
CAS: 7789-02-8	Chromium Nitrate Nonahydrate	0.0763%
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	0.049%
CAS: 10099-74-8	Lead Nitrate	0.0159%
CAS: 7761-88-8	Silver Nitrate	0.0156%
CAS: 7440-02-0	Nickel Metal	0.0099%
CAS: 7439-89-6	Iron Metal	0.0099%
CAS: 7440-66-6	Zinc Metal	0.0099%
CAS: 7440-50-8	copper	0.0099%
CAS: 7732-18-5	Water	97.791%

#### **4** First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

US

Printing date 11/27/2017

Trade name: Mixed Metals Standard 10.0 ppm Each Component

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1:

0.16 ppm
$0.3 mg/m^3$
$0.24 \ mg/m^3$
0.047 mg/m <sup>3</sup>
$4.5 mg/m^3$
3.2 mg/m <sup>3</sup>
6 mg/m <sup>3</sup>
3 mg/m <sup>3</sup>
24 ppm
23 mg/m <sup>3</sup>
180 mg/m <sup>3</sup>
0.9 mg/m <sup>3</sup>
50 mg/m <sup>3</sup>
35 mg/m <sup>3</sup>
55 mg/m

(Contd. of page 2)

Reviewed on 11/27/2017

US

Printing date 11/27/2017

Reviewed on 11/27/2017

#### Trade name: Mixed Metals Standard 10.0 ppm Each Component

CAS: 7440-50-8	copper	(Contd. of page 3) 33 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate	140 mg/m <sup>3</sup>
CAS: 10099-74-8	Lead Nitrate	1,100 mg/m <sup>3</sup>
CAS: 7761-88-8	Silver Nitrate	$5.4 mg/m^3$
CAS: 7440-02-0	Nickel Metal	99 mg/m <sup>3</sup>
CAS: 7439-89-6	Iron Metal	150 mg/m <sup>3</sup>
CAS: 7440-66-6	Zinc Metal	120 mg/m <sup>3</sup>
CAS: 7440-50-8	copper	200 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with	limit values that	require moni	itoring at the	workplace:

CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm
- Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 5)

<sup>–</sup> US

Printing date 11/27/2017

Trade name: Mixed Metals Standard 10.0 ppm Each Component Reviewed on 11/27/2017

(Contd. of page 4)

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:	· · · ·	
Form:	Liquid	
Color:	Light grey	
Odor:	Odorless	
Odor threshold:	Not determined.	
<i>pH-value at 20 °C (68 °F):</i>	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 11/27/2017

Reviewed on 11/27/2017

#### Trade name: Mixed Metals Standard 10.0 ppm Each Component

	(Con	td. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.008 g/cm <sup>3</sup> (8.41176 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.2 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

(Contd. on page 7)

2B

2A

2B

R

R

## Safety Data Sheet acc. to OSHA HCS

Printing date 11/27/2017

Reviewed on 11/27/2017

#### Trade name: Mixed Metals Standard

10.0 ppm Each Component

(Contd. of page 6) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 10026-22-9 Cobalt Nitrate Hexahydrate

CAS: 10099-74-8 Lead Nitrate

CAS: 7440-02-0 Nickel Metal

· NTP (National Toxicology Program)

CAS: 10099-74-8 Lead Nitrate

CAS: 7440-02-0 Nickel Metal

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 11/27/2017

Reviewed on 11/27/2017

#### Trade name: Mixed Metals Standard 10.0 ppm Each Component

(Contd. of page 7)

· UN-Number		
· DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name		
· DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	Not regulated	
· Packing group		
· DOT, IMDG, IATA	Not regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
· UN ''Model Regulation'':	Not regulated	

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extre	mely hazardous substances):
CAS: 7697-37-2 1	Nitric Acid
• Section 313 (Spec	ific toxic chemical listings):
CAS: 7697-37-2	Nitric Acid
CAS: 7789-02-8	Chromium Nitrate Nonahydrate
CAS: 10026-22-9	Cobalt Nitrate Hexahydrate
CAS: 10099-74-8	Lead Nitrate
CAS: 7761-88-8	Silver Nitrate
CAS: 7440-02-0	Nickel Metal
CAS: 7440-66-6	Zinc Metal
CAS: 7440-50-8	copper
· TSCA (Toxic Sub	stances Control Act):
Nitric Acid	
Lead Nitrate	
Silver Nitrate	
Nickel Metal	
Iron Metal	
Zinc Metal	
copper	
Water	
	(Contd. on page 9

*Printing date 11/27/2017* 

Reviewed on 11/27/2017

Trade name: Mixed Metals Standard 10.0 ppm Each Component

		(Contd. of page 8
	Century Act) (Substances not listed)	
· Proposition 65		
· Chemicals known	n to cause cancer:	
CAS: 10099-74-8	Lead Nitrate	
CAS: 7440-02-0	Nickel Metal	
· Chemicals known	to cause reproductive toxicity for females:	
None of the ingrea	dients is listed.	
· Chemicals known	n to cause reproductive toxicity for males:	
None of the ingrea	dients is listed.	
· Chemicals known	to cause developmental toxicity:	
None of the ingrea	dients is listed.	
· Carcinogenic cat	egories	
· EPA (Environme	ntal Protection Agency)	
CAS: 10099-74-8	Lead Nitrate	B2
CAS: 7440-66-6	Zinc Metal	D, I, II
CAS: 7440-50-8	copper	D
· TLV (Threshold )	Limit Value established by ACGIH)	
CAS: 10099-74-8	Lead Nitrate	A3
CAS: 7440-02-0	Nickel Metal	A5
· NIOSH-Ca (Natio	onal Institute for Occupational Safety and Health)	
CAS: 7440-02-0	Nickel Metal	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Nitric Acid · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. *Wear protective gloves / eye protection / face protection.* If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up.

(Contd. on page 10)

Printing date 11/27/2017

Reviewed on 11/27/2017

Trade name: Mixed Metals Standard 10.0 ppm Each Component

(Contd. of page 9)

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact:

· Date of preparation / last revision 11-27-2017: review SDS for accuracy. STN Creation date for SDS 01-20-2015. STN 11/27/2017 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1