Printing date 07/23/2024 Reviewed on 07/23/2024

1 Identification

· Product identifier

· Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

· Article number: DEL195

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA

800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Specific Target Organ Toxicity - Single Exposure 2 H371 May cause damage to the central nervous system and the visual organs.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Nitric Acid Methanol

(Contd. on page 2)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 1)

· Hazard statements

Highly flammable liquid and vapor.

Causes severe skin burns and eye damage.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3

Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3

Fire = 3

REACTIVITY $\boxed{0}$ Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

81.811%

(Contd. on page 3)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

		(Contd. of page 2)
CAS: 7697-3	7-2 Nitric Acid	9.11%
CAS: 67-56-	l Methanol	4.559%
CAS: 67-63-	0 Isopropanol	4.52%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
		(Contd. on page 4)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

		(Contd. of page 3
CAS: 67-56-1	Methanol	530 ppm
CAS: 67-63-0	Isopropanol	400 ppm
· PAC-2:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 67-63-0	Isopropanol	2000* ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

	Cont	to parameters	
	· Components with limit values that require monitoring at the workplace:		
Γ	CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof		
Γ	PEL	Long-term value: 1900 mg/m³, 1000 ppm	
	REL	Long-term value: 1900 mg/m³, 1000 ppm	
	TLV	Short-term value: 1000 ppm	
		A3	
	CAS.	: 7697-37-2 Nitric Acid	
Γ	PEL	Long-term value: 5 mg/m³, 2 ppm	

(Contd. on page 5)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

	(Contd. of page
REL	Short-term value: 10 mg/m³, 4 ppm
	Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm
	Long-term value: (2) ppm
	NIC-A4
	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm
	Long-term value: 260 mg/m³, 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
Ingr	edients with biological limit values:
CAS	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
CAS	: 67-63-0 Isopropanol
	40 mg/L
	LD50 Intraperitoneal: urine

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties			
Information on basic physical and of General Information	chemical properties		
· Appearance:	71		
Form: Liquid			
Color:	Clear Alcohol		
· Odor:	Aiconoi Not determined.		
· Odor threshold:	Not determined.		
· pH-value at 20 °C (68 °F):	<2		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	78 °C (172.4 °F)		
· Flash point:	13 °C (55.4 °F)		
· Flammability (solid, gaseous):	Highly flammable.		
· Auto igniting:	425 °C (797 °F)		
· Decomposition temperature:	Not determined.		
· Ignition temperature:	Product is not selfigniting.		
Danger of explosion:	Product is not explosive. However, formation of explosive air/vaponixtures are possible.		
· Explosion limits:			
Lower:	3.5 Vol %		
Upper:	19 Vol %		
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)		
Density at 20 °C (68 °F):	0.8249 g/cm³ (6.88379 lbs/gal)		
· Relative density	Not determined.		
· Vapor density	Not determined.		

(Contd. on page 7)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

		(Contd. of page
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	90.9 %	
VOC content:	90.89 %	
	749.8 g/l / 6.26 lb/gal	
Solids content:	81.8 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:				
ATE (Acu	te Toxicity	Estimate)			
Oral	LD50	2,194 mg/kg			
Dermal	LD50	2,194 mg/kg 6,581 mg/kg			
Inhalative	LC50/4h	21.9 mg/l			

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 7)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
CAS: 64-17-5 E	Ethyl Alcohol, Absolute 200 Proof	1	
CAS: 67-63-0 I	sopropanol	3	
· NTP (National Toxicology Program)			

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN2924

(Contd. on page 9)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd.	of page	8)	
---------	---------	----	--

$\cdot UN p$	roper	shipp	ing	name

 $\cdot DOT$ Flammable liquids, corrosive, n.o.s. (Ethanol, Methanol,

Isopropanol

, Nitric Acid)

FLAMMABLE LIQUID, CORROSIVE, N.O.S. · IMDG, IATA (Ethanol,

Methanol, Isopropanol

, Nitric Acid)

· Transport hazard class(es)

 \cdot **DOT**





· Class 3 Flammable liquids 3, 8

· Label

 \cdot IMDG





· Class 3 Flammable liquids ·Label

 \cdot IATA





· Class 3 Flammable liquids

·Label 3 (8)

· Packing group

· DOT, IMDG, IATA II

Not applicable. · Environmental hazards:

· Special precautions for user Warning: Flammable liquids

· Hazard identification number (Kemler code): 33

· EMS Number: *F-E,S-C*

· Stowage Category В

· Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S.

(ETHANOL, METHANOL, ISOPROPANOL

, NITRIC ACID), 3 (8), II

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 9)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

· Section 355	(extremely	hazardous	substances):
---------------	------------	-----------	--------------

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2	Nitric Acid
CAS: 67-56-1	Methanol
CAS: 67-63-0	Isopropano

· TSCA (Toxic Substances Control Act):

· · · · · · · · · · · · · · · · · · ·	
Ethyl Alcohol, Absolute 200 Proof	ACTIVE
Nitric Acid	ACTIVE
Methanol	ACTIVE
Isopropanol	ACTIVE

· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Eta	thyl Alcohol, Absolute 200 Proof	A3
CAS: 67-63-0 Isa	opropanol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS05

GHS08

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 10)

· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

Methanol

· Hazard statements

Highly flammable liquid and vapor.

Causes severe skin burns and eye damage.

May cause damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 07-23-2024: Reviewed SDS for accuracy. STN/GW

Creation date for SDS 07-24-2018. STN

07/23/2024 / 1.1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

(Contd. on page 12)

Printing date 07/23/2024 Reviewed on 07/23/2024

Trade name: Nitric Acid 5% v/v in Ethyl Alcohol

(Contd. of page 11)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Eye Damage 1: Serious eye damage/eye irritation – Category 1
Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) – Category 2

* * Data compared to the previous version altered.

US