Printing date 05/30/2024

Reviewed on 05/30/2024

SOLUTIONS
H225 Highly flammable liquid and vapor.
H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H331 Toxic if inhaled.
H370 Causes damage to the central nervous system and visual organs.
· · · · · · · · · · · · · · · · · · ·
H315 Causes skin irritation.
11515 Caases skill it Hallott.

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol



(Contd. on page 3)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name:	: Tetrabutylammonium		
	Hydroxide 0.01N in Methanol		

(Contd. of page 2)

98.935%

1.065%

```
· HMIS-ratings (scale 0 - 4)
```



Fire = 3**REACTIVITY** O Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol

CAS: 2052-49-5 Tetrabutylammonium Hydroxide 30-Hydrate

## **4** First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Do not induce vomiting; immediately call for medical help.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

<sup>·</sup> Advice for firefighters

Printing date 05/30/2024

Reviewed on 05/30/2024

## Trade name: Tetrabutylammonium

Hydroxide 0.01N in Methanol

(Contd. of page 3)

· Personal precau	tions, protective equipment and emergency procedures	
	ry protective device.	
	equipment. Keep unprotected persons away.	
• Environmental p	precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and mo	aterial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	inated material as waste according to section 13.	
Ensure adequate		
· Reference to oth		
	r information on safe handling.	
	r information on personal protection equipment.	
See Section 13 fo		
	or disposal information.	
· Protective Action	n Criteria for Chemicals	
· Protective Action		530 ppm
• Protective Action • PAC-1: CAS: 67-56-1	n Criteria for Chemicals	530 ppm 1.2 mg/n
• Protective Action • PAC-1: CAS: 67-56-1	n Criteria for Chemicals Methanol	**
• <b>Protective Action</b> • <b>PAC-1:</b> CAS: 67-56-1 CAS: 2052-49-5	n Criteria for Chemicals Methanol	**
• Protective Action • PAC-1: CAS: 67-56-1 CAS: 2052-49-5 • PAC-2: CAS: 67-56-1	n Criteria for Chemicals Methanol Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m 2,100 ppr
• Protective Action • PAC-1: CAS: 67-56-1 CAS: 2052-49-5 • PAC-2: CAS: 67-56-1	n Criteria for Chemicals Methanol Tetrabutylammonium Hydroxide 30-Hydrate Methanol	1.2 mg/m 2,100 ppr
• <b>Protective Action</b> • <b>PAC-1:</b> CAS: 67-56-1 CAS: 2052-49-5 • <b>PAC-2:</b> CAS: 67-56-1 CAS: 2052-49-5	n Criteria for Chemicals Methanol Tetrabutylammonium Hydroxide 30-Hydrate Methanol	1.2 mg/m

# 7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
   Open and handle receptacle with care.
   Prevent formation of aerosols.
   Information about protection against explosions and fires:
- *Keep ignition about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.*
- $\cdot$  Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
  Store in cool, dry conditions in well sealed receptacles.
  Specific end use(s) No further relevant information available.

(Contd. on page 5)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Tetrabutylammonium

Hydroxide 0.01N in Methanol

(Contd. of page 4)

1144	itional information about design of technical systems: No further data; see section 7.
	trol parameters
	<b>ponents with limit values that require monitoring at the workplace:</b> following constituent is the only constituent of the product which has a PEL, TLV or other recommende
	psicowing constituent is the only constituent of the product which has a FEL, TLV or other recommende psure limit.
	is time, the remaining constituent has no known exposure limits.
	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEI
-	edients with biological limit values:
CAS	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Add	itional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work.
	e protective clothing separately.
	id contact with the eyes and skin.
	ithing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
resp	iratory protective device that is independent of circulating air.
	ection of hands:
· Prot	
· Prot	
· Prot	Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

Printing date 05/30/2024

Reviewed on 05/30/2024

## Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Methanol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-97.8 °C (-144 °F)
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.79202 g/cm³ (6.60941 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.
Viscosity:	
Dynamic:	Not determined.

Printing date 05/30/2024

Reviewed on 05/30/2024

## Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol

	(Contd. of page 6)
Not determined.	
98.9 %	
98.94 %	
783.6 g/l / 6.54 lb/gal	
1.1 %	
No further relevant information available.	
	98.9 % 98.94 % 783.6 g/l / 6.54 lb/gal 1.1 %

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

#### · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

## · Information on toxicological effects

· Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	101 mg/kg	
Dermal	LD50	303 mg/kg	
	1 0 5 0 / /1	2.02 1	

Inhalative LC50/4h 3.03 mg/l • Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

### · Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol

(Contd. of page 7)

# **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

UN-Number	101002
DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Methanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
PLAMABLE LOUD	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
	3 Flammable liquids

Printing date 05/30/2024

Reviewed on 05/30/2024

### Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol

	(Contd. of page
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	336
EMS Number:	F-E,S-E
Stowage Category	B
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{EQ})$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Suru	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Tetrabutylammonium Hydroxide 30-Hydrate	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
	(Contd. on page 10)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Tetrabutylammonium

Hydroxide 0.01N in Methanol

(Contd. of page 9)

US

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes skin irritation. Causes serious eye irritation. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. (Contd. on page 11)

Printing date 05/30/2024

Reviewed on 05/30/2024

### Trade name: Tetrabutylammonium Hydroxide 0.01N in Methanol

(Contd. of page 10)

Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

• Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 07-24-2018. STN 05/30/2024 • Abbreviations and acronyms: MDG: International Maritime Code for Danagrous Goods

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1  $\cdot$  \* Data compared to the previous version altered.

US -