Printing date 06/19/2024

Reviewed on 06/19/2024

Identification	
Product identifier	
Trade name: Silver Nitrate 20% w/v	
Solution	
Article number: 8448	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536 USA	
800-256-2586	
Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canulec: 013-990-0000	
Hazard(s) identification	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	е.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damag	е.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damag Eye Damage 1 H318 Causes serious eye damage.	е.
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damag	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing CHS05 Corrosion GHS05 Corrosion   Skin Corrosion 1A H314 Causes severe skin burns and eye damage   Eye Damage 1 H318 Causes serious eye damage.   Label elements GHS label elements The product is classified and labeled according   Hazard pictograms Image Series	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer. Oxidizing Liquids 2 H272 May intensify fire; oxidizer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage Eye Damage 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing CHS05 Corrosion   Skin Corrosion 1A   H314 Causes severe skin burns and eye damage   Eye Damage 1   H318 Causes serious eye damage.   Label elements   GHS label elements   The product is classified and labeled according   Hazard pictograms   Oxidizion   GHS03 GHS05	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing CHS05 Corrosion   Skin Corrosion 1A   H314 Causes severe skin burns and eye damage   Eye Damage 1   H318 Causes serious eye damage.   Label elements   GHS label elements The product is classified and labeled according   Hazard pictograms   Oxidizion GHS03   GHS03   GHS05   Signal word Danger   Hazard-determining components of labeling:	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing CHS05 Corrosion   Skin Corrosion 1A   H314 Causes severe skin burns and eye damage   Eye Damage 1   H318 Causes serious eye damage.   Label elements   GHS label elements The product is classified and labeled according   Hazard pictograms   Oxidizion GHS03   GHS03   GHS05   Signal word Danger   Hazard-determining components of labeling:   Silver Nitrate	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing CHS05 Corrosion   Skin Corrosion 1A H314 Causes severe skin burns and eye damage   Eye Damage 1 H318 Causes serious eye damage.   Label elements He product is classified and labeled according   Hazard pictograms GHS03   GHS03 GHS05   Signal word Danger   Hazard-determining components of labeling:   Silver Nitrate   Hazard statements	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizer   Skin Corrosion 1A H314 Causes severe skin burns and eye damage   Eye Damage 1 H318 Causes serious eye damage.   Label elements   GHS label elements   The product is classified and labeled according   Hazard pictograms   Oxidizer   Hazard-determining components of labeling:   Silver Nitrate   Hazard statements   May intensify fire; oxidizer.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizer   Skin Corrosion 1A H314 Causes severe skin burns and eye damage.   Skin Corrosion 1A H314 Causes serious eye damage.   Label elements H318 Causes serious eye damage.   Label elements The product is classified and labeled according.   Hazard pictograms GHS03   GHS03 GHS05   Signal word Danger Hazard-determining components of labeling:   Silver Nitrate Hazard statements   May intensify fire; oxidizer. Causes severe skin burns and eye damage.	
Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Oxidizing Liquids 2 H272 May intensify fire; oxidizer.   Skin Corrosion 1A H314 Causes severe skin burns and eye damage   Eye Damage 1 H318 Causes serious eye damage.   Label elements Hall Causes serious eye damage.   Label elements GHS label elements The product is classified and labeled according   Hazard pictograms GHS03   GHS03 GHS05   Signal word Danger Hazard-determining components of labeling:   Silver Nitrate Hazard statements   May intensify fire; oxidizer. Nay intensify fire; oxidizer.	

*Printing date 06/19/2024* 

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

	(Contd. of page 1)
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	ver.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	ant and each to do
Continue rinsing.	eni unu eusy io uo.
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regular	tions.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3 Fire = 3 Reactivity = 0 The substance possesses oxidizing properties. HMIS-ratings (scale $0 - 4$ )	
HEALTH2Health = 2FIRE0Fire = 0REACTIVITY $\overline{0}$ Reactivity = 0	
• Other hazards	
· Other nazaras · Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
· <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7761-88-8 Silver Nitrate	17.331%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

## 4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

82.669%

US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

(Contd. of page 2)

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

	ions, protective equipment and emergency procedures	
	y protective device.	
	quipment. Keep unprotected persons away.	
· Environmental p		
	duct to reach sewage system or any water course.	
	authorities in case of seepage into water course or sewage system.	
Dilute with plenty		
	nter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing a		
Dispose contamin	nated material as waste according to section 13.	
Ensure adequate		
· Reference to othe		
•	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
· Protective Action	Criteria for Chemicals	
• PAC-1:		
CAS: 7761-88-8	Silver Nitrate	0.047 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7761-88-8	Silver Nitrate	0.9 mg/m <sup>3</sup>
• PAC-3:		
CAS: 7761-88-8	Silver Nitrate	$5.4  mg/m^3$

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

<sup>-</sup> US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

(Contd. of page 3)

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

US

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

· Body protection: Protective work clothing

Physical and chemical property		
Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.15402 g/cm <sup>3</sup> (9.6303 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	82.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	17.3 %	
Other information	No further relevant information available.	

(Contd. on page 6)

*Printing date 06/19/2024* 

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

(Contd. of page 5)

### **10 Stability and reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 289 mg/kg (mouse)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

*Printing date 06/19/2024* 

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

### **13 Disposal considerations**


· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **14 Transport information**



Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

	(Contd. of page
Label	8
Packing group	111
DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II	lof
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
2	On cargo aircraft only: 60 L
IMDG	·····
Limited quantities (LQ)	51.
Excepted quantities (EQ)	Code: El
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (SILVER NITRATE), 8, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 7761-88-8 Silver Nitrate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Silver Nitrate	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
	(Contd. on page 9

*Printing date 06/19/2024* 

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

(Contd. of page 8)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Silver Nitrate · Hazard statements May intensify fire; oxidizer. Causes severe skin burns and eye damage. · Precautionary statements *Keep away from heat.* Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 10)

<sup>•</sup> US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Silver Nitrate 20% w/v Solution

Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 0.1, 06/19/2024: Reviewed SDS for accuracy. MH/STN	
Revision 0.0 Creation date for SDS 11-6-2020. STN	
06/19/2024 / 1.0	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Oxidizing Liquids 2: Oxidizing liquids – Category 2	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	