Printing date 06/19/2024

*

Reviewed on 06/19/2024

Product identifier		
Trade name: <u>Sodium Pe</u> 0.6 Molar		
Article number: 8723	Aqueous	
Details of the supplier of	f the safety data sheet	
Manufacturer/Supplier:		
Aqua Solutions, Inc. 6913 Highway 225		SOLUTIONS
<i>DEER PARK, TX 77536</i>		
USA 800-256-2586		
Information department		
Technical Coordinator		
Sherman Nelson sherman	nn@aquasolutions.org	
Technical Coordinator Sherman Nelson sherman	nn@aquasolutions.org	
Emergency telephone nu	umber:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	,	
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health	over circle H272 May intensify fire; oxidizer. hazard	ymptoms or breathing difficulties if inhaled.
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health	over circle H272 May intensify fire; oxidizer. hazard	
Oxidizing Liquids 2 Oxidizing CHS08 Health Sensitization - Respirator	over circle H272 May intensify fire; oxidizer. hazard ry 1 H334 May cause allergy or asthma s	
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health Sensitization - Respirator GHS07 Skin Irritation 2 Eye Irritation 2A	over circle H272 May intensify fire; oxidizer. hazard ry 1 H334 May cause allergy or asthma s H315 Causes skin irritation. H319 Causes serious eye irritation.	
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health Sensitization - Respirator GHS07 Skin Irritation 2	over circle H272 May intensify fire; oxidizer. haard ry 1 H334 May cause allergy or asthma s H315 Causes skin irritation.	
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health Sensitization - Respirator GHS07 Skin Irritation 2 Eye Irritation 2A Sensitization - Skin 1 Label elements GHS label elements The	over circle H272 May intensify fire; oxidizer. hazard ry 1 H334 May cause allergy or asthma s H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin rea	
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health Sensitization - Respirator GHS07 Skin Irritation 2 Eye Irritation 2A Sensitization - Skin 1 Label elements	over circle H272 May intensify fire; oxidizer. hazard ry 1 H334 May cause allergy or asthma s H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin rea	ction.
Classification of the sub GHS03 Flame Oxidizing Liquids 2 GHS08 Health Sensitization - Respiraton GHS07 Skin Irritation 2 Eye Irritation 2A Sensitization - Skin 1 Label elements GHS label elements The	over circle H272 May intensify fire; oxidizer. hazard ry 1 H334 May cause allergy or asthma s H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin rea	ction.

Printing date 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous Reviewed on 06/19/2024

(Contd. of page 1)

Hazard-determining	components of labeling:
Sodium Persulfate	somponents of tabeting.
Hazard statements	
May intensify fire; ox	dizer
Causes skin irritation	
Causes serious eye ir	
	asthma symptoms or breathing difficulties if inhaled.
May cause an allergi	
Precautionary statem	
Keep away from heat	
	n clothing/combustible materials.
	o avoid mixing with combustibles.
	fume/gas/mist/vapors/spray
Wash thoroughly afte	
	lothing must not be allowed out of the workplace.
	s/protective clothing/eye protection/face protection.
	e ventilation] wear respiratory protection.
If on skin: Wash with	
	g is difficult, remove person to fresh air and keep comfortable for breathing.
	tiously with water for several minutes. Remove contact lenses, if present and easy to d
Continue rinsing.	lously with water for several minutes. Remove contact tenses, if present and easy to a
	l clothing and wash it before reuse.
	sh occurs: Get medical advice/attention.
Specific treatment (se	
	ts: Get medical advice/attention.
• •	
Wash contaminated c	atory symptoms: Call a poison center/doctor.
	02, powder or water spray to extinguish. ontainer in accordance with local/regional/national/international regulations.
Classification system	
NFPA ratings (scale	J - 4)
Health	
2 0 Fire =	
COX Reactiv	ity = 0
\checkmark	
The substance posses	ses oxidizing properties.
HMIS-ratings (scale	0 - 4)
HEALTH *2 Healt	. *1
FIRE 3 Fire =	
REACTIVITY 0 React	vity = 0
Other hazards	
Results of PBT and v	PvB assessment
PBT: Not applicable.	
vPvB: Not applicable	
Trittore	

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

(Contd. of page 2)

14.097%

85.903%

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7775-27-1 Sodium Persulfate

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

(Contd. of page 3)

· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7775-27-1 Sodium Persulfate	$0.3 mg/m^3$
· PAC-2:	
CAS: 7775-27-1 Sodium Persulfate	8.2 mg/m ³
· PAC-3:	
CAS: 7775-27-1 Sodium Persulfate	49 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7775-27-1 Sodium Persulfate

TLV Long-term value: 0.1 mg/m³

as persulfate

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

(Contd. on page 5)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

(Contd. of page 4)

US

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a	chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	>600 °C (>1,112 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01298 g/cm³ (8.45332 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

		(Contd. of page
Solubility in / Miscibility with	1	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	85.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	14.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

- *Oral LD50 6,526 mg/kg (rat)*
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization:
- Sensitization possible through inhalation.
- Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 7)

³

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate

0.6 Molar Aqueous

(Contd. of page 6)

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- $\cdot \textit{Recommendation: Disposal must be made according to official regulations.}$
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN3139	
· UN proper shipping name		
·DOT	Oxidizing liquid, n.o.s. (Sodium Persulfate)	
· IMDG, IATA	OXIDIZING LIQUID, N.O.S. (Sodium Persulfate)	
· Transport hazard class(es)		
·DOT		
OXIDIZER		
V		
· Class	5.1 Oxidizing substances	

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

	(Contd. of page
Label	5.1
IMDG, IATA	
51	
Class	5.1 Oxidizing substances
Label	5.1
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Oxidizing substances
Stowage Category	В
Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds.
	SG49 Stow "separated from" SGG6-cyanides
	SG60 Stow "separated from" SGG16-peroxides
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 2.5 L
~ `	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: El
· · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3139 OXIDIZING LIQUID, N.O.S. (SODIUM PERSULFATE
-	5.1, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

 · Section 355 (extremely hazardous substances):

 None of the ingredients is listed.

 · Section 313 (Specific toxic chemical listings):

 None of the ingredients is listed.

 · TSCA (Toxic Substances Control Act):

 Water

 Sodium Persulfate

 (Contd. on page 9)

 US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

(Contd. of page 8)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Sodium Persulfate · Hazard statements May intensify fire; oxidizer. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. · Precautionary statements Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

(Contd. on page 10)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Sodium Persulfate 0.6 Molar Aqueous

(Contd. of page 9) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

If eye irritation persists: Get medical advice/attention.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 0.1, 06/19/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 09-22-2020: Creation date for SDS. STN 06/19/2024 / 1.1

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1

• * Data compared to the previous version altered.

- US