Printing date 05/25/2021

*

Product ident	ifier
	Cyclohexene Spiked Bromine Number Titration Solvent
	r: M-571 I/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) defined in TSCA section 3(13)) for consumer paint or coating removal.
Details of the Manufacturen Aqua Solution 6913 Highwa DEER PARK, USA 800-256-2586	supplier of the safety data sheet Supplier: s, Inc. 225 TX 77536
	ordinator on shermann@aquasolutions.org lephone number: D-424-9300
Hazard(s) i	dentification
	dentification
Classification	of the substance or mixture
Classification	
Classification	of the substance or mixture
Classification GH Flam. Liq. 2	of the substance or mixture S02 Flame
Classification GH Flam. Liq. 2	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor.
Classification GH Flam. Liq. 2	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard
Classification GH Flam. Liq. 2 Carc. 1A	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer.
Classification GH Flam. Liq. 2 Carc. 1A STOT SE 1 STOT RE 2	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer. H370 Causes damage to the central nervous system and the visual organs.
Classification GH Flam. Liq. 2 Carc. 1A STOT SE 1 STOT RE 2 GH	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer. H370 Causes damage to the central nervous system and the visual organs. H373 May cause damage to organs through prolonged or repeated exposure.
Classification GH Flam. Liq. 2 Carc. 1A STOT SE 1 STOT RE 2 GH	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer. H370 Causes damage to the central nervous system and the visual organs. H373 May cause damage to organs through prolonged or repeated exposure. S05 Corrosion
Classification GH Flam. Liq. 2 Carc. 1A STOT SE 1 STOT RE 2 Skin Corr. 1B Eye Dam. 1	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer. H370 Causes damage to the central nervous system and the visual organs. H373 May cause damage to organs through prolonged or repeated exposure. S05 Corrosion H314 Causes severe skin burns and eye damage.
Classification GH Flam. Liq. 2 Carc. 1A STOT SE 1 STOT RE 2 GH Skin Corr. 1B Eye Dam. 1 Charlen Corr. 1 Skin Corr. 1 Corr. 1 C	of the substance or mixture S02 Flame H225 Highly flammable liquid and vapor. S08 Health hazard H350 May cause cancer. H370 Causes damage to the central nervous system and the visual organs. H373 May cause damage to organs through prolonged or repeated exposure. S05 Corrosion H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent


· Hazard pictograms	ntd. of page 1)
GHS02 GHS05 GHS07 GHS08	
· Signal word Danger	
• <i>Hazard-determining components of labeling:</i> Acetic Acid	
Dichloromethane (Methylene Chloride) Mathanal (Mathyl Alashal)	
Methanol (Methyl Alcohol)	
Sulfuric Acid 96 - 98%	
Hazard statements	
Highly flammable liquid and vapor.	
Harmful in contact with skin.	
Causes severe skin burns and eye damage.	
May cause cancer.	
Causes damage to the central nervous system and the visual organs.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
(Con	ttd. on page 3)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked			
	Bromine Number Titration Solvent		

(Contd. of page 2)



· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 64-19-7	Acetic Acid	72.101%	
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	17.091%	
CAS: 67-56-1	Methanol (Methyl Alcohol)	10.171%	
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.635%	
· Table of Nonhazardous Ingredients			
CAS: 110-83-8	Cyclohexene	0.001%	

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 4)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 64-19-7	Acetic Acid	5 ppm
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	200 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	530 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/m ³
CAS: 110-83-8	Cyclohexene	900 ppm
· PAC-2:		
CAS: 64-19-7	Acetic Acid	35 ppm
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	560 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	2,100 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m ³
CAS: 110-83-8 Cyclohexene		1,700 ppm
· PAC-3:		
CAS: 64-19-7	Acetic Acid	250 ppm
CAS: 75-09-2	Dichloromethane (Methylene Chloride)	6,900 ppm
CAS: 67-56-1	Methanol (Methyl Alcohol)	7200* ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m ³
CAS: 110-83-8	Cyclohexene	10,000 ppm

(Contd. on page 5)

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

(Contd. of page 4)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

	ponents with limit values that require monitoring at the workplace:			
CAS: 64-19-7 Acetic Acid				
PEL	Long-term value: 25 mg/m ³ , 10 ppm			
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
TLV	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm			
CAS.	: 75-09-2 Dichloromethane (Methylene Chloride)			
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052			
REL	See Pocket Guide App. A			
TLV	Long-term value: 174 mg/m³, 50 ppm BEI			
CAS:	: 67-56-1 Methanol (Methyl Alcohol)			
PEL	Long-term value: 260 mg/m ³ , 200 ppm			
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin			
TLV	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI			
	(Contd. on page			

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

CAG /	(Contd. of page 5
	7664-93-9 Sulfuric Acid 96 - 98%
	Long-term value: 1 mg/m ³
	Long-term value: 1 mg/m ³
	Long-term value: $0.2* mg/m^3$
3	^k as thoracic fraction
	lients with biological limit values:
CAS: 2	75-09-2 Dichloromethane (Methylene Chloride)
	.3 mg/L
	D50 Intraperitoneal: urine
	ime: end of shift
	D50: Dichloromethane (semi-quantitative)
	67-56-1 Methanol (Methyl Alcohol)
	5 mg/L
	D50 Intraperitoneal: urine
	ïme: end of shift D50: Methanol (background, nonspecific)
Keep a Immed Wash i Store p Avoid Avoid Breath In case respire	al protective and hygienic measures: tway from foodstuffs, beverages and feed. liately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. contact with the eyes. contact with the eyes and skin. ting equipment: e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u atory protective device that is independent of circulating air. tion of hands:
	Protective gloves ove material has to be impermeable and resistant to the product/ the substance/ the preparation.
chemic	o missing tests no recommendation to the glove material can be given for the product/ the preparation/ th cal mixture. ion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	ial of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Vinegar
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	118 °C (244.4 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	4 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
Density at 20 °C (68 °F):	1.06597 g/cm ³ (8.89552 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name:	Cyclohexene Spiked
	Bromine Number Titration Solvent

	(0	Contd. of page
· Solvent content:		
Organic solvents:	99.4 %	
VOC content:	82.27 %	
	877.0 g/l / 7.32 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

	· LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate)		
	Oral	LD50	5,195-6,966 mg/kg (rat)
	Dermal	LD50	1,470 mg/kg 1,260 mg/l (rat)
	Inhalative	LC50/4h	1,260 mg/l (rat)

CAS: 64-1	9-7 Acetic	Acid

Dermal LD50 1,100 mg/kg (ATE)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

Oral LD50 500 mg/kg (ATE)

 CAS: 67-56-1 Methanol (Methyl Alcohol)

 Oral
 LD50
 100 mg/kg (ATE)

 Dermal
 LD50
 300 mg/kg (ATE)

Inhalative LC50/4h 3 mg/l (ATE)

· Primary irritant effect:

· on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

 \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

(Contd. on page 9)

US

Printing date 05/25/2021

Reviewed on 05/25/2021

(Contd. of page 8)

2A

1

R

K

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

\cdot IARC (International Agency for Research on Cancer)

CAS: 75-09-2 Dichloromethane (Methylene Chloride) CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- \cdot Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, IMDG, IATA

UN3286

(Contd. on page 10)

US -

Printing date 05/25/2021

Reviewed on 05/25/2021

	(Contd. of page
UN proper shipping name	
DOT	Flammable liquid, toxic, corrosive, n.o.s. (Methano
IMDC LATA	Dichloromethane, Acetic acid, glacial) FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.
IMDG, IATA	(METHANOL, DICHLOROMETHANE, ACETIC ACII
	GLACIAL)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3, 6.1, 8
IMDG	
Class Label	3 Flammable liquids 3/6.1/8
IATA	5/6/1/0
Class	3 Flammable liquids
Label	3 (6.1, 8)
Packing group DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler co	ode): 3 F-E,S-C
EMS Number: Stowage Category	<i>F-E</i> ,S-C <i>B</i>
Stowage Category Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG5 Segregation as for class 3
	SG8 Stow "away from" class 4.1
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

• Transport/Additional information:	(Contd. of page 1
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S (METHANOL, DICHLOROMETHANE, ACETIC ACID GLACIAL), 3 (6.1+8), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Section 313 (Specific toxic chemical listings):

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

CAS: 67-56-1 Methanol (Methyl Alcohol)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

Acetic Acid	ACTIVE	
Dichloromethane (Methylene Chloride)	ACTIVE	
Methanol (Methyl Alcohol)	ACTIVE	
Sulfuric Acid 96 - 98%	ACTIVE	
Cyclohexene	ACTIVE	
· Hazardous Air Pollutants		
CAS: 75-09-2 Dichloromethane (Methylene Chloride)		
CAS: 67-56-1 Methanol (Methyl Alcohol)		
· Proposition 65		
· Chemicals known to cause cancer:		
CAS: 75-09-2 Dichloromethane (Methylene Chloride)		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients is listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients is listed.		

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol (Methyl Alcohol)

(Contd. on page 12)

US

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked

Bromine Number Titration Solvent

(Contd. of page 11)

L

A3

A2

· Carcinogenic categories · EPA (Environmental Protection Agency)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· TLV (Threshold Limit Value)

Dichloromethane (Methylene Chloride) CAS: 75-09-2

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Acetic Acid Dichloromethane (Methylene Chloride) Methanol (Methyl Alcohol) Sulfuric Acid 96 - 98% · Hazard statements Highly flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause cancer. *Causes damage to the central nervous system and the visual organs.* May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). (Contd. on page 13)

us

Printing date 05/25/2021

Reviewed on 05/25/2021

Trade name: Cyclohexene Spiked Bromine Number Titration Solvent

(Contd. of page 12)

	(Contd. of page 12)
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
Wash contaminated clothing before reuse.	
In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	utions.
· National regulations:	
• Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous).	
• Information about limitation of use:	in this mean quation
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained Exceptions can be made by the authorities in certain cases.	in inis preparation.
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information	
This information is based on our present knowledge. However, this shall not constitute of	a guarantee for any
specific product features and shall not establish a legally valid contractual relationship.	
· Department issuing SDS: Environment protection department.	
· Contact:	
· Date of preparation / last revision	
Creation date for SDS 10-12-2017. LS	
05/25/2021 / 1.0	
• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Carc. 1A: Carcinogenicity – Category 1A	
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
• * Data compared to the previous version altered.	US
	03