US

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

1 Identifica	tion	
<ul> <li>Product ide</li> <li>Trade name</li> <li>Article num</li> <li>Details of th</li> <li>Manufactur</li> <li>Aqua Soluti</li> <li>6913 Highw</li> <li>DEER PAR</li> <li>USA</li> <li>800-256-25</li> <li>Information</li> <li>Technical C</li> <li>Sherman Ne</li> </ul>	ntifier e: <u>Formaldehyde</u> <u>40% w/w Solution</u> aber: KOC049 he supplier of the safety data sheet rer/Supplier: ons, Inc. ons, Inc. ons, Inc. yay 225 K, TX 77536 86 <b>a department:</b> Coordinator elson sherman@aquasolutions.org	AQUA SOLUTIONS
Chemtrec: 8 Canutec: 61 2 Hazard(s) • Classificatio	<i>telephone number:</i> 800-424-9300 13-996-6666 <i>identification</i> on of the substance or mixture	
Flam. Liq. 3	GHS02 Flame B H226 Flammable liquid and vapor. GHS06 Skull and crossbones	
Acute Tox.	<ul> <li>3 H311 Toxic in contact with skin.</li> <li>3 H331 Toxic if inhaled.</li> <li>6HS08 Health hazard</li> </ul>	
Muta. 2 Carc. 1A	H341 Suspected of causing genetic de H350 May cause cancer.	efects.
	HS05 Corrosion B H314 Causes severe skin burns and e H318 Causes serious eye damage.	eye damage.
	GHS07	
Acute Tox. 4 Skin Sens. 1		cction. (Contd. on pa

(Contd. of page 1)

#### Safety Data Sheet acc. to OSHA HCS

Divinting data 12/05/2017

Reviewed on 12/05/2017

according to the Globally Harmonized System (GHS).

Printing date 12/05/2017					
Trade name: Formaldehyde 40% w/w Solution					
· Label eler · GHS labe · Hazard p	el elements	The prodi	uct is class	ified and lab	eled
GHS02	GHS05	GHS06	GHS07	GHS08	
· Signal wo	ord Danger	~			
• <b>Hazard-d</b> Formalde	-	g compone	nts of labe	ling:	
	t <mark>atements</mark> le liquid ar f swallowe	-			
Toxic in c	ontact with	h skin or if			
	vere skin b		• •	2.	
-	e an allerg l of causing				
May caus	•	z zenenc a	ejecis.		
wiay caus	e cuncer.				

May cause cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Immediately call a poison center/doctor. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use for extinction: CO2, powder or water spray. *Store in a well-ventilated place. Keep container tightly closed.* Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3) US


Printing date 12/05/2017

Trade name: Formaldehyde 40% w/w Solution Reviewed on 12/05/2017

(Contd. of page 2)

44.142%

55.858%



· vPvB: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 50-00-0 Formaldehyde

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

## 4 First-aid measures

#### · Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 4)

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

(Contd. of page 3)

#### **5** *Fire-fighting measures*

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- *Environmental precautions: Dilute with plenty of water.*
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

· PAC-1:

CAS: 50-00-0 Formaldehyde

· PAC-2:

CAS: 50-00-0 Formaldehyde

· PAC-3:

CAS: 50-00-0 Formaldehyde

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- Keep respiratory protective device available.
- $\cdot$  Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

0.90 ppm

14 ppm

56 ppm

Reviewed on 12/05/2017

## Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

• *Specific end use(s) No further relevant information available.* 

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 50-00-0 Formaldehyde

- PEL Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)
- REL Long-term value: 0.016 ppm Ceiling limit value: 0.1\* ppm \*15-min; See Pocket Guide App. A
- TLV Short-term value: 0.37 mg/m<sup>3</sup>, 0.3 ppm Long-term value: 0.12 mg/m<sup>3</sup>, 0.1 ppm DSEN; RSEN

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

(Contd. of page 4)

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

· Information on basic physical and chemical properties		
· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear water white	
• Odor:	Formaldehyde	
• Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	55 °C (131 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	~300 °C (~572 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	7 Vol %	
Upper:	73 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	0.90617 g/cm³ (7.56199 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	44.1 %	

Printing date 12/05/2017

Reviewed on 12/05/2017

rade name: Formaldehyde 40% w/w Solution		
		(Contd. of page 6
Water:	55.9 %	
VOC content:	44.14 %	
	400.0 g/l / 3.34 lb/gl	
Solids content:	0.0~%	
• Other information	No further relevant information available.	

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11** Toxicological information

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

#### ATE (Acute Toxicity Estimate)

Oral	LD50	>453 mg/kg (rat)
Dermal		680 mg/kg
Inhalative	LC50/4 h	6.8 mg/l

#### CAS: 50-00-0 Formaldehyde

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	3 mg/l (ATE)

#### · Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

(Contd. of page 7)

1

Κ

- · Carcinogenic categories
- $\cdot$  IARC (International Agency for Research on Cancer)

CAS: 50-00-0 Formaldehyde

· NTP (National Toxicology Program)

CAS: 50-00-0 Formaldehyde

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 50-00-0 Formaldehyde

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1198	
· UN proper shipping name		
$\cdot DOT$	Formaldehyde solutions, flammable	
· IMDG, IATA	FORMALDEHYDE SOLUTION, FLAMMABLE	

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

Printing date 12/05/2017

	(Contd. of page
· Transport hazard class(es)	
DOT	
PLANMABLE LQUO	
· Class	3 Flammable liquids
Label	3
·IMDG	
3	
Class	3 Flammable liquids
·IATA	
3	
· Class	3 Flammable liquids
- Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	90
EMS Number:	F-E,S-C
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.
· UN ''Model Regulation'':	UN 1198 FORMALDEHYDE SOLUTIONS, FLAMMABLE, 3, II

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

CAS: 50-00-0 Formaldehyde

· Section 313 (Specific toxic chemical listings):

CAS: 50-00-0 Formaldehyde

· TSCA (Toxic Substances Control Act):

Formaldehyde

(Contd. on page 10) US

(Contd. of page 9)

# Safety Data Sheet acc. to OSHA HCS

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

Watan	(Contd. of pa
Water	
Proposition 65	
Chemicals known to cause cancer:	
CAS: 50-00-0 Formaldehyde	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 50-00-0 Formaldehyde	
TLV (Threshold Limit Value established by ACGIH)	
CAS: 50-00-0 Formaldehyde	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
CAS: 50-00-0 Formaldehyde	
Signal word Danger	
Hazard-determining components of labeling:	
Formaldehyde Hazard statements	
Flammable liquid and vapor.	
Harmful if swallowed.	
Toxic in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Suspected of causing genetic defects.	
May cause cancer.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
<i>Use explosion-proof electrical/ventilating/lighting/equipment.</i>	
Use only non-sparking tools.	
Take precautionary measures against static discharge. Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
· · · · · · · · · · · · · · · · · · ·	(Contd. on pag

Printing date 12/05/2017

Reviewed on 12/05/2017

Trade name: Formaldehyde 40% w/w Solution

(Cantil of mars 10)
Contaminated work clothing must not be allowed out of the workplace. (Contd. of page 10)
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
Take off immediately all contaminated clothing and wash it before reuse.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· National regulations:
· Additional classification according to Decree on Hazardous Materials:
Carcinogenic hazardous material group III (dangerous).
· Information about limitation of use:
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
• Department issuing SDS: Environment protection department.

· Contact: · Date of preparation / last revision Revision 0.0, 12-05-2017: Creation date for SDS. STN 12/05/2017 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value (Contd. on page 12) US

Printing date 12/05/2017

Trade name: Formaldehyde 40% w/w Solution Reviewed on 12/05/2017

(Contd. of page 11)

US

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1A: Carcinogenicity – Category 1A