Printing date 10/02/2017

Reviewed on 10/02/2017

1 Identification

- · Product identifier
- · Trade name: <u>Aquet®</u>
- · Article number: A7005
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator
 Sherman Nelson sherman@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard statements

Causes skin irritation.

Causes serious eye irritation. • **Precautionary statements**

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

IF ON SKIN: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.



US



Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

(Contd. of page 1)

• Classification system: • NFPA ratings (scale 0 - 4)

 $\begin{array}{c} Health = 2\\ Fire = 1\\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE1Fire = 1REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | | | | | | |
|-------------------------------------|---|---------|--|--|--|--|--|--|
| CAS: 68412-54-4 | <i>Polyoxyethylene (9) nonylphenylether, Branched</i> | 20.0% | | | | | | |
| · Table of Nonhazardous Ingredients | | | | | | | | |
| CAS: 123-91-1 | 1,4-dioxane | 0.001% | | | | | | |
| | ethylene oxide | 0.0001% | | | | | | |
| CAS: 7732-18-5 | Water | 79.999% | | | | | | |

4 First-aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

\cdot Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

| CAS: 68412-54-4 | <i>Polyoxyethylene (9) nonylphenylether, Branched</i> | 30 mg/m3 |
|-----------------|---|-------------|
| CAS: 123-91-1 | 1,4-dioxane | 17 ppm |
| CAS: 75-21-8 | 5 ppm | |
| · PAC-2: | | |
| CAS: 68412-54-4 | <i>Polyoxyethylene (9) nonylphenylether, Branched</i> | 330 mg/m3 |
| CAS: 123-91-1 | 320 ppm | |
| CAS: 75-21-8 | 45 ppm | |
| · PAC-3: | | |
| CAS: 68412-54-4 | <i>Polyoxyethylene (9) nonylphenylether, Branched</i> | 2,000 mg/m3 |
| CAS: 123-91-1 | 1,4-dioxane | 760 ppm |
| CAS: 75-21-8 | ethylene oxide | 200 ppm |

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

US –

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

| (Contd. of page 3) |
|---|
| Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists that were valid during the creation were used as basis. |
| Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Breathing equipment: Not required. Protection of hands: |
| Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation |

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and General Information | chemical properties | |
|--|-------------------------|--|
| Appearance: Form: | Slightly viscous liquid | |
| Color: | Clear | |
| Odor: | Aromatic | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 7 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

| | (Contd. of page |
|---|---|
| · Flash point: | 100 °C (212 °F) |
| · Flammability (solid, gaseous): | Not applicable. |
| · Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| · Auto igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17 mm Hg) |
| · Density at 20 °C (68 °F): | 1.0112 g/cm ³ (8.438 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| · Partition coefficient (n-octanol/wate | e r): Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 0.0~% |
| Water: | 80.0 % |
| VOC content: | 0.0 g/l / 0.00 lb/gl |
| • Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

 \cdot LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 10000 mg/kg (rat)

(Contd. on page 6)

US

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

(Contd. of page 5)

2B

1

R

K

| CAS: 68412-54-4 Polyoxyethylene (9) nonylphenylether, Branched | | Branched | ether, | henyleth | nonyl | (9) | lene | yoxyethy | 54-4 P | 68412-3 | CAS: |
|--|--|----------|--------|----------|-------|-----|------|----------|--------|---------|------|
|--|--|----------|--------|----------|-------|-----|------|----------|--------|---------|------|

Oral LD50 >2000 *mg/kg* (*rat*)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 123-91-1 1,4-dioxane

CAS: 75-21-8 ethylene oxide

· NTP (National Toxicology Program)

CAS: 123-91-1 1,4-dioxane

CAS: 75-21-8 ethylene oxide

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 75-21-8 ethylene oxide

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- Uncleaned packagings:
- $\cdot \textit{Recommendation:}$ Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

(Contd. of page 6)

| UN-Number DOT, ADN, IMDG, IATA | Not regulated | |
|--|--------------------------|--|
| UN proper shipping name DOT, ADN, IMDG, IATA | Not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA Class | Not regulated | |
| Packing group DOT, IMDG, IATA | Not regulated | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| · UN ''Model Regulation'': | Not regulated | |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

CAS: 75-21-8 ethylene oxide

· Section 313 (Specific toxic chemical listings):

CAS: 123-91-1 1,4-dioxane

CAS: 75-21-8 ethylene oxide

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

CAS: 123-91-1 1,4-dioxane

CAS: 75-21-8 ethylene oxide

· Chemicals known to cause reproductive toxicity for females:

CAS: 75-21-8 ethylene oxide

 \cdot Chemicals known to cause reproductive toxicity for males:

CAS: 75-21-8 ethylene oxide

 \cdot Chemicals known to cause developmental toxicity:

CAS: 75-21-8 ethylene oxide

 \cdot Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 123-91-1 1,4-dioxane

(Contd. on page 8)

L

US

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

| (Contd. of pa | (ge 7) |
|---|--------|
| · TLV (Threshold Limit Value established by ACGIH) | 8, |
| CAS: 123-91-1 1,4-dioxane | A3 |
| CAS: 75-21-8 ethylene oxide | A2 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | = |
| CAS: 123-91-1 1,4-dioxane | |
| CAS: 75-21-8 ethylene oxide | _ |
| • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS • Hazard pictograms | 5). |
| GHS07 • Signal word Warning | |
| · Hazard statements | |
| Causes skin irritation. | |
| Causes serious eye irritation. | |
| · Precautionary statements | |
| Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. | |
| IF ON SKIN: Wash with plenty of water. | |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to | do. |
| Continue rinsing. | |
| Specific treatment (see on this label). | |
| If skin irritation occurs: Get medical advice/attention. | |
| If eye irritation persists: Get medical advice/attention. | |
| Take off contaminated clothing and wash it before reuse. | |
| · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | |
| | |
| | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

• Date of preparation / last revision Creation date for SDS 01-29-2015. STN 10-02-2017: review SDS for accuracy. STN 10/02/2017 / -

Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent

(Contd. on page 9)

US

Printing date 10/02/2017

Reviewed on 10/02/2017

Trade name: Aquet®

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A (Contd. of page 8)

US