Printing date 07/19/2019

Reviewed on 07/19/2019

#### **1** Identification

- · Product identifier
- Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)
- · Article number: 2245
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:
- Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson sherman@aquasolutions.org Technical Coordinator Sherman Nelson sherman@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

#### 2 Hazard(s) identification

• *Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).* 

- · Label elements
- GHS label elements Not Applicable
- · Hazard pictograms Not Applicable
- Signal word Not Applicable
- Hazard statements Not Applicable
- · Precautionary statements
- If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



US

0.07%

0.002%

99.928%

### Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

(Contd. of page 1)

· vPvB: Not applicable.

#### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components: Not Applicable

• Table of Nonhazardous Ingredients

CAS: 7697-37-2 Nitric Acid

CAS: 7440-50-8 copper

CAS: 7732-18-5 Water

#### 4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

See Section 15 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:

CAS: 7697-37-2 Nitric Acid

0.16 ppm (Contd. on page 3)

US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

CAS: 7440-50-8	copper	(Contd. of page 2) 3 mg/m <sup>3</sup>
· PAC-2:		
CAS: 7697-37-2		24 ppm
CAS: 7440-50-8	copper	33 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7440-50-8	copper	$200 mg/m^3$

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 07/19/2019

Reviewed on 07/19/2019

# Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

(Contd. of page 3)

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

· Body protection: Protective work clothing

# 9 Physical and chemical properties

Appearance:LiquidForm:Liquid blueOdor:OdorlessOdor threshold:Not determined.• PH-value:Not determined.• Change in condition Melting point/Melting range:Undetermined.• Melting point/Melting range:Undetermined.• Diling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not determined.• Decomposition temperature:Not determined.• Danger of explosion:Product is not selfigniting.• Danger of explosion:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor densityNot determined.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.Fully miscible.	<ul> <li>Information on basic physical and c</li> <li>General Information</li> </ul>	nemuu propernes	
Form:LiquidColor:Light blueOdor threshold:Not determined.• DetrationNot determined.• pH-value:Not determined.• Detrange in conditionUndetermined.Melting point/Belting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits:Not determined.· Lower:Not determined.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.· Vapor densityNot determined.· Vapor pressure at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.· Vapor metacciNot determined.· Vapor densityNot determined. <th></th> <th></th> <th></th>			
Color:Light blueOdorOdorlessOdorNot determined.> PH-value:Not determined.• Change in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Paramability (solid, gaseous):Not determined.• Decomposition temperature:Not determined.• Auto igniting:Product does not present an explosion hazard.• Explosion limits:Loo °C (68 °F):• Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal))• Relative densityNot determined.• Vapor ensityNot determined.• Vapor ensity:Fully miscible.• Partition coefficient (n-octanol/water): Not determined.• Viscosity:Not determined.• Dynamic: Water:Not determined.• Viscosity:Not determined.• Viscosity:Not determined.• Vapor content: Water:99.9 % 0.00 % 0.00 % 0.00 g/1 0.00 lb/		Liquid	
OdorOdorlessOdor threshold:Not determined. <i>pH-value:</i> Not determined. <i>pH-value:</i> Not determined.Change in conditionIndetermined.Meiting point/Meiting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F) <i>F lash point:</i> Not applicable. <i>F lammability (solid, gaseous):</i> Not applicable. <i>Decomposition temperature:</i> Not determined. <i>Auto igniting:</i> Product is not selfigniting. <i>Danger of explosion:</i> Product does not present an explosion hazard. <i>Explosion limits:</i> Lower:Not determined. <i>Lower:</i> Not determined. <i>Vapor pressure at 20 °C (68 °F):</i> 23 hPa (17.3 mm Hg) <i>Density at 20 °C (68 °F):</i> 1.00051 g/cm³ (8.34926 lbs/gal) <i>Relative density</i> Not determined. <i>Vapor density</i> Not determined. <i>Vapor of colicient (n-octanol/water):</i> Not determined. <i>Vapor density in / Miscibility with</i> Water:Not determined. <i>Viscosily:</i> Dynamic: Kinematic:Not determined. <i>Solvent content:</i> 0.00 % 0.0 g/1/0.00 lb/galNot determined. <i>Solids content:</i> 0.0 %			
Odor threshold:Not determined.pH-value:Not determined.offing point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:Not applicable.Flash point:Not determined.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Subbility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.9 % 0.00 % 0.0 g/1 / 0.00 lb/galSolids content:0.0 %		0	
-       Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)         -       Flash point: Not applicable.         -       Flammability (solid, gaseous): Not applicable.         -       Decomposition temperature: Not determined.         -       Auto igniting: Product is not selfigniting.         -       Danger of explosion: Product does not present an explosion hazard.         -       Explosion limits: Lower: Not determined.         -       Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)         -       Density at 20 °C (68 °F): Not determined.         -       Vapor density Not determined.         -       Vapor density Not determined.         -       Not determined.         -       Vapor density Not determined.         -       Not determined.         -       Solubility in / Miscibility with Water:         -       Fully miscible.         -       Partition coefficient (n-octanol/water): Not determined.         -       Viscosity: Dynamic: Not determined.         -       Not determined.         -       Viscosity: Dynamic: Not determined.         -       Not determined.         -       Not determined.         -       Viscosity: Dynamic: Not determined.		Not determined.	
McIting point/Melting range:Undetermined. 100 °C (212 °F)Flash point:Not applicable.• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not determined.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Upper:Not determined.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.• Vapor appressure at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.• Vapor appressure at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)• Relative densityNot determined.• Vapor densityNot determined.• Vapor factorNot determined.• Vapor factorNot determined.• Vapor factorNot determined.• Viscosity: Dynamic:Not determined.• Viscosity: Water:99.9 %• VOC content: 0.00 % 0.0 g/1 / 0.00 lb/gal• Solids content:0.0 %	· pH-value:	Not determined.	
Boiling point/Boiling range:100 °C (212 °F)Flash point:Not applicable.Flammability (solid, gaseous):Not applicable.Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Opnamic: Kinematic:Not determined.Solvent content: Water:99.9 % 0.00 % 0.0 g/1 / 0.00 lb/galSolids content:0.0 %		Undetermined	
Flammability (solid, gaseous):       Not applicable.         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Lower:         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.         Viscosity:       Fully miscible.         Dynamic:       Not determined.         Viscosity:       Not determined.         Solvent content:       Not determined.         Viscosity:       Not determined.         Solvent content:       99.9 %         VOC content:       0.0 %         0.0 %       0.0 %			
Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Product does not present an explosion hazard.Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Dynamic: Not determined.Opynamic:Not determined.Viscosity:Out of determined.Opynamic:Not determined.Viscosity:Out of determined.Solvent content:99.9 %Water:99.9 %VOC content:0.00 %0.00 %0.0 g/l / 0.00 lb/galSolids content:0.00 %	· Flash point:	Not applicable.	
Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         Explosion limits:       Not determined.         Lower:       Not determined.         Upper:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Not determined.         Viscosity:       Fully miscible.         Dynamic:       Not determined.         Viscosity:       Not determined.         Oslovent content:       Not determined.         Viscosity:       Not determined.         Oslovent content:       0.00 %         VOC content:       0.00 %         0.00 %       0.0 g/l / 0.00 lb/gal         Solids content:       0.00 %	· Flammability (solid, gaseous):	Not applicable.	
Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Not determined.         Lower:       Not determined.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vascosity:       Fully miscible.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:       Not determined.         • Not determined.       Not determined.         • Viscosity:       Not determined.         • Not determined.       Not determined.         • Viscosity:       Not determined.         • Voc content:       Not determined.         • Voc content:       99.9 %         • VOC content:       0.00 %         • 0.0	• Decomposition temperature:	Not determined.	
• Explosion limits:       Not determined.         Lower:       Not determined.         Upper:       Not determined.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Solubility in / Miscibility with       Water:         • Vation coefficient (n-octanol/water): Not determined.         • Viscosity:       Dynamic:         Dynamic:       Not determined.         • Solvent content:       99.9 %         VOC content:       0.00 %         0.00 %       0.0 g/l / 0.00 lb/gal	• Auto igniting:	Product is not selfigniting.	
Lower:Not determined.Upper:Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Water:99.9 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %Ol 0 %	• Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not determined.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):1.00051 g/cm³ (8.34926 lbs/gal)· Relative densityNot determined.· Vapor densityNot determined.· Viscosity:Not determined.· Viscosity:Not determined.· Viscosity:Not determined.· Viscosity:Not determined.· Vol content:99.9 %· Vol content:0.00 %· On g/l / 0.00 lb/galSolids content:0.0 %			
· Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         · Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         · Relative density       Not determined.         · Vapor density       Not determined.         · Solubility in / Miscibility with       Water:         · Viscosity:       Dynamic:         Dynamic:       Not determined.         · Viscosity:       Not determined.         · Solvent content:       Not determined.         · VOC content:       0.00 %         · 0.0 g/l / 0.00 lb/gal       0.0 %         Solids content:       0.0 %			
• Density at 20 °C (68 °F):       1.00051 g/cm³ (8.34926 lbs/gal)         • Relative density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Vapor density       Not determined.         • Evaporation rate       Not determined.         • Solubility in / Miscibility with Water:       Fully miscible.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity: Dynamic:       Not determined.         • Viscosity: Dynamic:       Not determined.         • Solvent content: Water:       99.9 %         • VOC content:       0.00 %         • 0.0 g/l / 0.00 lb/gal       0.0 %	Upper:	Not determined.	
• Relative density       Not determined.         • Vapor density       Not determined.         • Evaporation rate       Not determined.         • Solubility in / Miscibility with       Fully miscible.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:       Dynamic:         Dynamic:       Not determined.         Kinematic:       Not determined.         • Solvent content:       99.9 %         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       Solids content:	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Water:99.9 % 0.00 % 0.0 g/l / 0.00 lb/galSolids content:0.0 %	· Density at 20 °C (68 °F):		
· Evaporation rateNot determined.· Solubility in / Miscibility with Water:Fully miscible.· Partition coefficient (n-octanol/water): Not determined.· Viscosity: Dynamic: Kinematic:Not determined.· Viscosity: Dynamic: Not determined.· Voc content: Water: 0.00 % 0.0 g/l / 0.00 lb/gal· Solids content:0.0 %			
Solubility in / Miscibility with Water:       Fully miscible.         Partition coefficient (n-octanol/water):       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       99.9 %         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 %			
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:99.9 %Water:99.9 %VOC content:0.00 %0.00 %0.0 g/l / 0.00 lb/galSolids content:0.0 %	· Evaporation rate	Not determined.	
• Partition coefficient (n-octanol/water): Not determined.         • Viscosity:       Dynamic:         Dynamic:       Not determined.         Kinematic:       Not determined.         • Solvent content:       99.9 %         Water:       99.9 %         • VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal       0.0 %			
• Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         • Solvent content:       99.9 %         Water:       99.9 %         VOC content:       0.00 %         0.0 g/l / 0.00 lb/gal         Solids content:       0.0 %	Water:	Fully miscible.	
Dynamic: Kinematic:Not determined.Solvent content: Water:99.9 % 0.00 % 0.00 g/l / 0.00 lb/galSolids content:0.00 % 0.0 g/l / 0.00 lb/gal	· Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
Kinematic:Not determined.Solvent content:99.9 %Water:99.9 %VOC content:0.00 %0.00 g/l / 0.00 lb/galSolids content:0.0 %	· Viscosity:		
Solvent content:         99.9 %           Water:         99.9 %           VOC content:         0.00 %           0.0 g/l / 0.00 lb/gal         0.0 %			
Water:         99.9 %           VOC content:         0.00 %           0.0 g/l / 0.00 lb/gal         0.0 g/l / 0.00 lb/gal	Kinematic:	Not determined.	
VOC content:         0.00 %           0.0 g/l / 0.00 lb/gal           Solids content:         0.0 %			
Solids content:         0.0 %			
Solids content: 0.0 %	VOC content:		
	Solias content:	0.0 %	

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

(Contd. of page 4)

• Other information

No further relevant information available.

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

<sup>-</sup> US

Printing date 07/19/2019

Reviewed on 07/19/2019

Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

• Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, ADN, IMDG, IATA	Not regulated	
UN proper shipping name		
DOT, ADN, IATA	Not regulated	
IMDG	Not Regulated	
	Not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
DOT, IMDG, IATA	Not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

## **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 7440-50-8 copper	
· TSCA (Toxic Substances Control Act):	
Nitric Acid	ACTIVE
copper	ACTIVE
	(Contd. on page 7)

(Contd. of page 5)

Printing date 07/19/2019

Reviewed on 07/19/2019

#### Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

(i) Water	Contd. of page 6) ACTIVE
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 7440-50-8 copper	D
TLV (Threshold Limit Value established by ACGIH)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
GHS label elements Not Applicable Hazard pictograms Not Applicable Signal word Not Applicable Hazard statements Not Applicable Precautionary statements If swallowed: Call a poison center/doctor if you feel unwell.	
If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an Continue rinsing. Dispose of contents/container in accordance with local/regional/national/international regulations. <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	d easy to do

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- · Date of preparation / last revision
- Creation date for SDS 07-29-2015. STN 07/19/2019 / -

 Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

Printing date 07/19/2019

Reviewed on 07/19/2019

# Trade name: Copper Standard 20.0 ppm (1 ml = 0.02 mg Cu)

(Contd. of page 7)

US

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit