-	Reviewed on 06/15/2
1 Identification	
· Product identifier · Trade name: <u>Sulfuric Acid</u>	
<u>8.0 Normal Solution</u> • Article number: SPE498	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson sherman@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
2 Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
Carc. 1A H350 May cause cancer.	
Carc. 1A H350 May cause cancer.	
Carc. 1A H350 May cause cancer.	
GHS05 Corrosion	
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage.	he Globally Harmonized System (GHS
<i>GHS05 Corrosion</i> Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to the second s	he Globally Harmonized System (GHS
GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to t	he Globally Harmonized System (GHS
<i>GHS05 Corrosion</i> Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. • Label elements • GHS label elements The product is classified and labeled according to the Hazard pictograms	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: 	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements 	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS05 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. 	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. May cause cancer. 	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS05 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. 	he Globally Harmonized System (GHS
 GHS05 Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Label elements GHS label elements The product is classified and labeled according to the Hazard pictograms GHS05 GHS05 GHS05 GHS08 Signal word Danger Hazard-determining components of labeling: Sulfuric Acid 96 - 98% Hazard statements Causes severe skin burns and eye damage. May cause cancer. Precautionary statements 	

US

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

(Contd. of J Wash thoroughly after handling.	page 1)
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy t	to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
$\frac{11600}{Fire = 0}$	
$\frac{3}{Reactivity} = 0$	
· HMIS-ratings (scale 0 - 4)	
= $1100000 = 3$	
$FIRE \qquad \bigcirc Fire = 0$	
REACTIVITY \bigcirc <i>Reactivity</i> = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT : Not applicable.	
· vPvB : Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
· Description: Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98% 34.8	19%
· Table of Nonhazardous Ingredients	

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

 \cdot Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

65.181%

– ÚS

Printing date 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. 	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$0.20 \ mg/m^3$
· PAC-2:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	$8.7 mg/m^3$
· PAC-3:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	160 mg/m ³

5

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

(Contd. on page 4)

US

(Contd. of page 2)

Reviewed on 06/15/2018

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

(Contd. of page 3)

8 Exposure controls/personal protection · Additional information about design of technical systems: No further data; see item 7. · Control parameters · Components with limit values that require monitoring at the workplace: CAS: 7664-93-9 Sulfuric Acid 96 - 98% PEL Long-term value: 1 mg/m³ REL Long-term value: 1 mg/m³ TLV Long-term value: 0.2* mg/m³ *as thoracic fraction • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection:

· Body protection: Protective work clothing

Tightly sealed goggles

(Contd. on page 5)

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

(Contd. of page 4)

Physical and chemical proper	ties	
Information on basic physical and c	hemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.189 g/cm³ (9.92221 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	pr): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	65.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gl	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6) US

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

(Contd. of page 5)

1

Κ

- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

• IARC (International Agency for Research on Cancer) CAS: 7664-93-9 Sulfuric Acid 96 - 98%

CAS: 7004-95-9 Suljuric Acta 90 - 98-

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2796	
UN proper shipping name		
DOT	Sulfuric acid	
IMDG, IATA	SULPHURIC ACID	
Transport hazard class(es)		
DOT		
CORROSIVE		
Class	8 Corrosive substances	
Label	8	
IMDG, IATA		
A CONTRACTOR OF		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	80	
EMS Number:	F-A, S-B	
Segregation groups	Acids	
Stowage Category	В	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Printing date 06/15/2018

Reviewed on 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

	(Contd. of page 7)
• Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2796 SULFURIC ACID, 8, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• Section 313 (Specific toxic chemical listings): CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• TSCA (Toxic Substances Control Act):

Sulfuric Acid 96 - 98%

Water

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

A2


· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

Printing date 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution Reviewed on 06/15/2018



- · Contact:
- Date of preparation / last revision Revision 0.0, 06-15-2018: Creation date for SDS. STN 06/15/2018 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Contd. on page 10)

US

Printing date 06/15/2018

Trade name: Sulfuric Acid 8.0 Normal Solution

Reviewed on 06/15/2018

(Contd. of page 9)

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 1A: Carcinogenicity - Category 1A

US