Printing date 05/28/2024

Reviewed on 05/28/2024

# **1** Identification · Product identifier · Trade name: Potassium Iodate, Primary Standard · Article number: P4596 · CAS Number: 7758-05-6 · EC number: 231-831-9 · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS03 Flame over circle **Oxidizing Solids 2** H272 May intensify fire; oxidizer. GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation. · Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS03 GHS07 · Signal word Danger · Hazard statements May intensify fire; oxidizer. (Contd. on page 2)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Iodate, Primary Standard

	(Contd. of page 1)
Harmful if swallowed.	
Causes skin irritation.	
Causes serious eye irritation.	
May cause respiratory irritation.	
· Precautionary statements	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
Rinse mouth.	
If on skin: Wash with plenty of water.	
Specific treatment (see on this label).	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present a	and easy to do.
Continue rinsing.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
• Classification system:	,
· NFPA ratings (scale 0 - 4)	
TITTA Tuings (scule 0 - 4)	
$\frac{3}{1000}$ Health = 2	
2  0  Fire = 3	
Reactivity = 0	
The substance possesses oxidizing properties.	
· HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{2} Health = 2$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> $0$ Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
• <b>vPvB:</b> Not applicable.	
3 Composition linformation on ingradiants	

# 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7758-05-6 Potassium Iodate

 $(Contd. \ on \ page \ 3)$ 

<sup>-</sup> US

Printing date 05/28/2024

Reviewed on 05/28/2024

(Contd. of page 2)

Trade name: Potassium Iodate, Primary Standard

· Identification number(s)

• EC number: 231-831-9

#### 4 First-aid measures

· Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- · PAC-1: 0.45 mg/m<sup>3</sup>
- · PAC-2: 4.9 mg/m<sup>3</sup>
- · PAC-3: 29 mg/m<sup>3</sup>

### 7 Handling and storage

· Handling:

- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 05/28/2024

Reviewed on 05/28/2024

(Contd. of page 3)

#### Trade name: Potassium Iodate, Primary Standard

- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

#### · Breathing equipment:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	sical and chemical properties	
General Information		
Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	

Printing date 05/28/2024

Reviewed on 05/28/2024

#### Trade name: Potassium Iodate, Primary Standard

		(Contd. of page
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	560 °C (1,040 °F)	
Boiling point/Boiling range:	Undetermined.	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Product is not flammable.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	3.93 g/cm <sup>3</sup> (32.79585 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not determined.	
· Partition coefficient (n-octanol/water)	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
• Other information	No further relevant information available.	

#### **10 Stability and reactivity**

· **Reactivity** No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

(Contd. on page 6)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

#### Trade name: Potassium Iodate, Primary Standard

(Contd. of page 5)

- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- $\cdot$  Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

# **12** Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

#### · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

· UN-Number		
· DOT, IMDG, IATA	UN1479	
· UN proper shipping name		
DOT	Oxidizing solid, n.o.s. (Potassium Iodate)	
· IMDG, IATA	OXIDIZING SOLID, N.O.S. (Potassium Iodate)	
· Transport hazard class(es) · DOT		
DXIDIZER 51		
Class	5.1 Oxidizing substances	

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Potassium Iodate, Primary Standard

	(Contd. of page
· Label	5.1
IMDG, IATA	
51	
· Class	5.1 Oxidizing substances
· Label	5.1
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	N.
Marine pollutant:	No
Special precautions for user	Warning: Oxidizing substances
Poison inhalation hazard: Hazard identification number (Kemler code	No No 5 1
· Hazara taeniijication number (Kemter code · EMS Number:	F-A,S-Q
Stowage Category	B
Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds.
	SG49 Stow "separated from" SGG6-cyanides
	SG60 Stow "separated from" SGG16-peroxides SG61 Stow "separated from" SGG15-powdered metals
Turner out in hall good with the Armen H of	5001 Slow Separated from 50015 powaered metals
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
* *	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 kg
2	On cargo aircraft only: 25 kg
·IMDG	
Limited quantities (LQ)	1 kg
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1479 OXIDIZING SOLID, N.O.S. (POTASSIUM IODATE 5.1, III

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances): Substance is not listed.

- Section 313 (Specific toxic chemical listings): Substance is not listed.
- TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

(Contd. on page 8)

Printing date 05/28/2024

Reviewed on 05/28/2024

(Contd. of page 7)

Trade name: Potassium Iodate, Primary Standard

- Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



· Signal word Danger · Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. · Precautionary statements Keep away from heat. *Keep/Store away from clothing/combustible materials.* Take any precaution to avoid mixing with combustibles. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. Specific treatment (see on this label). *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

(Contd. on page 9)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

## Trade name: Potassium Iodate, Primary Standard

<ul> <li>Date of preparation / last revision</li> <li>Devision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN</li> <li>Devision date for SDS 09-23-2014 STN</li> <li>5/28/2024</li> <li>bbreviations and acronyms:</li> <li>MDG: International Maritime Code for Dangerous Goods</li> <li>OT: US Department of Transportation</li> <li>ATA: International Air Transport Association</li> <li>INECS: European Inventory of Existing Commercial Chemical Substances</li> </ul>	
Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 09-23-2014 STN 5/28/2024 <b>bbreviations and acronyms:</b> MDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
Creation date for SDS 09-23-2014 STN 5/28/2024 <b>bbreviations and acronyms:</b> MDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
5/28/2024 <b>bbreviations and acronyms:</b> MDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
bbreviations and acronyms: bbreviations and acronyms: MDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
MDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
OT: US Department of Transportation ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances	
INECS: European Inventory of Existing Commercial Chemical Substances	
AS: Chemical Abstracts Service (division of the American Chemical Society)	
FPA: National Fire Protection Association (USA)	
MIS: Hazardous Materials Identification System (USA)	
C50: Lethal concentration, 50 percent	
D50: Lethal dose, 50 percent	
BT: Persistent. Bioaccumulative and Toxic	
PvB: very Persistent and very Bioaccumulative	
IOSH: National Institute for Occupational Safety	
SHA: Occupational Safety & Health	
LV: Threshold Limit Value	
EL: Permissible Exposure Limit	
EL: Recommended Exposure Limit	
xidizing Solids 2: Oxidizing solids – Category 2	
cute Toxicity - Oral 4: Acute toxicity – Category 4	
kin Irritation 2: Skin corrosion/irritation – Category 2	
ye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
pecific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Data compared to the previous version altered.	