Printing date 06/17/2024

*

Reviewed on 06/17/2024

Product identifier	
Trade name: <u>Hydrochloric Acid 0.2 Normal</u> in IPA (ASTM D 664)	
Article number: 4132	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS02 Flame	H225 Highly flammable liquid and vapor.
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2	
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard	2 H373 May cause damage to organs through prolonged o
Flammable Liquids 2 Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	2 H373 May cause damage to organs through prolonged of
GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 GHS05 Corrosion Skin Corrosion 1A	 P. H373 May cause damage to organs through prolonged or repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Isopropanol Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ² Health = 2 FIRE 3 Fire = 3**REACTIVITY O** Reactivity = 0

(Contd. on page 3)

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

(Contd. of page 2)

97.572%

2.428%

· Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-63-0	Isopropanol
C_{11} , C_{1	isopropunoi

CAS: 7647-01-0 Hydrochloric Acid

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
 - Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

[·] Advice for firefighters

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

Ensure adequate Reference to oth See Section 7 for See Section 8 for See Section 13 fo		(Contd. of page 3)
· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7647-01-0	Hydrochloric Acid	100 ppm

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Store in cool, ary containons in well sected receptacies.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

PEL

· Components with limit values that require monitoring at the workplace:

CAS: 67-63-0 Isopropanol

Long-term value: 980 mg/m³, 400 ppm

(Contd. on page 5)

US

Printing date 06/17/2024

observed.

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

EL LV CAS: 7647-01-0 Hydrochloric Aci	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
	Long-term value: 980 mg/m ³ , 400 ppm
AS: 7647-01-0 Hydrochloric Aci	Short-term value: 400 ppm
AS: 7647-01-0 Hydrochloric Aci	Long-term value: 200 ppm BEI, A4
AS. 7047-01-0 Hyurochioric Aci	
IOSH RECOMENDED EXP LIM	
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm Ceiling limit value: 7 mg/m ³ , 5 ppm
LV	Ceiling limit value: 2 ppm
Lv	A4
ngredients with biological limit vo	aluas
Agreatents with biological timit ve CAS: 67-63-0 Isopropanol	nues.
EI 40 mg/L LD50 Intraperitoneal: urine	
<i>Time: end of shift at end of wa</i>	prkweek
LD50: Acetone (background,	nonspecific)
dditional information: The lists t	hat were valid during the creation were used as basis.
General protective and hygienic m General protective and hygienic m Geep away from foodstuffs, beverag mmediately remove all soiled and Vash hands before breaks and at th tore protective clothing separately void contact with the eyes. void contact with the eyes and ski Greathing equipment: In case of brief exposure or low po espiratory protective device that is protection of hands: Protective gloves	ges and feed. contaminated clothing. he end of work. y. in. in. ilution use respiratory filter device. In case of intensive or longer exposure use

(Contd. on page 6)

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

(Contd. of page 5)

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	chemical properties	
General Information		
Appearance:	7 ,	
Form:	Liquid	
Color: Odor:	Clear Alcohol	
Odor: Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	-89.5 °C (-129.1 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	2 Vol %	
Upper:	12 Vol %	
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
Density at 20 °C (68 °F):	0.79616 g/cm³ (6.64396 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	97.6 %	

US

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal		
in IPA (ASTM D 664)		

		(Contd. of page 6
VOC content:	97.57 %	
	776.8 g/l / 6.48 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

3

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

(Contd. of page 7)

- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1993
· UN proper shipping name · DOT	Flammable liquids, n.o.s. (Isopropanol
· IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Isopropanol)
· Transport hazard class(es)	
·DOT	
P.AMABLE LOUD	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
3	

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

	(Contd. of page 8)
· Label	3
· Packing group · DOT, IMDG, IATA	11
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user EMS Number: Stowage Category 	Warning: Flammable liquids F-E, <u>S-E</u> B
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	f Not applicable.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
· TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVE
Hydrochloric Acid	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
CAS: 67-63-0 Isopropanol	A4
	(Contd. on page 10)

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

(Contd. of page 9) · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS07 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Isopropanol Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. *Ground/bond container and receiving equipment.* Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

(Contd. on page 11)

US ·

Printing date 06/17/2024

Reviewed on 06/17/2024

Trade name: Hydrochloric Acid 0.2 Normal in IPA (ASTM D 664)

	(Contd. of page 10)
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 0.1, 06/14/2024: Reviewed SDS for accuracy. MH/STN	
Creation date for SDS 08-19-2014. STN	
06/17/2024 / 1.0	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
\cdot * Data compared to the previous version altered.	
	US