Safety Data Sheet acc. to OSHA HCS

Printing date 06/05/2024

*

*

Reviewed on 06/05/2024

(In Isopar E)Article number: $OW037$ CAS Number: $GASNumber:$ $Agua Solutions, Inc.$ $GPI3 Highway 225$ DEER PARK, TX 77336 $SASNUMSNUMSNUMSNUMSNUMSNUMSNUMSNUMSNUMSNUM$		
Article number: DOW037 CAS Number: 67471-6-6-8 EC number: 265-068-8 Index number: 649-276-00-X Details of the supplier of the safety data sheet Munifacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA S00-256-2586 Information department: Technical Coordinator Sherman Nebus shermann@aquasolutions.org Pemergency telephone number: Chemrer: 800-424-9300 Canutec: 613-996-6666 Etails of the substance or mixture $$ GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. $$ GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. $$ GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. I abel elements Isolassified and labeled according to the Globally Harmonized System (GH Hazard pictograms G	· Product identifier	
 Article number: DOW037 CAS Number: 67471-66-8 FC number: 649-276-00-X Details of the supplier of the safety data sheet Manufacturer/Supplier: Agaa Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 Z Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Image: GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Image: GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Image: GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H366 May cause drowsiness or dizginess. Label elements GHS04 Elements The substance is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms 		olvent
 CAS Number: 64741-66-8 EC number: 205-068-8 Index number: 649-376-00-X Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DERR PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Netson shermann@aquasolutions.org Emergency telephone number: Chemtre: 800-424-9300 Canute: 613-996-6666 2 Hazard(s) identification 9 GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor.		
$\begin{array}{c} 64741.66-8\\ \hline EC number:\\ 505-068-8\\ \hline Index number:\\ 649-276-00-8\\ \hline Index number:\\ 649-276-00-8\\ \hline Index number:\\ 649-276-00-8\\ \hline Index number:\\ 649-276-00-8\\ \hline Index number:\\ \hline Manufacturer/Supplier:\\ Aguas Solutions, Inc.\\ 6913 Highway 225\\ DEER PARK, TX 77336\\ USA\\ 800-256-2586\\ \hline Information department:\\ Technical Coordinator\\ Technical Coordinator\\ Sherman Nelson shermann@aquasolutions.org\\ Sherman Nelson shermann@aquasolutions.org\\ Sherman Nelson shermann@aquasolutions.org\\ Canutec: 613-996-6666\\ \hline \hline Information department:\\ Technical Coordinator\\ Classification of the substance or mixture\\ \hline \hline Otassification of the substance or mixture\\ \hline \hline \ Otassification of the substance or mixture\\ \hline \hline \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		
EC number: 205-068-8 10dex number: 649-276-00-X Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA USA 800-256-2586 • Information department: Technical Coordinator Sherman Netson shermann@aquasolutions.org Emergency telephone number: Chemrer: 800-246-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • 125 Highly flammable liquid and vapor. • Offsoon Paramet • 1304 May be fatal if swallowed and enters airways. • Offsoon Paramet 1 H304 May be fatal if swallowed and enters airways. • Offsoon Parent 1 H304 May be fatal if swallowed and enters airways. • Offsoon Parent 1 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Lade telements • 1435 May cause drowsiness or dizziness. • Let elements • 1436 May be fatal if or the Globally Harmonized System (GR • 1432 High Paramet 1 H315 Causes skin irritation. • 1432 Elements • 1436 May cause drowsiness or dizziness.<		
265-068-8 Index number: 649-276-00-X Details of the supplier of the safety data sheet Manufacturer/Supplier: Agua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutee: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture \overbrace{O} GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. \overbrace{O} GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. \overbrace{O} GHS07 Skin Irritation 2 Skin Irritation 2 Shin Irritation 2 Shin Irritation 2 Shin Irritation 2 Shin Irritation 3 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements OHS label elements The substance is classified and labeled according to the Globally Harmonized System (Gh Hazard pictograms		40114
Index number: GSULUTIONS 649-276-00-X Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA B800-256-2586 • Information department: Technical Coordinator Sherman Netson shermann@aquasolutions.org • Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Classification of the substance or mixture • Off GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. • Off GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. • Off GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements • OHS label telements The substance is classified and labeled according to the Globally Harmonized System (GH		
 Details of the supplier of the safety data sheet Manufacturer/Supplier: Agua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 801-329-6-6666 21 Hazard(s) identification Classification of the substance or mixture of GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. OfHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (Gh Hzard pictograms 		SOLUTIONS
• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtree: 800-424-9300 Caute: 613-996-6666 2 Parard(s) identification • Classification of the substance or mixture ●	649-276-00-X	
• Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtree: 800-424-9300 Caute: 613-996-6666 2 Parard(s) identification • Classification of the substance or mixture ●	\cdot Details of the supplier of the safety d	lata sheet
6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 2 2 Maxard(s) identification • Classification of the substance or mixture ✓ ✓ GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. ✓ ✓ GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. ✓ ✓ GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GE Hazard pictograms	· Manufacturer/Supplier:	
DEER PARK, TX 77536 USA B00-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 2 Hazard(s) identification • Classification of the substance or mixture \overbrace{vv} GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. \overbrace{vv} GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. \overbrace{vv} GHS07 Skin Irritation 2 Skin Irritation 2 Skin Irritation 2 Skin Irritation 1 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. \cdot Label elements \cdot GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms		
USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Classification of the substance is classified and labeled according to the Globally Harmonized System (Ghe • Hazard pictograms • Classification of the substance is classified and labeled according to the Globally Harmonized System (Ghe • Hazard pictograms		
800-256-2586 • Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Output • GHS02 Flame Flammable Liquids 2 • H225 Highly flammable liquid and vapor. • Output • GHS08 Health hazard Aspiration Hazard 1 • H304 May be fatal if swallowed and enters airways. • Output • GHS07 Skin Irritation 2 • Specific Target Organ Toxicity - Single Exposure 3 • Label elements • Label elements • GHS18 tabel elements The substance is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms		
 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutee: 613-996-6666 2 Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Image: GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Image: GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH: Hazard pictograms) 		
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemitree: 800-424-9300 Canutec: 613-996-6666 2 2 4 Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. Image: GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Image: GHS07 Skin Irritation 2 Specific Target Organ Toxicity - Single Exposure 3 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H326 Iabel elements GHS1 abel elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms		
Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Output • Output • GHS02 Flame Flammable Liquids 2 • H225 Highly flammable liquid and vapor. • Output		
• Emergency telephone number: Chemitrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification • Classification of the substance or mixture • Classification of the substance or mixture • Classification of the substance or mixture <		utions.org
Canutec: 613-996-6666	· Emergency telephone number:	
2 Hazard(s) identification • Classification of the substance or mixture • Official Constraints • GHS02 Flame Flammable Liquids 2 • H225 Highly flammable liquid and vapor. • Official Constraints • GHS08 Health hazard Aspiration Hazard 1 • M304 May be fatal if swallowed and enters airways. • Official Constraints • Specific Target Organ Toxicity - Single Exposure 3 • Label elements • GHS label elements • GHS label elements • GHS label elements • Official Constraints		
Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or diziness. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms	Canutec: 613-996-6666	
GHS08 Health hazard Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Image: Comparison of the system of the substance is classified and labeled according to the Globally Harmonized System (GHS) Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and labeled according to the Globally Harmonized System (GHS) Image: Comparison of the substance is classified and the substan	· · · · · · · · · · · · · · · · · · ·	
Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways. GHS07 GHS07 Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms) • With the substance is classified and labeled according to the Globally Harmonized System (GHS Hazard pictograms)	· Classification of the substance or mi	xture
Skin Irritation 2 Skin Irritation 2 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH • Hazard pictograms • $i = i + i + i + i + i + i + i + i + i + $	• Classification of the substance or mi	
Skin Irritation 2 H315 Causes skin irritation. Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms Image: Comparison of the substance of the s	Classification of the substance or mi GHS02 Flame Flammable Liquids 2	
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH • Hazard pictograms • (GH)	Classification of the substance or mi GHS02 Flame Flammable Liquids 2 GHS08 Health hazard	H225 Highly flammable liquid and vapor.
Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. • Label elements • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH • Hazard pictograms • (GH)	Classification of the substance or mi GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1	H225 Highly flammable liquid and vapor.
 Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms 	Classification of the substance or mi GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1 GHS07	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways.
GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GH Hazard pictograms	Classification of the substance or mi GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1 GHS07 Skin Irritation 2	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.
GHS02 GHS07 GHS08	Classification of the substance or mit GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1 GHS07 Skin Irritation 2 Specific Target Organ Toxicity - Sing	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.
GHS02 GHS07 GHS08	Classification of the substance or mit GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1 GHS07 Skin Irritation 2 Specific Target Organ Toxicity - Sing · Label elements · GHS label elements The substance is	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. le Exposure 3 H336 May cause drowsiness or dizziness.
	Classification of the substance or mit GHS02 Flame Flammable Liquids 2 GHS08 Health hazard Aspiration Hazard 1 GHS07 Skin Irritation 2 Specific Target Organ Toxicity - Sing · Label elements · GHS label elements The substance is	H225 Highly flammable liquid and vapor. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. le Exposure 3 H336 May cause drowsiness or dizziness.

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name:	0% w-w 1-Octene in Solvent
	(In Isopar E)

Signal word Danger	(Contd. of page 1)
Hazard-determining components of labeling:	
Isopar E	
Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Avoid release to the environment.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show IF INHALED: Remove person to fresh air and keep comfortable for breathing.	ver.
Call a poison center/doctor if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Collect spillage.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ions.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 1	
$\frac{3}{Fire = 3}$	
1 0 Fire = 3 $Reactivity = 0$	
Keachvaly = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 1 $Health = 1$	
FIRE 3 $Fire = 3$	
REACTIVITY Reactivity = 0	
Other hazards	
Results of PBT and vPvB assessment	
<i>PBT:</i> Not applicable.	

• *PBT:* Not applicable. • *vPvB:* Not applicable.

(Contd. on page 3)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 2)

3 Composition/information on ingredients

· Chemical characterization: Substances

• CAS No. Description CAS: 64741-66-8 Isopar E

Consisting of: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane) (0.1-<0.25%)

· Identification number(s)

- *EC number:* 265-068-8
- Index number: 649-276-00-X

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 3)

· Protective Action Criteria for Chemicals

• PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

• PAC-3:

Substance is not listed.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

wash hands before breaks a

Avoid contact with the skin. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

- US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 4)

US

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Physical and chemical properties		
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Clear	
Odor:	Sweetish	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	115-140 °C (239-284 °F)	
Flash point:	4 °C (39.2 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	380 °C (716 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	19.99836 hPa (15 mm Hg)	
Density at 20 °C (68 °F):	0.72 g/cm ³ (6.0084 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

		(Contd. of page
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/w	ater): >4	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.7 mPas	
Kinematic:	Not determined.	
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	720.0 g/l / 6.01 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 64741-66-8 Isopar E

Teratogenicity 29 (daphnia) (Test Guideline 403)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 7)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 6)

12 Ecological information

- · Toxicity
- Aquatic toxicity:

CAS: 64741-66-8 Isopar E

EC50 2.4 mg/L (daphnia) (Test Guideline 403)

Toxicity to fish 18.4 mg/l (Fish) (Test Guideline 403)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- \cdot Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • **Results of PBT and vPvB assessment**

- *PBT:* Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

14 Transport information • UN-Number • DOT, IMDG, IATA UN1268 • UN proper shipping name • DOT Petroleum distillates, n.o.s. (Octanes) • IMDG, IATA PETROLEUM DISTILLATES, N.O.S. (Octanes) • Transport hazard class(es) • DOT • DOT • Class 3 Flammable liquids

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

	(Contd. of page
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	
EMS Number:	F- E , S - E
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
~ ·	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1268 PETROLEUM DISTILLATES, N.O.S. (OCTANES), 3, 1

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

- · TSCA (Toxic Substances Control Act):
- · Hazardous Air Pollutants

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

(Contd. on page 9)

US

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Isopar E · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

(Contd. on page 10)

Printing date 06/05/2024

Reviewed on 06/05/2024

Trade name: 0% w-w 1-Octene in Solvent (In Isopar E)

(Contd. of page 9)

In case of fire: Use CO2, powder or water spray to extinguish. Collect spillage. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/05/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard - Category 1 \cdot * Data compared to the previous version altered.