

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

## 1 Identification

- **Product identifier**
- **Trade name:** Acidified Sodium Arsenite Solution
- **Article number:** ND578
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A      H350 May cause cancer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Hydrochloric Acid  
Sodium m-Arsenite
- **Hazard statements**  
Causes severe skin burns and eye damage.  
May cause cancer.
- **Precautionary statements**  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dusts or mists.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 1)

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = \*3

Fire = 0

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

CAS: 7647-01-0	Hydrochloric Acid	17.243%
CAS: 7784-46-5	Sodium m-Arsenite	1.0%

· **Table of Nonhazardous Ingredients**

CAS: 68584-22-5	Benzenesulfonic acid, C10-16-alkyl derivs.	0.0118%
CAS: 9004-82-4	Sodium lauryl ether sulfate	0.00708%
CAS: 1309-48-4	Magnesium Oxide	0.00118%
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	0.000519%
CAS: 7732-18-5	Water	81.736%

## 4 First-aid measures

· **Description of first aid measures**· **General information:** Immediately remove any clothing soiled by the product.· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 2)

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

### · PAC-1:

CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 7784-46-5	Sodium m-Arsenite	0.91 mg/m <sup>3</sup>
CAS: 1309-48-4	Magnesium Oxide	30 mg/m <sup>3</sup>
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 111-42-2	Diethanolamine	3 mg/m <sup>3</sup>

### · PAC-2:

CAS: 7647-01-0	Hydrochloric Acid	22 ppm
CAS: 7784-46-5	Sodium m-Arsenite	10 mg/m <sup>3</sup>
CAS: 1309-48-4	Magnesium Oxide	120 mg/m <sup>3</sup>
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 111-42-2	Diethanolamine	28 mg/m <sup>3</sup>

### · PAC-3:

CAS: 7647-01-0	Hydrochloric Acid	100 ppm
----------------	-------------------	---------

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 3)

CAS: 7784-46-5	Sodium m-Arsenite	170 mg/m <sup>3</sup>
CAS: 1309-48-4	Magnesium Oxide	730 mg/m <sup>3</sup>
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 111-42-2	Diethanolamine	130 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

### · Components with limit values that require monitoring at the workplace:

#### CAS: 7647-01-0 Hydrochloric Acid

NIOSH RECOMENDED EXP LIMIT	Ceiling limit value: 7.0 mg/m <sup>3</sup> mg/m <sup>3</sup>
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm

#### CAS: 7784-46-5 Sodium m-Arsenite

PEL	Long-term value: 0.01 mg/m <sup>3</sup> as As; 29CFR1910.1018
REL	Ceiling limit value: 0.002 mg/m <sup>3</sup> as As; 15min; See Pocket Guide App. A
TLV	Long-term value: 0.01 mg/m <sup>3</sup> as As

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.

(Contd. on page 5)

-US-

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 4)

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Liquid
Color:	Clear
Odor:	Odorless
Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 5)

· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F):	1.0265 g/cm <sup>3</sup> (8.56614 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	81.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	4,100 mg/kg (rat)
Dermal	LD50	15,000 mg/kg (rat)
Inhalative	LC50/4h	300 mg/l

**CAS: 7784-46-5 Sodium m-Arsenite**

Oral	LD50	0.5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4h	3 mg/l (ATE)

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.

(Contd. on page 7)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

**Trade name: Acidified Sodium Arsenite Solution**

(Contd. of page 6)

- **on the eye:**

- Strong caustic effect.

- Strong irritant with the danger of severe eye injury.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

- The product shows the following dangers according to internally approved calculation methods for preparations:

- Corrosive

- Irritant

- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 7784-46-5	Sodium m-Arsenite	1
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	1
CAS: 111-42-2	Diethanolamine	2B

- **NTP (National Toxicology Program)**

CAS: 7784-46-5	Sodium m-Arsenite	K
----------------	-------------------	---

- **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 7784-46-5	Sodium m-Arsenite	
----------------	-------------------	--

## 12 Ecological information

- **Toxicity**

- Aquatic toxicity:** No further relevant information available.

- Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- Bioaccumulative potential** No further relevant information available.

- Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- General notes:**

- Water hazard class 3 (Self-assessment): extremely hazardous for water

- Do not allow product to reach ground water, water course or sewage system, even in small quantities.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

- PBT:** Not applicable.

- vPvB:** Not applicable.

- Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

**Trade name: Acidified Sodium Arsenite Solution**

(Contd. of page 7)

 · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· **UN-Number**· **DOT, IMDG, IATA**

UN3289

· **UN proper shipping name**· **DOT**

Toxic liquid, corrosive, inorganic, n.o.s. (Sodium arsenite, Hydrochloric acid)

· **IMDG, IATA**

TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (SODIUM ARSENITE, HYDROCHLORIC ACID)

· **Transport hazard class(es)**· **DOT**· **Class**

8 Corrosive substances

· **Label**

8

· **IMDG, IATA**· **Class**

8 Corrosive substances

· **Label**

8

· **Packing group**· **DOT, IMDG, IATA**

II

· **Environmental hazards:**

Not applicable.

· **Special precautions for user**

Warning: Toxic substances

· **Danger code (Kemler):**

80

· **EMS Number:**

F-A,S-B

· **Segregation groups**

Acids

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**· **DOT**· **Quantity limitations**

On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

· **IMDG**· **Limited quantities (LQ)**

1L

(Contd. on page 9)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 8)

## · Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

## · UN "Model Regulation":

UN 3289 TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.  
(SODIUM ARSENITE, HYDROCHLORIC ACID), 8, II

### 15 Regulatory information

## · Safety, health and environmental regulations/legislation specific for the substance or mixture

## · Sara

## · Section 355 (extremely hazardous substances):

CAS: 7784-46-5 Sodium m-Arsenite

## · Section 313 (Specific toxic chemical listings):

CAS: 7784-46-5 Sodium m-Arsenite

CAS: 111-42-2 Diethanolamine

## · TSCA (Toxic Substances Control Act):

Hydrochloric Acid

Sodium m-Arsenite

Benzenesulfonic acid, C10-16-alkyl derivs.

Sodium lauryl ether sulfate

Magnesium Oxide

Ethyl Alcohol, Absolute 200 Proof

Diethanolamine

Water

## · TSCA new (21st Century Act) (Substances not listed)

CAS: 7784-46-5 Sodium m-Arsenite

## · Proposition 65

## · Chemicals known to cause cancer:

CAS: 7784-46-5 Sodium m-Arsenite

CAS: 111-42-2 Diethanolamine

## · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

## · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

## · Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

## · Carcinogenic categories

## · EPA (Environmental Protection Agency)

CAS: 7784-46-5 Sodium m-Arsenite

A

## · TLV (Threshold Limit Value established by ACGIH)

CAS: 7784-46-5 Sodium m-Arsenite

A1

CAS: 1309-48-4 Magnesium Oxide

A4

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

Trade name: Acidified Sodium Arsenite Solution

(Contd. of page 9)

CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	A3
CAS: 111-42-2	Diethanolamine	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7784-46-5	Sodium m-Arsenite
----------------	-------------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Hydrochloric Acid

Sodium m-Arsenite

· **Hazard statements**

Causes severe skin burns and eye damage.

May cause cancer.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Contact:**

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 09/26/2018

Reviewed on 09/26/2018

**Trade name: Acidified Sodium Arsenite Solution**

(Contd. of page 10)

**· Date of preparation / last revision**

Revision 0.0, 09-26-2018: Creation date for SDS. STN

09/26/2018 / -

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Carc. 1A: Carcinogenicity – Category 1A

US